State of Maine

Department of Human Services

Division of Data and Research

Annual Statistical Report

For the Calendar Year

1983

Michael R. Petit
Commissioner

Published in 1985

Ellen M. Naor
State Registrar

As Required By Statute 22 MRSA 2701

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1983. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics - 1983 has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Division of Data and Research. A particular note of acknowledgement and gratitude is owed to Marian B. Perkins, State Registrar from 1982 through 1984, whose many years of service to the Office of Vital Statistics contributed significantly to its present quality and stature.

Division of Data and Research staff most significantly involved in the production of the 1983 annual report include:

Carl Gerry, Systems Project Leader - Primary responsibility for systems analysis and revision, table design and production.

Ted Clark, William Turner and Michael Morin - Vital statistics systems maintenance and programming of vital statistics series reports.

Benjamin Ames, Statistician - Data quality control.

Dale Welch, Senior Researcher - Population statistics, table conception and design.

Donald Lemieux, Planning and Research Associate - Table conception and design.

Michael Fleming, Deputy Division Director - Report coordination and production.

Sue Whitley, Clerk Typist - Typing and word processing.

The joint efforts of all the staff of the Division's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Robert Packard, Field Agent - Coordination with cities and towns to produce the data in a timely fashion;

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

TABLE OF CONTENTS

Page Number

Acknowledgements ... ii

Table of Contents ... iii

List of Tables ... v

List of Supplemental Tables Available on Request ... ix

Introduction ... 1

Definitions of Terms ... 3

Definitions of Rates ... 7

Technical Notes ... 9

- General Considerations ... 9
- Live Births ... 12
- Infant and Fetal Mortality ... 12
- General Mortality ... 12
- Induced Abortions ... 14
- Marriages and Divorces ... 15

Tables (See List of Tables for detailed titles) ... 17

- Live Births ... 17
- Infant and Fetal Mortality ... 69
- General Mortality ... 83
- Induced Abortions ... 117
- Marriages and Divorces ... 129

Appendices ... 137

- Appendix 1. - Maine Vital Record Certificates and Reports ... 139
  - Certificate of Live Birth ... 141
  - Report of Fetal Death ... 142
  - Certificate of Death ... 143
  - Report of Abortion (Spontaneous and Induced) ... 144
  - License and Certificate of Marriage ... 145
  - Record of Divorce or Annulment ... 146

TABLE OF CONTENTS (Continued)

Page Number

Appendix 2 - 1983 Population Estimates and Projections........ 147

Population Estimates by County: Maine - July 1, 1983...... 149
Population Projections by Age Group: Maine - July 1, 1983. 150

Appendix 3 - Historical Vital Statistics Data................. 151

Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1945 (every fifth year) and 1946-1983 (yearly)............... 153
Induced Abortions, Number and Rate: Maine State Totals, 1978-1983.. 154

LIST OF TABLES

Table No.	Table Title	Page No.
	LIVE BIRTHS	
TABLE 1-01	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1983 (Resident Data)	19
TABLE 1-02	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1983 (Resident Data)	20
TABLE 1-03	Live Births by Selected Medical History Characteristics: Maine State Totals, 1983 (Resident Data) [Selected Characteristics: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies]	21
TABLE 1-04	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks]	22
TABLE 1-05	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1983 (Resident Data)	23
TABLE 1-06	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1983 (Resident Data)	40
TABLE 1-07	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1983 (Resident Data)	49
TABLE 1-08	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1983 (Resident Data)	58
TABLE 1-09	Live Births by Selected Risk Characteristics--Number of Births: Maine Hospitals, Other Birth Sites, and State Totals, 1983 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Caesarian Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	64

Table No. **Table Title** **Page No.**

TABLE 1-10 Live Births by Selected Risk Characteristics--Percentage of Total Births: Maine Hospitals, Other Birth Sites, and State Totals, 1983 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Caesarian Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]..... 65

TABLE 1-11 Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1983 (Occurrence Data)...... 66

INFANT AND FETAL MORTALITY

TABLE 2-01 Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1983 (Resident Data)...... 71

TABLE 2-02 Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1983 (Resident Data)...... 75

TABLE 2-03 Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1983 (Resident Data)...... 78

TABLE 2-04 Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1983 (Resident Data) [Selected Complications: Complications of Pregnancy, Complications of Labor or Delivery, Concurrent Illnesses, Congenital Anomalies]...... 79

TABLE 2-05 Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1983 (Resident Data)...... 80

TABLE 2-06 Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient]...... 81

TABLE 2-07 Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks]...... 82

GENERAL MORTALITY

TABLE 3-01 Deaths, Rank by Number of Deaths, and Death Rate--Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1983 (Resident Data)..... 85

Table No. Table Title Page No.

TABLE 3-02 Years of Life Lost--Number, Percent, Rank and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1983 (Resident Data)........................... 90

TABLE 3-03 Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1983 (Resident Data)........................... 91

TABLE 3-04 Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups, and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1983 (Resident Data)......... 110

TABLE 3-05 Deaths--Total, and Percent by Site of Death: Maine Counties and State Totals, 1983 (Resident Data)................. 112

TABLE 3-06 Deaths in Hospitals--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1983 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]..................................... 113

TABLE 3-07 Deaths in Intermediate Care Facilities--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1983 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]................. 114

TABLE 3-08 Deaths at Home--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1983 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]..................................... 115

INDUCED ABORTIONS

TABLE 4-01 Total Terminations of Pregnancy, Fetal Deaths, Miscarriages, and Induced Abortions by Gestation: Maine State Totals, 1983 (Resident Data)......................... 119

TABLE 4-02 Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1983 (Occurrence Data).. 120

TABLE 4-03 Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1983 (Resident Data)............... 121

TABLE 4-04 Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1983 (Occurrence Data)............. 122

TABLE 4-05 Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1983 (Resident Data)............. 123

TABLE 4-06 Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1983 (Occurrence Data)........... 124

Table No. **Table Title** **Page No.**

TABLE 4-07 Induced Abortions by Complications of Pregnancy, Gestation, and Age of Patient: Maine State Totals, 1983 (Occurrence Data).. 125

TABLE 4-08 Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1983 (Resident Data)......................... 126

TABLE 4-09 Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1983 (Occurrence Data)....................... 127

TABLE 4-10 Induced Abortions by State or Country of Residence: Maine State Totals, 1983 (Occurrence Data)....................... 128

MARRIAGES AND DIVORCES

TABLE 5-01 Marriages by Age of Bride and of Groom: Maine State Totals, 1983 (Resident Data).............................. 131

TABLE 5-02 Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1983 (Resident Data).................. 132

TABLE 5-03 Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1983 (Resident Data)... 133

TABLE 5-04 Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1983 (Resident Data)............ 134

TABLE 5-05 Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1983 (Occurrence Data)....................... 135

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

Table No.	
S1	Births and Deaths by County, Town, and Month.
S2	Live Births by Prenatal Care Index (in preparation).
S3	Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth, other Birth Sites, and State Total, 1983 (Occurrence).
S4	Teenage Pregnancies by Outcome and Marital Status: Resident Data - Maine, 1983.
S5	Listing of All Death Records by International Classification of Disease (ICD) Code.
S6	Induced Abortions to Females Aged Less Than 18 Years, by Single Year of Age and Marital Status: Maine Counties and State Total, 1983 (Resident Data).
S7	Live Births — Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
S8	Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County totals, and State Totals, 1983 (Resident Data)
S9	Induced Abortions--Total, and by Selected Characteristics: Maine Towns over 3500 Population, Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No Previous Pregnancies, No Previous Abortions, Educaiton, Abortions in Hospital]
S10	Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1983 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]
S11	Wives Involved in Divorces and Annulments by Residence of Husband and Number of Minor Children: Maine Towns, Counties, and State Totals, 1983 (Resident Data)

---

*Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In 1983, the computerized data system for vital records and statistics was completely reorganized and revised to promote more accurate and timely registration functions and statistical products. The data were rigorously edited at input and subsequently subjected to a number of consistency checks. The format and content of the statistical tables and reports to be produced from the new system were reviewed carefully for relevance, clarity and style. The resulting annual vital statistics report for 1983 is a culmination of these many and varied efforts to produce a document of the highest quality possible.

Only the minimum information necessary to use the tables has been included in the technical notes. In order to speed the process of making these data available to the public, the 1983 report does not contain interpretive comments and charts. We hope that these enhancements can be incorporated in future issues of this annual report.

The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page ix. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Division of Data and Research
Maine Department of Human Services
State House Station #11
Augusta, Maine 04333

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

DEFINITIONS OF TERMS (Continued)

Infant Death	Death occurring to a live born infant less than one year of age.
Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.
Miscarriage	Spontaneous abortion (see definition).
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Post-Neonatal Death	Death occurring to a live born infant between the ages of 28 days and 365 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.
Residence	Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.
Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)."
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

DEFINITIONS OF RATES*

Age-Specific Death Rate = $\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$

Birth Rate = $\frac{\text{Resident Live Births}}{\text{Total Resident Population}} \times 1{,}000$

Cause-Specific Death Rate = $\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}} \times 100{,}000$

Death Rate = $\frac{\text{Resident Deaths}}{\text{Total Resident Population}} \times 1{,}000$

Divorce Rate = $\frac{\text{Divorces}}{\text{Total Resident Population}} \times 1{,}000$

Fetal Death Rate = $\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}} \times 1{,}000$

Infant Death Rate = $\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$

Marriage Rate = $\frac{\text{Marriages Performed}}{\text{Total Resident Population}} \times 1{,}000$

Maternal Death Rate = $\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}} \times 10{,}000$

Neonatal Death = $\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$

Perinatal Death Rate = $\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}} \times 1{,}000$

Post-Neonatal Death Rate = $\frac{\text{Resident Post-Neonatal Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$

Sex-Specific Death Rate = $\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}} \times 100{,}000$

---

*Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

TECHNICAL NOTES

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, abortion, marriage, and divorce certificates in effect during 1983 are the source documents for data on vital events in Maine. A copy of each is included in Appendix 1. Note that current (1985) fetal death and marriage records vary somewhat from the 1983 forms.

The cut-off date for 1983 data in this report is April 15, 1984. Any data pertaining to 1983 events for which certificates were filed after April 15, 1984, are not included in this report.

Birth certificates and abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback is usually done by mail and is based on both manual and computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: As noted in 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983. The new certificate uses a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from 1983-1992 Maine Population Projections, Division of Data and Research, Department of Human Services, June, 1984. A display of these population data is included in Appendix 2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

"Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution.

Infant ands Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine did not participate in such exchange for fetal deaths in 1983, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is not available.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table 2-03. Tables 2-01, 2-05, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases. It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using the list of 282 cause groups (Table 3-03). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table 3-01 and 3-02 is based on 32 cause groups. The data on fetal and infant deaths, in Tables 2-01 and 2-02, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables.

Years of Life Lost: In Table 3-02, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.* The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

---

*Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, June, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table 3.04.

In Table 3-04, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer progrmas, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of all induced abortions in Maine in 1983 were obtained by out-of-state residents. Maine did not participate in the interstate program for exchange of induced abortion reports in 1983, so complementary data on Maine residents who received abortions in other states are not available.

The number of induced abortions reported during 1983 was nearly 35% greater than the number reported in 1982. This increase reflects, for the most part, the effect of a vigorous effort in the spring of 1983 to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

All terminations of pregnancies to Maine resident women are displayed in Table 4-01 by the length of gestation, including fetal deaths, miscarriages or spontaneous abortions, and induced abortions.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

TABLE 1-01

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE OF CHILD
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	RACE OF CHILD					
			WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 15	15	0.09	15	0	0	0	0	0
15	74	0.45	73	0	1	0	0	0
16	189	1.14	187	0	1	0	1	0
17	370	2.23	360	1	5	4	0	0
18	585	3.53	576	4	5	0	0	0
19	884	5.33	870	2	7	5	0	0
20-24	5,914	35.68	5,805	45	37	10	10	7
25-29	5,233	31.57	5,161	22	27	14	8	1
30-34	2,577	15.55	2,539	12	12	7	4	3
35-39	623	3.76	616	3	0	2	2	0
40-44	89	0.54	88	0	1	0	0	0
GREATER THAN 44	4	0.02	4	0	0	0	0	0
UNKNOWN	19	0.11	19	0	0	0	0	0
STATE TOTALS	16,576		16,313	89	96	42	25	11
PERCENT DISTRIBUTION		100.00	98.41	0.54	0.58	0.25	0.15	0.07
OUT OF WEDLOCK BIRTHS								
LESS THAN 15	15	0.60	15	0	0	0	0	0
15	63	2.52	62	0	1	0	0	0
16	137	5.47	135	0	1	0	1	0
17	224	8.95	217	1	3	3	0	0
18	269	10.75	261	3	5	0	0	0
19	307	12.27	303	1	2	1	0	0
20-24	939	37.51	911	9	12	6	1	0
25-29	382	15.26	364	4	11	3	0	0
30-34	118	4.71	109	2	5	1	1	0
35-39	35	1.40	34	1	0	0	0	0
40-44	11	0.44	10	0	1	0	0	0
GREATER THAN 44	1	0.04	1	0	0	0	0	0
UNKNOWN	2	0.08	2	0	0	0	0	0
STATE TOTALS	2,503		2,424	21	41	14	3	0
PERCENT DISTRIBUTION		100.00	96.84	0.84	1.64	0.56	0.12	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-02

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	MOTHER'S AGE(YRS.)												
			LESS THAN 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER THAN 44	UNKNOWN
ALL BIRTHS															
LESS THAN 500	10	0.06	0	0	1	0	0	0	1	4	2	2	0	0	0
500-999	61	0.37	0	1	1	1	5	6	24	12	10	0	0	0	1
1000-1499	77	0.46	0	5	0	7	4	3	23	18	15	2	0	0	0
1500-1999	178	1.07	0	0	3	10	12	10	46	56	28	11	1	1	0
2000-2499	592	3.57	1	4	6	21	24	42	199	172	91	24	7	1	0
2500-2999	2,229	13.45	4	7	29	71	86	158	841	650	296	76	9	0	2
3000-3499	5,888	35.52	5	29	72	136	222	331	2,205	1,820	839	196	24	1	8
3500-3999	5,264	31.76	1	19	60	94	163	246	1,819	1,734	883	208	31	0	6
4000-4499	1,818	10.97	4	9	13	21	65	69	623	606	311	80	15	1	1
4500-4999	403	2.43	0	0	4	8	4	16	119	143	87	19	2	0	1
GREATER THAN 4999	46	0.28	0	0	0	1	0	3	12	14	12	4	0	0	0
UNKNOWN	10	0.06	0	0	0	0	0	0	2	4	3	1	0	0	0
STATE TOTALS	16,576		15	74	189	370	585	884	5,914	5,233	2,577	623	89	4	19
PERCENT DIST.		100.00	0.09	0.45	1.14	2.23	3.53	5.33	35.68	31.57	15.55	3.76	0.54	0.02	0.11
OUT OF WEDLOCK BIRTHS															
LESS THAN 500	2	0.08	0	0	0	0	0	0	0	1	0	1	0	0	0
500-999	10	0.40	0	0	1	1	2	1	5	0	0	0	0	0	0
1000-1499	23	0.92	0	5	0	4	1	2	7	3	1	0	0	0	0
1500-1999	45	1.80	0	0	3	7	5	2	14	8	3	2	0	1	0
2000-2499	151	6.03	1	3	6	14	13	19	60	17	12	2	4	0	0
2500-2999	442	17.66	4	7	23	41	43	59	167	72	17	8	0	0	1
3000-3499	940	37.55	5	25	54	88	110	126	354	133	34	9	2	0	0
3500-3999	642	25.65	1	14	42	52	70	75	239	100	35	8	5	0	1
4000-4499	189	7.55	4	9	6	11	22	16	72	35	11	3	0	0	0
4500-4999	51	2.04	0	0	2	5	3	6	19	12	3	1	0	0	0
GREATER THAN 4999	6	0.24	0	0	0	1	0	1	2	1	1	0	0	0	0
UNKNOWN	2	0.08	0	0	0	0	0	0	0	0	1	1	0	0	0
STATE TOTALS	2,503		15	63	137	224	269	307	939	382	118	35	11	1	2
PERCENT DIST.		100.00	0.60	2.52	5.47	8.95	10.75	12.27	37.51	15.26	4.71	1.40	0.44	0.04	0.08
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.10	100.00	85.14	72.49	60.54	45.98	34.73	15.88	7.30	4.58	5.62	12.36	25.00	10.53

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-03

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY

CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	333	2.0
ECLAMPSIA	13	0.1
PREECLAMPSIA	522	3.1
RH SENSITIZATION	65	0.4
ANEMIA(HIGH 10 GM/HCT 30%)	171	1.0
ANMIONITIS	37	0.2
URINARY TRACT INFECTION	342	2.1
PREMATURE LABOR(BEFORE 37 WEEKS)	689	4.2
PREMATURE DELIVERY(BEFORE 37 WEEKS)	567	3.4
PROM(24 HRS. BEFORE DELIVERY)	473	2.9
OTHER	795	4.8
NONE	13,642	82.3
UNKNOWN	25	0.2

ILLNESS OR CONDITION AFFECTING PREGNANCY

CONDITION	NUMBER	%
TOBACCO USE	2,002	12.1
HEART DISEASE SYMPTOMATIC	15	0.1
HYPERTENSION	335	2.0
CHRONIC RENAL DISEASE	15	0.1
PYELOCYSTITIS	19	0.1
DES EXPOSURE	30	0.2
ALCOHOL DEPENDENCE	20	0.1
DRUG ADDICTION OR DEPENDENCE	18	0.1
PREVIOUS C-SECTION	479	2.9
OBESITY	462	2.8
GESTATIONAL DIABETES	91	0.5
CHRONIC DIABETES	32	0.2
OTHER	455	2.7
NONE	13,020	78.5
UNKNOWN	27	0.2

COMPLICATIONS OF LABOR

CONDITION	NUMBER	%
ABRUPTIO PLACENTA	155	0.9
PLACENTA PREVIA	54	0.3
CORD PROLAPSE OR COMPRESSION	168	1.0
DYSTOCIA	1,071	6.5
BREECH	443	2.7
INDUCTION	135	0.8
INTRAPARTUM FEVER/ CHORIOAMNION.	73	0.4
FETAL DISTRESS	603	3.6
LABOR 18 HRS.	424	2.6
OTHER	955	5.8
NONE	13,156	79.4
UNKNOWN	27	0.2

METHOD OF DELIVERY

METHOD	NUMBER	%
SPONTANEOUS CONTROLLED	12,430	75.0
SPONTANEOUS UNCONTROLLED	157	0.9
LOW FORCEPS	623	3.8
OTHER FORCEPS PROCEDURE	212	1.3
PRIMARY C-SECTION	1,799	10.9
REPEAT C-SECTION	1,108	6.7
BREECH DELIVERY	82	0.5
VERSION AND EXTRACTION	20	0.1
OTHER	185	1.1

CONGENITAL ANOMALIES

CONDITION	NUMBER	%
ANENCEPHALUS	6	0.0
SPINA BIFIDA	3	0.0
OTHER NERVOUS SYSTEM	14	0.1
CLEFT LIP/PALATE	22	0.1
EYE	6	0.0
EAR, FACE, NECK	20	0.1
HEART	33	0.2
OTHER CIRCULATORY SYSTEM	8	0.0
RESPIRATORY SYSTEM	86	0.5
DIGESTIVE SYSTEM	15	0.1
GENITAL ORGANS	45	0.3
URINARY SYSTEM	17	0.1
MUSCULOSKEL.	70	0.4
INTEGUMENT	34	0.2
CHROMOSOMAL	24	0.1
OTHER	130	0.8
NONE	16,083	97.0
UNKNOWN	26	0.2

NOTES: PERCENTAGES ARE BASED ON THE 16,576 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-04

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	********** RISK CHARACTERISTICS **********								MALE/FEMALE RATIO
		5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS		
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	1,484	7	0.5	29	2.0	89	6.0	68	4.6	1.04
AROOSTOOK	1,313	4	0.3	21	1.6	65	5.0	87	6.6	1.09
CUMBERLAND	3,171	11	0.3	49	1.5	184	5.8	133	4.2	1.01
FRANKLIN	411	6	1.5	7	1.7	29	7.1	27	6.6	1.03
HANCOCK	648	8	1.2	18	2.8	43	6.6	48	7.4	1.15
KENNEBEC	1,546	15	1.0	28	1.8	93	6.0	85	5.5	1.08
KNOX	467	6	1.3	5	1.1	26	5.6	35	7.5	1.00
LINCOLN	420	3	0.7	12	2.9	21	5.0	19	4.5	1.09
OXFORD	704	5	0.7	16	2.3	37	5.3	24	3.4	1.04
PENOBSCOT	1,910	20	1.0	26	1.4	112	5.9	115	6.0	1.02
PISCATAQUIS	232	5	2.2	2	0.9	5	2.2	10	4.3	1.11
SAGADAHOC	521	5	1.0	20	3.8	28	5.4	35	6.7	1.06
SOMERSET	680	7	1.0	17	2.5	34	5.0	30	4.4	0.99
WALDO	462	2	0.4	11	2.4	20	4.3	20	4.3	0.89
WASHINGTON	515	1	0.2	9	1.7	23	4.5	21	4.1	1.15
YORK	2,092	12	0.6	45	2.2	109	5.2	79	3.8	1.09
STATE TOTALS	16,576	117	0.7	315	1.9	918	5.5	836	5.0	1.05

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
ANDROSCOGGIN											
LESS THAN 15	2	0.13	1	1	0	2	0	0	0	0	0
15	9	0.61	7	2	0	8	1	0	0	0	0
16	19	1.28	9	10	0	18	1	0	0	0	0
17	34	2.29	20	14	0	30	4	0	0	0	0
18	77	5.19	36	41	0	61	14	2	0	0	0
19	91	6.13	47	44	0	64	23	4	0	0	0
20-24	616	41.51	319	297	0	293	255	59	7	2	0
25-29	426	28.71	211	215	0	128	183	88	21	6	0
30-34	156	10.51	79	77	0	39	56	37	15	9	0
35-39	47	3.17	22	25	0	12	6	12	7	10	0
40-44	7	0.47	4	3	0	1	0	1	1	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,484		755	729	0	656	543	203	51	31	0
PERCENT DISTRIBUTION		100.00	50.88	49.12	0.00	44.20	36.59	13.68	3.44	2.09	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.77	1	1	0	2	0	0	0	0	0
15	9	3.45	7	2	0	8	1	0	0	0	0
16	9	3.45	5	4	0	9	0	0	0	0	0
17	23	8.81	13	10	0	21	2	0	0	0	0
18	39	14.94	18	21	0	31	6	2	0	0	0
19	31	11.88	17	14	0	24	6	1	0	0	0
20-24	96	36.78	54	42	0	51	38	5	2	0	0
25-29	38	14.56	12	26	0	8	18	7	2	3	0
30-34	6	2.30	2	4	0	1	2	1	0	2	0
35-39	6	2.30	4	2	0	3	0	1	1	1	0
40-44	2	0.77	2	0	0	0	0	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	261		135	126	0	158	73	17	5	8	0
PERCENT DISTRIBUTION		100.00	51.72	48.28	0.00	60.54	27.97	6.51	1.92	3.07	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		17.59	17.88	17.28	0.00	24.09	13.44	8.37	9.80	25.81	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	***************** BIRTH ORDER ***************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
AROOSTOOK											
LESS THAN 15	1	0.08	0	1	0	1	0	0	0	0	0
15	11	0.84	6	5	0	11	0	0	0	0	0
16	18	1.37	9	9	0	18	0	0	0	0	0
17	36	2.74	14	22	0	31	5	0	0	0	0
18	35	2.67	16	19	0	25	8	2	0	0	0
19	78	5.94	44	34	0	51	21	6	0	0	0
20-24	544	41.43	297	247	0	283	192	52	12	5	0
25-29	380	28.94	197	183	0	108	174	72	17	9	0
30-34	154	11.73	72	82	0	24	48	49	23	10	0
35-39	42	3.20	22	20	0	6	10	11	7	8	0
40-44	12	0.91	8	4	0	1	1	4	1	5	0
GREATER THAN 44	1	0.08	0	1	0	0	0	0	0	1	0
UNKNOWN	1	0.08	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	1,313		685	628	0	560	459	196	60	38	0
PERCENT DISTRIBUTION		100.00	52.17	47.83	0.00	42.65	34.96	14.93	4.57	2.89	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.57	0	1	0	1	0	0	0	0	0
15	7	3.98	3	4	0	7	0	0	0	0	0
16	13	7.39	7	6	0	13	0	0	0	0	0
17	20	11.36	11	9	0	19	1	0	0	0	0
18	15	8.52	5	10	0	13	1	1	0	0	0
19	21	11.93	14	7	0	13	5	3	0	0	0
20-24	61	34.66	37	24	0	31	20	7	1	2	0
25-29	26	14.77	16	10	0	10	10	1	3	2	0
30-34	7	3.98	3	4	0	0	2	3	0	2	0
35-39	3	1.70	1	2	0	1	0	2	0	0	0
40-44	2	1.14	1	1	0	0	0	1	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	176		98	78	0	108	39	18	4	7	0
PERCENT DISTRIBUTION		100.00	55.68	44.32	0.00	61.36	22.16	10.23	2.27	3.98	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.40	14.31	12.42	0.00	19.29	8.50	9.18	6.67	18.42	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
CUMBERLAND											
LESS THAN 15	2	0.06	1	1	0	2	0	0	0	0	0
15	11	0.35	6	5	0	9	1	0	0	1	0
16	31	0.98	15	16	0	30	1	0	0	0	0
17	62	1.96	29	33	0	53	7	2	0	0	0
18	86	2.71	45	41	0	72	11	3	0	0	0
19	156	4.92	83	73	0	118	31	6	1	0	0
20-24	959	30.24	465	494	0	568	290	86	10	5	0
25-29	1,106	34.88	557	549	0	512	404	141	32	16	1
30-34	596	18.80	312	284	0	230	205	106	37	18	0
35-39	139	4.38	74	65	0	31	45	35	15	13	0
40-44	18	0.57	5	13	0	2	3	4	3	6	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	5	0.16	3	2	0	4	0	0	1	0	0
COUNTY TOTALS	3,171		1,595	1,576	0	1,631	998	383	99	59	1
PERCENT DISTRIBUTION		100.00	50.30	49.70	0.00	51.43	31.47	12.08	3.12	1.86	0.03
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.44	1	1	0	2	0	0	0	0	0
15	10	2.20	6	4	0	8	1	0	0	1	0
16	24	5.29	12	12	0	23	1	0	0	0	0
17	44	9.69	19	25	0	37	6	1	0	0	0
18	47	10.35	26	21	0	42	3	2	0	0	0
19	56	12.33	35	21	0	45	9	2	0	0	0
20-24	172	37.89	83	89	0	98	51	17	3	3	0
25-29	67	14.76	37	30	0	25	22	11	6	3	0
30-34	26	5.73	18	8	0	12	4	7	1	2	0
35-39	3	0.66	1	2	0	1	0	1	1	0	0
40-44	2	0.44	2	0	0	0	0	0	1	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.22	1	0	0	1	0	0	0	0	0
COUNTY TOTALS	454		241	213	0	294	97	41	12	10	0
PERCENT DISTRIBUTION		100.00	53.08	46.92	0.00	64.76	21.37	9.03	2.64	2.20	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		14.32	15.11	13.52	0.00	18.03	9.72	10.70	12.12	16.95	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	********** SEX **********			***************** BIRTH ORDER *****************					
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
FRANKLIN											
LESS THAN 15	1	0.24	1	0	0	1	0	0	0	0	0
15	1	0.24	0	1	0	1	0	0	0	0	0
16	5	1.22	2	3	0	5	0	0	0	0	0
17	7	1.70	4	3	0	7	0	0	0	0	0
18	16	3.89	7	9	0	10	6	0	0	0	0
19	24	5.84	16	8	0	20	3	0	0	1	0
20-24	153	37.23	74	79	0	78	52	21	1	1	0
25-29	129	31.39	69	60	0	38	62	18	6	5	0
30-34	49	11.92	21	28	0	8	24	10	3	4	0
35-39	24	5.84	14	10	0	4	3	4	7	6	0
40-44	2	0.49	1	1	0	0	0	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	411		209	202	0	172	150	53	17	19	0
PERCENT DISTRIBUTION		100.00	50.85	49.15	0.00	41.85	36.50	12.90	4.14	4.62	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.56	1	0	0	1	0	0	0	0	0
15	1	1.56	0	1	0	1	0	0	0	0	0
16	5	7.81	2	3	0	5	0	0	0	0	0
17	4	6.25	2	2	0	4	0	0	0	0	0
18	5	7.81	4	1	0	4	1	0	0	0	0
19	7	10.94	4	3	0	5	2	0	0	0	0
20-24	27	42.19	15	12	0	18	6	3	0	0	0
25-29	8	12.50	6	2	0	2	2	2	2	0	0
30-34	4	6.25	1	3	0	0	3	0	0	1	0
35-39	2	3.13	1	1	0	1	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	64		36	28	0	41	14	6	2	1	0
PERCENT DISTRIBUTION		100.00	56.25	43.75	0.00	64.06	21.88	9.38	3.13	1.56	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.57	17.22	13.86	0.00	23.84	9.33	11.32	11.76	5.26	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
HANCOCK											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	0.46	1	2	0	3	0	0	0	0	0
16	5	0.77	2	3	0	5	0	0	0	0	0
17	17	2.62	11	6	0	13	4	0	0	0	0
18	19	2.93	11	8	0	18	1	0	0	0	0
19	45	6.94	25	20	0	34	10	0	0	1	0
20-24	231	35.65	131	100	0	129	78	22	1	1	0
25-29	202	31.17	96	106	0	87	78	26	5	6	0
30-34	106	16.36	63	43	0	35	38	19	12	2	0
35-39	17	2.62	6	11	0	3	4	2	3	5	0
40-44	3	0.46	1	2	0	1	0	0	0	1	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	648		347	301	0	328	213	69	21	16	1
PERCENT DISTRIBUTION		100.00	53.55	46.45	0.00	50.62	32.87	10.65	3.24	2.47	0.15
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	2	1.90	1	1	0	2	0	0	0	0	0
16	2	1.90	1	1	0	2	0	0	0	0	0
17	9	8.57	6	3	0	8	1	0	0	0	0
18	7	6.67	6	1	0	7	0	0	0	0	0
19	15	14.29	6	9	0	11	3	0	0	1	0
20-24	49	46.67	26	23	0	32	11	5	1	0	0
25-29	16	15.24	6	10	0	6	5	4	0	1	0
30-34	2	1.90	0	2	0	1	0	0	1	0	0
35-39	3	2.86	1	2	0	1	1	0	0	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	105		53	52	0	70	21	9	2	3	0
PERCENT DISTRIBUTION		100.00	50.48	49.52	0.00	66.67	20.00	8.57	1.90	2.86	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		16.20	15.27	17.28	0.00	21.34	9.86	13.04	9.52	18.75	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	****************** BIRTH ORDER ****************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
KENNEBEC											
LESS THAN 15	1	0.06	0	1	0	1	0	0	0	0	0
15	5	0.32	1	4	0	5	0	0	0	0	0
16	19	1.23	7	12	0	16	3	0	0	0	0
17	23	1.49	12	11	0	17	6	0	0	0	0
18	55	3.56	24	31	0	39	14	1	0	1	0
19	84	5.43	45	39	0	59	22	2	0	1	0
20-24	545	35.25	292	253	0	288	194	53	9	1	0
25-29	512	33.12	259	253	0	169	218	98	18	8	1
30-34	248	16.04	138	110	0	60	106	56	13	13	0
35-39	46	2.98	19	27	0	8	15	11	6	6	0
40-44	7	0.45	3	4	0	0	2	0	4	1	0
GREATER THAN 44	1	0.06	1	0	0	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,546		801	745	0	663	580	221	50	31	1
PERCENT DISTRIBUTION		100.00	51.81	48.19	0.00	42.88	37.52	14.29	3.23	2.01	0.06
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.42	0	1	0	1	0	0	0	0	0
15	4	1.67	1	3	0	4	0	0	0	0	0
16	16	6.67	7	9	0	13	3	0	0	0	0
17	15	6.25	5	10	0	10	5	0	0	0	0
18	25	10.42	11	14	0	20	3	1	0	1	0
19	33	13.75	17	16	0	23	9	1	0	0	0
20-24	104	43.33	62	42	0	58	31	11	3	1	0
25-29	29	12.08	15	14	0	5	17	6	0	1	0
30-34	10	4.17	6	4	0	1	1	5	1	2	0
35-39	2	0.83	1	1	0	0	0	0	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	1	0.42	1	0	0	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	240		126	114	0	136	69	24	5	6	0
PERCENT DISTRIBUTION		100.00	52.50	47.50	0.00	56.67	28.75	10.00	2.08	2.50	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.52	15.73	15.30	0.00	20.51	11.90	10.86	10.00	19.35	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
KNOX											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.21	0	1	0	1	0	0	0	0	0
16	2	0.43	0	2	0	2	0	0	0	0	0
17	15	3.21	9	6	0	11	4	0	0	0	0
18	24	5.14	12	12	0	21	3	0	0	0	0
19	18	3.85	5	13	0	15	3	0	0	0	0
20-24	134	28.69	74	60	0	67	47	15	3	2	0
25-29	156	33.40	76	80	0	57	58	33	4	4	0
30-34	90	19.27	43	47	0	23	35	20	7	5	0
35-39	26	5.57	15	11	0	7	10	4	2	3	0
40-44	1	0.21	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	467		234	233	0	204	160	72	16	15	0
PERCENT DISTRIBUTION		100.00	50.11	49.89	0.00	43.68	34.26	15.42	3.43	3.21	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	1.41	0	1	0	1	0	0	0	0	0
16	2	2.82	0	2	0	2	0	0	0	0	0
17	7	9.86	4	3	0	6	1	0	0	0	0
18	12	16.90	6	6	0	11	1	0	0	0	0
19	10	14.08	4	6	0	8	2	0	0	0	0
20-24	29	40.85	15	14	0	14	8	4	1	2	0
25-29	8	11.27	3	5	0	4	0	3	0	1	0
30-34	1	1.41	1	0	0	1	0	0	0	0	0
35-39	1	1.41	0	1	0	0	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	71		33	38	0	47	12	8	1	3	0
PERCENT DISTRIBUTION		100.00	46.48	53.52	0.00	66.20	16.90	11.27	1.41	4.23	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.20	14.10	16.31	0.00	23.04	7.50	11.11	6.25	20.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			***************** BIRTH ORDER *****************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
LINCOLN											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.24	1	0	0	1	0	0	0	0	0
16	8	1.90	4	4	0	8	0	0	0	0	0
17	14	3.33	5	9	0	12	2	0	0	0	0
18	11	2.62	8	3	0	10	1	0	0	0	0
19	25	5.95	15	10	0	16	7	2	0	0	0
20-24	121	28.81	63	58	0	65	46	9	1	0	0
25-29	134	31.90	66	68	0	55	47	24	6	2	0
30-34	86	20.48	49	37	0	23	33	20	4	5	1
35-39	18	4.29	7	11	0	2	5	7	3	1	0
40-44	1	0.24	1	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.24	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	420		219	201	0	193	141	63	14	8	1
PERCENT DISTRIBUTION		100.00	52.14	47.86	0.00	45.95	33.57	15.00	3.33	1.90	0.24
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	2.04	1	0	0	1	0	0	0	0	0
16	6	12.24	3	3	0	6	0	0	0	0	0
17	5	10.20	2	3	0	5	0	0	0	0	0
18	5	10.20	3	2	0	5	0	0	0	0	0
19	5	10.20	2	3	0	3	1	1	0	0	0
20-24	15	30.61	6	9	0	8	5	2	0	0	0
25-29	10	20.41	6	4	0	4	3	1	1	1	0
30-34	2	4.08	0	2	0	0	0	2	0	0	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	49		23	26	0	32	9	6	1	1	0
PERCENT DISTRIBUTION		100.00	46.94	53.06	0.00	65.31	18.37	12.24	2.04	2.04	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		11.67	10.50	12.94	0.00	16.58	6.38	9.52	7.14	12.50	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
OXFORD											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	7	0.99	3	4	0	7	0	0	0	0	0
16	9	1.28	6	3	0	8	1	0	0	0	0
17	14	1.99	8	6	0	13	1	0	0	0	0
18	23	3.27	13	10	0	16	5	2	0	0	0
19	35	4.97	22	13	0	23	12	0	0	0	0
20-24	289	41.05	144	145	0	142	103	39	4	1	0
25-29	196	27.84	101	95	0	66	85	31	11	3	0
30-34	112	15.91	53	59	0	34	37	26	8	7	0
35-39	14	1.99	7	7	0	1	3	3	4	3	0
40-44	4	0.57	2	2	0	0	1	0	1	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.14	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	704		359	345	0	311	248	101	28	16	0
PERCENT DISTRIBUTION		100.00	50.99	49.01	0.00	44.18	35.23	14.35	3.98	2.27	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	7	6.48	3	4	0	7	0	0	0	0	0
16	6	5.56	5	1	0	5	1	0	0	0	0
17	8	7.41	6	2	0	7	1	0	0	0	0
18	3	2.78	2	1	0	1	2	0	0	0	0
19	18	16.67	9	9	0	13	5	0	0	0	0
20-24	35	32.41	16	19	0	20	10	5	0	0	0
25-29	24	22.22	14	10	0	15	2	4	2	1	0
30-34	5	4.63	1	4	0	1	1	2	0	1	0
35-39	2	1.85	0	2	0	0	0	1	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	108		56	52	0	69	22	12	3	2	0
PERCENT DISTRIBUTION		100.00	51.85	48.15	0.00	63.89	20.37	11.11	2.78	1.85	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.34	15.60	15.07	0.00	22.19	8.87	11.88	10.71	12.50	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
PENOBSCOT											
LESS THAN 15	3	0.16	1	2	0	3	0	0	0	0	0
15	13	0.68	6	7	0	13	0	0	0	0	0
16	16	0.84	10	6	0	16	0	0	0	0	0
17	45	2.36	26	19	0	37	8	0	0	0	0
18	85	4.45	41	44	0	65	19	1	0	0	0
19	99	5.18	57	42	0	67	27	4	1	0	0
20-24	706	36.96	338	368	0	377	238	71	14	6	0
25-29	584	30.58	292	292	0	216	233	96	31	8	0
30-34	276	14.45	145	131	0	77	118	56	19	6	0
35-39	72	3.77	42	30	0	16	16	18	12	10	0
40-44	10	0.52	6	4	0	2	0	1	4	3	0
GREATER THAN 44	1	0.05	0	1	0	0	0	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,910		964	946	0	889	659	247	81	34	0
PERCENT DISTRIBUTION		100.00	50.47	49.53	0.00	46.54	34.50	12.93	4.24	1.78	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	3	0.95	1	2	0	3	0	0	0	0	0
15	11	3.49	5	6	0	11	0	0	0	0	0
16	11	3.49	7	4	0	11	0	0	0	0	0
17	32	10.16	15	17	0	29	3	0	0	0	0
18	44	13.97	20	24	0	33	11	0	0	0	0
19	36	11.43	20	16	0	26	7	2	1	0	0
20-24	111	35.24	50	61	0	63	30	15	1	2	0
25-29	50	15.87	26	24	0	20	14	12	3	1	0
30-34	14	4.44	7	7	0	5	6	2	1	0	0
35-39	3	0.95	2	1	0	1	1	0	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	315		153	162	0	202	72	31	7	3	0
PERCENT DISTRIBUTION		100.00	48.57	51.43	0.00	64.13	22.86	9.84	2.22	0.95	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		16.49	15.87	17.12	0.00	22.72	10.93	12.55	8.64	8.82	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			***************** BIRTH ORDER *****************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
PISCATAQUIS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.43	0	1	0	1	0	0	0	0	0
16	2	0.86	0	2	0	2	0	0	0	0	0
17	6	2.59	5	1	0	6	0	0	0	0	0
18	12	5.17	6	6	0	12	0	0	0	0	0
19	12	5.17	5	7	0	7	5	0	0	0	0
20-24	87	37.50	50	37	0	41	37	7	1	1	0
25-29	64	27.59	29	35	0	20	25	13	6	0	0
30-34	29	12.50	19	10	0	6	11	7	3	2	0
35-39	16	6.90	7	9	0	2	2	6	1	5	0
40-44	3	1.29	1	2	0	0	0	0	0	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	232		122	110	0	97	80	33	11	11	0
PERCENT DISTRIBUTION		100.00	52.59	47.41	0.00	41.81	34.48	14.22	4.74	4.74	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	2.38	0	1	0	1	0	0	0	0	0
16	1	2.38	0	1	0	1	0	0	0	0	0
17	4	9.52	3	1	0	4	0	0	0	0	0
18	6	14.29	4	2	0	6	0	0	0	0	0
19	5	11.90	2	3	0	4	1	0	0	0	0
20-24	16	38.10	9	7	0	7	7	2	0	0	0
25-29	5	11.90	3	2	0	3	1	1	0	0	0
30-34	1	2.38	1	0	0	0	1	0	0	0	0
35-39	2	4.76	1	1	0	0	0	1	0	1	0
40-44	1	2.38	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	42		23	19	0	26	10	4	0	2	0
PERCENT DISTRIBUTION		100.00	54.76	45.24	0.00	61.90	23.81	9.52	0.00	4.76	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.10	18.85	17.27	0.00	26.80	12.50	12.12	0.00	18.18	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX ********** MALE	FEMALE	UNKNOWN	****************** BIRTH ORDER ****************** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
SAGADAHOC											
LESS THAN 15	1	0.19	1	0	0	1	0	0	0	0	0
15	1	0.19	0	1	0	1	0	0	0	0	0
16	10	1.92	4	6	0	9	1	0	0	0	0
17	8	1.54	3	5	0	7	1	0	0	0	0
18	10	1.92	4	6	0	8	2	0	0	0	0
19	23	4.41	12	11	0	19	4	0	0	0	0
20-24	198	38.00	108	90	0	109	68	17	2	2	0
25-29	169	32.44	83	86	0	57	76	30	5	1	0
30-34	80	15.36	41	39	0	24	26	20	5	5	0
35-39	18	3.45	10	8	0	3	6	4	2	3	0
40-44	3	0.58	2	1	0	1	0	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	521		268	253	0	239	184	71	14	13	0
PERCENT DISTRIBUTION		100.00	51.44	48.56	0.00	45.87	35.32	13.63	2.69	2.50	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.79	1	0	0	1	0	0	0	0	0
15	1	1.79	0	1	0	1	0	0	0	0	0
16	5	8.93	1	4	0	5	0	0	0	0	0
17	3	5.36	1	2	0	2	1	0	0	0	0
18	5	8.93	2	3	0	4	1	0	0	0	0
19	6	10.71	4	2	0	6	0	0	0	0	0
20-24	25	44.64	11	14	0	15	6	3	1	0	0
25-29	7	12.50	2	5	0	3	2	2	0	0	0
30-34	1	1.79	1	0	0	0	0	0	1	0	0
35-39	2	3.57	1	1	0	0	1	0	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	56		24	32	0	37	11	5	3	0	0
PERCENT DISTRIBUTION		100.00	42.86	57.14	0.00	66.07	19.64	8.93	5.36	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		10.75	8.96	12.65	0.00	15.48	5.98	7.04	21.43	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
SOMERSET											
LESS THAN 15	1	0.15	1	0	0	1	0	0	0	0	0
15	3	0.44	2	1	0	3	0	0	0	0	0
16	10	1.47	6	4	0	9	1	0	0	0	0
17	24	3.53	12	12	0	21	2	0	0	1	0
18	19	2.79	6	13	0	13	5	1	0	0	0
19	50	7.35	24	26	0	36	12	1	1	0	0
20-24	259	38.09	112	147	0	114	100	36	5	4	0
25-29	198	29.12	117	81	0	57	76	45	15	5	0
30-34	91	13.38	41	50	0	22	28	26	10	5	0
35-39	23	3.38	17	6	0	0	3	10	4	6	0
40-44	2	0.29	1	1	0	0	1	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	680		339	341	0	276	228	119	35	22	0
PERCENT DISTRIBUTION		100.00	49.85	50.15	0.00	40.59	33.53	17.50	5.15	3.24	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.78	1	0	0	1	0	0	0	0	0
15	2	1.56	1	1	0	2	0	0	0	0	0
16	9	7.03	6	3	0	8	1	0	0	0	0
17	13	10.16	7	6	0	11	1	0	0	1	0
18	8	6.25	2	6	0	5	3	0	0	0	0
19	23	17.97	13	10	0	19	3	1	0	0	0
20-24	41	32.03	21	20	0	23	11	6	0	1	0
25-29	16	12.50	10	6	0	6	7	1	2	0	0
30-34	11	8.59	3	8	0	3	2	5	0	1	0
35-39	3	2.34	2	1	0	0	0	0	2	1	0
40-44	1	0.78	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	128		66	62	0	78	28	13	4	5	0
PERCENT DISTRIBUTION		100.00	51.56	48.44	0.00	60.94	21.88	10.16	3.13	3.91	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.82	19.47	18.18	0.00	28.26	12.28	10.92	11.43	22.73	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WALDO											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	4	0.87	1	3	0	4	0	0	0	0	0
16	6	1.30	2	4	0	6	0	0	0	0	0
17	9	1.95	2	7	0	8	1	0	0	0	0
18	27	5.84	14	13	0	22	5	0	0	0	0
19	25	5.41	12	13	0	20	4	1	0	0	0
20-24	166	35.93	73	93	0	82	55	25	2	2	0
25-29	129	27.92	65	64	0	44	59	15	8	2	1
30-34	73	15.80	38	35	0	20	25	15	6	7	0
35-39	22	4.76	11	11	0	5	6	3	4	4	0
40-44	1	0.22	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	462		218	244	0	211	155	59	20	16	1
PERCENT DISTRIBUTION		100.00	47.19	52.81	0.00	45.67	33.55	12.77	4.33	3.46	0.22
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	4	4.65	1	3	0	4	0	0	0	0	0
16	5	5.81	2	3	0	5	0	0	0	0	0
17	5	5.81	0	5	0	5	0	0	0	0	0
18	11	12.79	6	5	0	9	2	0	0	0	0
19	7	8.14	2	5	0	7	0	0	0	0	0
20-24	36	41.86	13	23	0	16	12	6	0	2	0
25-29	14	16.28	8	6	0	4	9	0	1	0	0
30-34	3	3.49	2	1	0	1	0	0	1	1	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	1	1.16	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	86		34	52	0	51	23	6	2	4	0
PERCENT DISTRIBUTION		100.00	39.53	60.47	0.00	59.30	26.74	6.98	2.33	4.65	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.61	15.60	21.31	0.00	24.17	14.84	10.17	10.00	25.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WASHINGTON											
LESS THAN 15	2	0.39	1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	6	1.17	6	0	0	5	0	0	0	1	0
17	15	2.91	7	8	0	8	6	0	0	0	1
18	23	4.47	14	9	0	20	2	1	0	0	0
19	35	6.80	17	18	0	30	3	1	0	0	1
20-24	214	41.55	118	96	0	84	87	29	7	7	0
25-29	146	28.35	78	68	0	40	51	31	16	8	0
30-34	54	10.49	25	29	0	14	17	14	4	4	1
35-39	13	2.52	5	8	0	1	4	6	1	1	0
40-44	7	1.36	4	3	0	0	1	2	0	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	515		275	240	0	204	171	84	28	25	3
PERCENT DISTRIBUTION		100.00	53.40	46.60	0.00	39.61	33.20	16.31	5.44	4.85	0.58
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	1.72	1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	6	5.17	6	0	0	5	0	0	0	1	0
17	11	9.48	3	8	0	5	6	0	0	0	0
18	14	12.07	8	6	0	13	1	0	0	0	0
19	10	8.62	7	3	0	8	1	1	0	0	0
20-24	39	33.62	22	17	0	15	13	6	2	3	0
25-29	23	19.83	17	6	0	3	6	6	5	3	0
30-34	8	6.90	3	5	0	2	2	1	1	1	1
35-39	1	0.86	1	0	0	0	0	0	0	1	0
40-44	2	1.72	0	2	0	0	0	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	116		68	48	0	53	29	14	8	11	1
PERCENT DISTRIBUTION		100.00	58.62	41.38	0.00	45.69	25.00	12.07	6.90	9.48	0.86
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		22.52	24.73	20.00	0.00	25.98	16.96	16.67	28.57	44.00	33.33

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
YORK											
LESS THAN 15	1	0.05	0	1	0	1	0	0	0	0	0
15	3	0.14	1	2	0	3	0	0	0	0	0
16	23	1.10	12	11	0	22	1	0	0	0	0
17	41	1.96	15	26	0	39	2	0	0	0	0
18	63	3.01	26	37	0	52	8	3	0	0	0
19	84	4.02	44	40	0	62	20	1	0	1	0
20-24	692	33.08	359	333	0	397	234	52	7	2	0
25-29	702	33.56	365	337	0	268	281	116	24	13	0
30-34	377	18.02	211	166	0	124	133	72	31	17	0
35-39	86	4.11	46	40	0	24	18	18	15	11	0
40-44	8	0.38	5	3	0	1	1	4	1	1	0
GREATER THAN 44	1	0.05	0	1	0	0	0	0	0	1	0
UNKNOWN	11	0.53	8	3	0	4	4	2	1	0	0
COUNTY TOTALS	2,092		1,092	1,000	0	997	702	268	79	46	0
PERCENT DISTRIBUTION		100.00	52.20	47.80	0.00	47.66	33.56	12.81	3.78	2.20	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.43	0	1	0	1	0	0	0	0	0
15	2	0.86	1	1	0	2	0	0	0	0	0
16	17	7.33	8	9	0	16	1	0	0	0	0
17	21	9.05	7	14	0	20	1	0	0	0	0
18	23	9.91	13	10	0	20	2	1	0	0	0
19	24	10.34	11	13	0	21	3	0	0	0	0
20-24	83	35.78	34	49	0	52	20	9	1	1	0
25-29	41	17.67	20	21	0	15	14	9	2	1	0
30-34	17	7.33	6	11	0	5	5	4	3	0	0
35-39	2	0.86	2	0	0	2	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.43	1	0	0	1	0	0	0	0	0
COUNTY TOTALS	232		103	129	0	155	46	23	6	2	0
PERCENT DISTRIBUTION		100.00	44.40	55.60	0.00	66.81	19.83	9.91	2.59	0.86	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		11.09	9.43	12.90	0.00	15.55	6.55	8.58	7.59	4.35	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

ALL BIRTHS

MAINE SUMMARY

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
LESS THAN 15	15	0.09	7	8	0	15	0	0	0	0	0
15	74	0.45	35	39	0	71	2	0	0	1	0
16	189	1.14	94	95	0	179	9	0	0	1	0
17	370	2.23	182	188	0	313	53	2	0	1	1
18	585	3.53	283	302	0	464	104	16	0	1	0
19	884	5.33	473	411	0	641	207	28	3	4	1
20-24	5,914	35.68	3,017	2,897	0	3,117	2,076	593	86	42	0
25-29	5,233	31.57	2,661	2,572	0	1,922	2,110	877	225	96	3
30-34	2,577	15.55	1,350	1,227	0	763	940	553	200	119	2
35-39	623	3.76	324	299	0	125	156	154	93	95	0
40-44	89	0.54	44	45	0	9	10	17	15	37	1
GREATER THAN 44	4	0.02	1	3	0	1	0	0	0	3	0
UNKNOWN	19	0.11	11	8	0	11	4	2	2	0	0
STATE TOTALS	16,576		8,482	8,094	0	7,631	5,671	2,242	624	400	8
PERCENT DISTRIBUTION		100.00	51.17	48.83	0.00	46.04	34.21	13.53	3.76	2.41	0.05

OUT OF WEDLOCK BIRTHS

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** SEX **********			****************** BIRTH ORDER ******************					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
LESS THAN 15	15	0.60	7	8	0	15	0	0	0	0	0
15	63	2.52	30	33	0	60	2	0	0	1	0
16	137	5.47	72	65	0	129	7	0	0	1	0
17	224	8.95	104	120	0	193	29	1	0	1	0
18	269	10.75	136	133	0	224	37	7	0	1	0
19	307	12.27	167	140	0	236	57	12	1	1	0
20-24	939	37.51	474	465	0	521	279	106	16	17	0
25-29	382	15.26	201	181	0	133	132	70	29	18	0
30-34	118	4.71	55	63	0	33	29	32	10	13	1
35-39	35	1.40	18	17	0	10	3	8	8	6	0
40-44	11	0.44	5	6	0	0	0	1	1	9	0
GREATER THAN 44	1	0.04	1	0	0	1	0	0	0	0	0
UNKNOWN	2	0.08	2	0	0	2	0	0	0	0	0
STATE TOTALS	2,503		1,272	1,231	0	1,557	575	237	65	68	1
PERCENT DISTRIBUTION		100.00	50.82	49.18	0.00	62.21	22.97	9.47	2.60	2.72	0.04
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.10	15.00	15.21	0.00	20.40	10.14	10.57	10.42	17.00	12.50

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	5	0.34	4	0	1	0	0	0
1000-1499	7	0.47	3	3	1	0	0	0
1500-1999	15	1.01	6	5	4	0	0	0
2000-2499	62	4.18	37	15	7	3	0	0
2500-2999	206	13.88	102	61	31	9	1	2
3000-3499	545	36.73	289	163	86	5	0	2
3500-3999	450	30.32	247	137	56	10	0	0
4000-4499	160	10.78	87	51	21	1	0	0
4500-4999	32	2.16	20	7	4	1	0	0
GREATER THAN 4999	2	0.13	0	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,484		795	444	211	29	1	4
PERCENT DISTRIBUTION		100.00	53.57	29.92	14.22	1.95	0.07	0.27
AROOSTOOK								
LESS THAN 1000	3	0.23	3	0	0	0	0	0
1000-1499	4	0.30	1	0	2	0	0	1
1500-1999	15	1.14	9	3	2	0	0	1
2000-2499	43	3.27	19	9	9	4	0	2
2500-2999	157	11.96	70	53	25	4	2	3
3000-3499	484	36.86	250	148	67	7	4	8
3500-3999	432	32.90	198	154	61	8	1	10
4000-4499	142	10.81	69	48	21	2	0	2
4500-4999	27	2.06	11	7	7	1	1	0
GREATER THAN 4999	5	0.38	4	0	0	0	1	0
UNKNOWN	1	0.08	0	1	0	0	0	0
COUNTY TOTALS	1,313		634	423	194	26	9	27
PERCENT DISTRIBUTION		100.00	48.29	32.22	14.78	1.98	0.69	2.06

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
CUMBERLAND								
LESS THAN 1000	11	0.35	7	2	1	0	0	1
1000-1499	21	0.66	14	3	2	0	1	1
1500-1999	37	1.17	20	10	6	0	0	1
2000-2499	115	3.63	65	38	9	0	1	2
2500-2999	447	14.10	237	155	49	3	0	3
3000-3499	1,099	34.66	584	346	138	16	5	10
3500-3999	1,007	31.76	560	331	100	6	2	8
4000-4499	335	10.56	193	101	35	4	0	2
4500-4999	88	2.78	54	27	7	0	0	0
GREATER THAN 4999	10	0.32	7	2	1	0	0	0
UNKNOWN	1	0.03	1	0	0	0	0	0
COUNTY TOTALS	3,171		1,742	1,015	348	29	9	28
PERCENT DISTRIBUTION		100.00	54.94	32.01	10.97	0.91	0.28	0.88
FRANKLIN								
LESS THAN 1000	1	0.24	1	0	0	0	0	0
1000-1499	2	0.49	2	0	0	0	0	0
1500-1999	7	1.70	5	1	0	0	0	1
2000-2499	19	4.62	7	4	7	1	0	0
2500-2999	56	13.63	30	15	9	0	0	2
3000-3499	164	39.90	78	57	27	1	0	1
3500-3999	113	27.49	63	33	15	1	1	0
4000-4499	40	9.73	19	15	5	1	0	0
4500-4999	9	2.19	7	1	1	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	411		212	126	64	4	1	4
PERCENT DISTRIBUTION		100.00	51.58	30.66	15.57	0.97	0.24	0.97

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
HANCOCK								
LESS THAN 1000	9	1.39	3	4	2	0	0	0
1000-1499	4	0.62	3	0	0	1	0	0
1500-1999	3	0.46	0	1	2	0	0	0
2000-2499	27	4.17	12	5	8	2	0	0
2500-2999	81	12.50	31	31	14	4	0	1
3000-3499	235	36.27	100	79	46	6	1	3
3500-3999	212	32.72	90	83	36	3	0	0
4000-4499	57	8.80	21	22	14	0	0	0
4500-4999	16	2.47	5	6	5	0	0	0
GREATER THAN 4999	4	0.62	2	1	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	648		267	232	128	16	1	4
PERCENT DISTRIBUTION		100.00	41.20	35.80	19.75	2.47	0.15	0.62
KENNEBEC								
LESS THAN 1000	8	0.52	6	1	0	0	1	0
1000-1499	3	0.19	2	1	0	0	0	0
1500-1999	24	1.55	16	4	4	0	0	0
2000-2499	58	3.75	34	15	5	1	1	2
2500-2999	220	14.23	111	78	22	5	1	3
3000-3499	514	33.25	288	160	51	6	1	8
3500-3999	503	32.54	286	157	50	3	0	7
4000-4499	181	11.71	103	52	20	2	0	4
4500-4999	31	2.01	16	7	7	1	0	0
GREATER THAN 4999	3	0.19	2	0	1	0	0	0
UNKNOWN	1	0.06	0	0	1	0	0	0
COUNTY TOTALS	1,546		864	475	161	18	4	24
PERCENT DISTRIBUTION		100.00	55.89	30.72	10.41	1.16	0.26	1.55

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN 1000	5	1.07	2	1	1	1	0	0
1000-1499	2	0.43	1	1	0	0	0	0
1500-1999	6	1.28	4	2	0	0	0	0
2000-2499	13	2.78	6	6	1	0	0	0
2500-2999	56	11.99	16	23	13	2	2	0
3000-3499	159	34.05	58	60	32	5	1	3
3500-3999	162	34.69	60	58	40	4	0	0
4000-4499	50	10.71	18	26	5	0	0	1
4500-4999	12	2.57	2	7	2	0	0	1
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	2	0.43	1	1	0	0	0	0
COUNTY TOTALS	467		168	185	94	12	3	5
PERCENT DISTRIBUTION		100.00	35.97	39.61	20.13	2.57	0.64	1.07
LINCOLN								
LESS THAN 1000	1	0.24	0	1	0	0	0	0
1000-1499	3	0.71	2	0	0	1	0	0
1500-1999	2	0.48	1	0	0	0	0	1
2000-2499	15	3.57	6	3	3	2	0	1
2500-2999	47	11.19	15	18	8	3	1	2
3000-3499	143	34.05	75	30	27	2	1	8
3500-3999	141	33.57	68	43	20	2	1	7
4000-4499	59	14.05	35	12	11	0	0	1
4500-4999	8	1.90	5	0	1	1	0	1
GREATER THAN 4999	1	0.24	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	420		207	108	70	11	3	21
PERCENT DISTRIBUTION		100.00	49.29	25.71	16.67	2.62	0.71	5.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********************* MONTH PRENATAL CARE BEGAN *********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
OXFORD								
LESS THAN 1000	5	0.71	2	1	2	0	0	0
1000-1499	3	0.43	2	1	0	0	0	0
1500-1999	5	0.71	2	1	2	0	0	0
2000-2499	24	3.41	14	6	3	1	0	0
2500-2999	87	12.36	31	36	18	1	0	1
3000-3499	259	36.79	107	88	57	4	1	2
3500-3999	213	30.26	90	70	48	5	0	0
4000-4499	87	12.36	39	25	21	2	0	0
4500-4999	19	2.70	6	9	3	0	0	1
GREATER THAN 4999	2	0.28	0	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	704		293	239	154	13	1	4
PERCENT DISTRIBUTION		100.00	41.62	33.95	21.88	1.85	0.14	0.57
PENOBSCOT								
LESS THAN 1000	10	0.52	9	0	0	0	0	1
1000-1499	8	0.42	4	3	1	0	0	0
1500-1999	20	1.05	15	2	2	0	1	0
2000-2499	74	3.87	41	19	11	1	0	2
2500-2999	256	13.40	172	54	22	3	0	5
3000-3499	704	36.86	431	159	92	15	4	3
3500-3999	594	31.10	378	129	69	13	0	5
4000-4499	199	10.42	109	60	22	3	2	3
4500-4999	40	2.09	28	7	4	1	0	0
GREATER THAN 4999	2	0.10	2	0	0	0	0	0
UNKNOWN	3	0.16	3	0	0	0	0	0
COUNTY TOTALS	1,910		1,192	433	223	36	7	19
PERCENT DISTRIBUTION		100.00	62.41	22.67	11.68	1.88	0.37	0.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
PISCATAQUIS								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	1	0.43	0	1	0	0	0	0
2000-2499	4	1.72	1	1	0	0	0	2
2500-2999	29	12.50	12	10	7	0	0	0
3000-3499	95	40.95	45	25	24	0	0	1
3500-3999	58	25.00	39	10	8	0	0	1
4000-4499	38	16.38	16	15	6	0	0	1
4500-4999	7	3.02	5	1	0	0	0	1
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	232		118	63	45	0	0	6
PERCENT DISTRIBUTION		100.00	50.86	27.16	19.40	0.00	0.00	2.59
SAGADAHOC								
LESS THAN 1000	2	0.38	1	1	0	0	0	0
1000-1499	1	0.19	1	0	0	0	0	0
1500-1999	7	1.34	3	3	1	0	0	0
2000-2499	18	3.45	10	2	6	0	0	0
2500-2999	74	14.20	41	21	10	1	0	1
3000-3499	173	33.21	86	53	28	2	1	3
3500-3999	172	33.01	94	39	35	3	0	1
4000-4499	57	10.94	35	16	3	3	0	0
4500-4999	15	2.88	7	5	3	0	0	0
GREATER THAN 4999	2	0.38	1	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	521		279	141	86	9	1	5
PERCENT DISTRIBUTION		100.00	53.55	27.06	16.51	1.73	0.19	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN 1000	3	0.44	2	1	0	0	0	0
1000-1499	3	0.44	2	1	0	0	0	0
1500-1999	4	0.59	2	0	2	0	0	0
2000-2499	24	3.53	11	9	3	0	0	1
2500-2999	95	13.97	44	34	13	4	0	0
3000-3499	257	37.79	111	83	56	4	0	3
3500-3999	206	30.29	108	73	21	2	0	2
4000-4499	68	10.00	37	22	9	0	0	0
4500-4999	17	2.50	5	8	2	2	0	0
GREATER THAN 4999	3	0.44	1	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	680		323	233	106	12	0	6
PERCENT DISTRIBUTION		100.00	47.50	34.26	15.59	1.76	0.00	0.88
WALDO								
LESS THAN 1000	1	0.22	1	0	0	0	0	0
1000-1499	4	0.87	3	0	1	0	0	0
1500-1999	5	1.08	1	1	3	0	0	0
2000-2499	10	2.16	1	5	4	0	0	0
2500-2999	66	14.29	30	20	13	3	0	0
3000-3499	172	37.23	83	54	29	2	1	3
3500-3999	145	31.39	68	46	27	4	0	0
4000-4499	53	11.47	25	13	14	1	0	0
4500-4999	6	1.30	5	1	0	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	462		217	140	91	10	1	3
PERCENT DISTRIBUTION		100.00	46.97	30.30	19.70	2.16	0.22	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN: 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
WASHINGTON								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	1	0.19	1	0	0	0	0	0
1500-1999	5	0.97	3	0	1	0	0	1
2000-2499	17	3.30	8	6	3	0	0	0
2500-2999	66	12.82	42	11	10	1	2	0
3000-3499	171	33.20	79	47	40	4	0	1
3500-3999	178	34.56	88	52	32	3	1	2
4000-4499	62	12.04	25	20	14	0	0	3
4500-4999	11	2.14	6	2	3	0	0	0
GREATER THAN 4999	3	0.58	0	1	1	1	0	0
UNKNOWN	1	0.19	1	0	0	0	0	0
COUNTY TOTALS	515		253	139	104	9	3	7
PERCENT DISTRIBUTION		100.00	49.13	26.99	20.19	1.75	0.58	1.36
YORK								
LESS THAN 1000	7	0.33	5	2	0	0	0	0
1000-1499	11	0.53	8	1	2	0	0	0
1500-1999	22	1.05	13	9	0	0	0	0
2000-2499	69	3.30	37	20	7	3	2	0
2500-2999	286	13.67	183	61	38	1	1	2
3000-3499	714	34.13	444	162	93	7	2	6
3500-3999	678	32.41	439	165	66	6	0	2
4000-4499	230	10.99	150	54	24	1	0	1
4500-4999	65	3.11	39	19	6	0	0	1
GREATER THAN 4999	9	0.43	6	3	0	0	0	0
UNKNOWN	1	0.05	1	0	0	0	0	0
COUNTY TOTALS	2,092		1,325	496	236	18	5	12
PERCENT DISTRIBUTION		100.00	63.34	23.71	11.28	0.86	0.24	0.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	MONTH PRENATAL CARE BEGAN					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	71	0.43	46	14	7	1	1	2
1000-1499	77	0.46	49	14	9	2	1	2
1500-1999	178	1.07	100	43	29	0	1	5
2000-2499	592	3.57	309	163	86	18	4	12
2500-2999	2,229	13.45	1,167	681	302	44	10	25
3000-3499	5,888	35.52	3,108	1,714	893	86	22	65
3500-3999	5,264	31.76	2,876	1,580	684	73	6	45
4000-4499	1,818	10.97	981	552	245	20	2	18
4500-4999	403	2.43	221	114	55	7	1	5
GREATER THAN 4999	46	0.28	25	15	4	1	1	0
UNKNOWN	10	0.06	7	2	1	0	0	0
STATE TOTALS	16,576		8,889	4,892	2,315	252	49	179
PERCENT DISTRIBUTION		100.00	53.63	29.51	13.97	1.52	0.30	1.08

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	****** TRIMESTER PRENATAL CARE BEGAN ******									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
3	6	1	16.67	1	16.67	4	66.67	0	0.00	0	0.00
4	16	7	43.75	7	43.75	2	12.50	0	0.00	0	0.00
5	18	3	16.67	9	50.00	6	33.33	0	0.00	0	0.00
6	31	10	32.26	15	48.39	6	19.35	0	0.00	0	0.00
7	46	23	50.00	18	39.13	5	10.87	0	0.00	0	0.00
8	101	64	63.37	36	35.64	1	0.99	0	0.00	0	0.00
9	127	94	74.02	33	25.98	0	0.00	0	0.00	0	0.00
GREATER THAN 9	1,124	1,033	91.90	90	8.01	1	0.09	0	0.00	0	0.00
UNKNOWN	10	3	30.00	1	10.00	2	20.00	0	0.00	4	40.00
COUNTY TOTALS	1,484	1,239	83.49	211	14.22	29	1.95	1	0.07	4	0.27
AROOSTOOK											
0	5	1	20.00	0	0.00	0	0.00	3	60.00	1	20.00
1	4	0	0.00	0	0.00	3	75.00	1	25.00	0	0.00
2	6	3	50.00	1	16.67	2	33.33	0	0.00	0	0.00
3	8	3	37.50	4	50.00	1	12.50	0	0.00	0	0.00
4	22	5	22.73	11	50.00	6	27.27	0	0.00	0	0.00
5	17	6	35.29	9	52.94	2	11.76	0	0.00	0	0.00
6	47	22	46.81	21	44.68	4	8.51	0	0.00	0	0.00
7	67	39	58.21	26	38.81	1	1.49	0	0.00	1	1.49
8	99	69	69.70	26	26.26	1	1.01	0	0.00	3	3.03
9	109	84	77.06	23	21.10	2	1.83	0	0.00	0	0.00
GREATER THAN 9	886	812	91.65	69	7.79	2	0.23	0	0.00	3	0.34
UNKNOWN	43	13	30.23	4	9.30	2	4.65	5	11.63	19	44.19
COUNTY TOTALS	1,313	1,057	80.50	194	14.78	26	1.98	9	0.69	27	2.06

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	6	2	33.33	0	0.00	0	0.00	4	66.67	0	0.00
1	5	0	0.00	3	60.00	2	40.00	0	0.00	0	0.00
2	6	5	83.33	0	0.00	1	16.67	0	0.00	0	0.00
3	15	9	60.00	1	6.67	5	33.33	0	0.00	0	0.00
4	26	15	57.69	7	26.92	4	15.38	0	0.00	0	0.00
5	29	12	41.38	14	48.28	3	10.34	0	0.00	0	0.00
6	58	30	51.72	21	36.21	7	12.07	0	0.00	0	0.00
7	67	37	55.22	29	43.28	1	1.49	0	0.00	0	0.00
8	107	73	68.22	30	28.04	3	2.80	0	0.00	1	0.93
9	300	239	79.67	59	19.67	1	0.33	0	0.00	1	0.33
GREATER THAN 9	2,508	2,322	92.58	180	7.18	0	0.00	1	0.04	5	0.20
UNKNOWN	44	13	29.55	4	9.09	2	4.55	4	9.09	21	47.73
COUNTY TOTALS	3,171	2,757	86.94	348	10.97	29	0.91	9	0.28	28	0.88
FRANKLIN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
5	8	5	62.50	3	37.50	0	0.00	0	0.00	0	0.00
6	14	6	42.86	7	50.00	1	7.14	0	0.00	0	0.00
7	23	14	60.87	9	39.13	0	0.00	0	0.00	0	0.00
8	45	35	77.78	10	22.22	0	0.00	0	0.00	0	0.00
9	46	41	89.13	5	10.87	0	0.00	0	0.00	0	0.00
GREATER THAN 9	263	236	89.73	26	9.89	1	0.38	0	0.00	0	0.00
UNKNOWN	8	1	12.50	1	12.50	1	12.50	1	12.50	4	50.00
COUNTY TOTALS	411	338	82.24	64	15.57	4	0.97	1	0.24	4	0.97

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	4	2	50.00	0	0.00	2	50.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00
4	11	3	27.27	3	27.27	5	45.45	0	0.00	0	0.00
5	10	4	40.00	3	30.00	3	30.00	0	0.00	0	0.00
6	21	8	38.10	12	57.14	1	4.76	0	0.00	0	0.00
7	34	14	41.18	18	52.94	2	5.88	0	0.00	0	0.00
8	48	31	64.58	16	33.33	1	2.08	0	0.00	0	0.00
9	86	70	81.40	16	18.60	0	0.00	0	0.00	0	0.00
GREATER THAN 9	418	360	86.12	57	13.64	0	0.00	0	0.00	1	0.24
UNKNOWN	12	7	58.33	0	0.00	1	8.33	1	8.33	3	25.00
COUNTY TOTALS	648	499	77.01	128	19.75	16	2.47	1	0.15	4	0.62
KENNEBEC											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
2	3	2	66.67	0	0.00	1	33.33	0	0.00	0	0.00
3	4	1	25.00	1	25.00	2	50.00	0	0.00	0	0.00
4	11	10	90.91	1	9.09	0	0.00	0	0.00	0	0.00
5	12	7	58.33	3	25.00	2	16.67	0	0.00	0	0.00
6	21	7	33.33	12	57.14	2	9.52	0	0.00	0	0.00
7	33	15	45.45	14	42.42	4	12.12	0	0.00	0	0.00
8	66	44	66.67	20	30.30	1	1.52	0	0.00	1	1.52
9	86	64	74.42	20	23.26	1	1.16	0	0.00	1	1.16
GREATER THAN 9	1,266	1,175	92.81	86	6.79	3	0.24	0	0.00	2	0.16
UNKNOWN	40	14	35.00	3	7.50	1	2.50	2	5.00	20	50.00
COUNTY TOTALS	1,546	1,339	86.61	161	10.41	18	1.16	4	0.26	24	1.55

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST NUMBER	FIRST PERCENT	SECOND NUMBER	SECOND PERCENT	THIRD NUMBER	THIRD PERCENT	NONE NUMBER	NONE PERCENT	UNKNOWN NUMBER	UNKNOWN PERCENT
KNOX											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	3	1	33.33	1	33.33	0	0.00	0	0.00	1	33.33
4	7	3	42.86	2	28.57	1	14.29	0	0.00	1	14.29
5	7	3	42.86	2	28.57	1	14.29	0	0.00	1	14.29
6	13	4	30.77	7	53.85	2	15.38	0	0.00	0	0.00
7	13	7	53.85	5	38.46	0	0.00	1	7.69	0	0.00
8	23	14	60.87	8	34.78	1	4.35	0	0.00	0	0.00
9	33	16	48.48	14	42.42	2	6.06	1	3.03	0	0.00
GREATER THAN 9	361	303	83.93	54	14.96	2	0.55	0	0.00	2	0.55
UNKNOWN	5	2	40.00	1	20.00	2	40.00	0	0.00	0	0.00
COUNTY TOTALS	467	353	75.59	94	20.13	12	2.57	3	0.64	5	1.07
LINCOLN											
0	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
4	7	1	14.29	1	14.29	5	71.43	0	0.00	0	0.00
5	9	3	33.33	6	66.67	0	0.00	0	0.00	0	0.00
6	8	3	37.50	5	62.50	0	0.00	0	0.00	0	0.00
7	16	9	56.25	6	37.50	1	6.25	0	0.00	0	0.00
8	25	16	64.00	8	32.00	1	4.00	0	0.00	0	0.00
9	19	14	73.68	5	26.32	0	0.00	0	0.00	0	0.00
GREATER THAN 9	299	266	88.96	33	11.04	0	0.00	0	0.00	0	0.00
UNKNOWN	32	2	6.25	4	12.50	3	9.38	3	9.38	20	62.50
COUNTY TOTALS	420	315	75.00	70	16.67	11	2.62	3	0.71	21	5.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN: FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
2	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
3	6	2	33.33	1	16.67	3	50.00	0	0.00	0	0.00
4	15	4	26.67	8	53.33	3	20.00	0	0.00	0	0.00
5	15	3	20.00	11	73.33	1	6.67	0	0.00	0	0.00
6	31	14	45.16	16	51.61	1	3.23	0	0.00	0	0.00
7	38	19	50.00	18	47.37	0	0.00	0	0.00	1	2.63
8	69	46	66.67	23	33.33	0	0.00	0	0.00	0	0.00
9	88	67	76.14	21	23.86	0	0.00	0	0.00	0	0.00
GREATER THAN 9	426	370	86.85	55	12.91	1	0.23	0	0.00	0	0.00
UNKNOWN	11	6	54.55	1	9.09	0	0.00	1	9.09	3	27.27
COUNTY TOTALS	705	533	75.60	154	21.84	13	1.84	1	0.14	4	0.57
PENOBSCOT											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	16	9	56.25	3	18.75	4	25.00	0	0.00	0	0.00
2	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
3	7	3	42.86	0	0.00	4	57.14	0	0.00	0	0.00
4	20	7	35.00	6	30.00	7	35.00	0	0.00	0	0.00
5	26	8	30.77	14	53.85	4	15.38	0	0.00	0	0.00
6	45	21	46.67	20	44.44	4	8.89	0	0.00	0	0.00
7	70	47	67.14	21	30.00	1	1.43	1	1.43	0	0.00
8	145	96	66.21	46	31.72	2	1.38	0	0.00	1	0.69
9	173	139	80.35	32	18.50	1	0.58	0	0.00	1	0.58
GREATER THAN 9	1,316	1,235	93.84	76	5.78	3	0.23	1	0.08	1	0.08
UNKNOWN	87	60	68.97	4	4.60	4	4.60	3	3.45	16	18.39
COUNTY TOTALS	1,910	1,625	85.08	223	11.68	36	1.88	7	0.37	19	0.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
4	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	3	0	0.00	3	100.00	0	0.00	0	0.00	0	0.00
6	8	2	25.00	6	75.00	0	0.00	0	0.00	0	0.00
7	16	8	50.00	8	50.00	0	0.00	0	0.00	0	0.00
8	11	7	63.64	4	36.36	0	0.00	0	0.00	0	0.00
9	20	14	70.00	5	25.00	0	0.00	0	0.00	1	5.00
GREATER THAN 9	158	142	89.87	16	10.13	0	0.00	0	0.00	0	0.00
UNKNOWN	10	5	50.00	0	0.00	0	0.00	0	0.00	5	50.00
COUNTY TOTALS	232	181	78.02	45	19.40	0	0.00	0	0.00	6	2.59
SAGADAHOC											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	3	2	66.67	0	0.00	1	33.33	0	0.00	0	0.00
2	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
3	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
4	7	2	28.57	5	71.43	0	0.00	0	0.00	0	0.00
5	16	8	50.00	7	43.75	1	6.25	0	0.00	0	0.00
6	21	12	57.14	5	23.81	3	14.29	0	0.00	1	4.76
7	17	13	76.47	4	23.53	0	0.00	0	0.00	0	0.00
8	36	24	66.67	11	30.56	0	0.00	0	0.00	1	2.78
9	45	31	68.89	14	31.11	0	0.00	0	0.00	0	0.00
GREATER THAN 9	354	317	89.55	35	9.89	2	0.56	0	0.00	0	0.00
UNKNOWN	13	9	69.23	1	7.69	0	0.00	0	0.00	3	23.08
COUNTY TOTALS	521	420	80.61	86	16.51	9	1.73	1	0.19	5	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	TRIMESTER PRENATAL CARE BEGAN									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
4	10	4	40.00	4	40.00	2	20.00	0	0.00	0	0.00
5	18	8	44.44	8	44.44	2	11.11	0	0.00	0	0.00
6	24	8	33.33	15	62.50	1	4.17	0	0.00	0	0.00
7	30	12	40.00	17	56.67	1	3.33	0	0.00	0	0.00
8	55	41	74.55	12	21.82	2	3.64	0	0.00	0	0.00
9	67	52	77.61	15	22.39	0	0.00	0	0.00	0	0.00
GREATER THAN 9	450	417	92.67	31	6.89	2	0.44	0	0.00	0	0.00
UNKNOWN	19	12	63.16	1	5.26	0	0.00	0	0.00	6	31.58
COUNTY TOTALS	680	556	81.76	106	15.59	12	1.76	0	0.00	6	0.88
WALDO											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
2	4	2	50.00	0	0.00	2	50.00	0	0.00	0	0.00
3	10	3	30.00	5	50.00	2	20.00	0	0.00	0	0.00
4	15	4	26.67	10	66.67	1	6.67	0	0.00	0	0.00
5	30	16	53.33	13	43.33	1	3.33	0	0.00	0	0.00
6	39	27	69.23	12	30.77	0	0.00	0	0.00	0	0.00
7	38	29	76.32	8	21.05	1	2.63	0	0.00	0	0.00
8	58	46	79.31	11	18.97	1	1.72	0	0.00	0	0.00
9	31	24	77.42	7	22.58	0	0.00	0	0.00	0	0.00
GREATER THAN 9	223	197	88.34	24	10.76	1	0.45	0	0.00	1	0.45
UNKNOWN	12	8	66.67	0	0.00	1	8.33	1	8.33	2	16.67
COUNTY TOTALS	462	357	77.27	91	19.70	10	2.16	1	0.22	3	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	********** TRIMESTER PRENATAL CARE BEGAN **********									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	4	1	25.00	3	75.00	0	0.00	0	0.00	0	0.00
3	8	2	25.00	5	62.50	1	12.50	0	0.00	0	0.00
4	8	2	25.00	5	62.50	1	12.50	0	0.00	0	0.00
5	13	7	53.85	5	38.46	0	0.00	0	0.00	1	7.69
6	25	9	36.00	15	60.00	1	4.00	0	0.00	0	0.00
7	36	18	50.00	16	44.44	2	5.56	0	0.00	0	0.00
8	40	27	67.50	11	27.50	2	5.00	0	0.00	0	0.00
9	60	47	78.33	12	20.00	1	1.67	0	0.00	0	0.00
GREATER THAN 9	305	273	89.51	30	9.84	1	0.33	0	0.00	1	0.33
UNKNOWN	15	6	40.00	2	13.33	0	0.00	2	13.33	5	33.33
COUNTY TOTALS	515	392	76.12	104	20.19	9	1.75	3	0.58	7	1.36
YORK											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	5	1	20.00	0	0.00	4	80.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	8	3	37.50	2	25.00	3	37.50	0	0.00	0	0.00
4	13	6	46.15	3	23.08	4	30.77	0	0.00	0	0.00
5	15	6	40.00	7	46.67	2	13.33	0	0.00	0	0.00
6	23	10	43.48	13	56.52	0	0.00	0	0.00	0	0.00
7	39	17	43.59	22	56.41	0	0.00	0	0.00	0	0.00
8	73	40	54.79	31	42.47	2	2.74	0	0.00	0	0.00
9	123	82	66.67	38	30.89	2	1.63	0	0.00	1	0.81
GREATER THAN 9	1,771	1,652	93.28	118	6.66	0	0.00	0	0.00	1	0.06
UNKNOWN	16	3	18.75	1	6.25	0	0.00	2	12.50	10	62.50
COUNTY TOTALS	2,091	1,820	87.04	236	11.29	18	0.86	5	0.24	12	0.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	********** TRIMESTER PRENATAL CARE BEGAN **********									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	23	3	13.04	0	0.00	0	0.00	18	78.26	2	8.70
1	53	20	37.74	11	20.75	21	39.62	1	1.89	0	0.00
2	39	15	38.46	9	23.08	15	38.46	0	0.00	0	0.00
3	93	32	34.41	31	33.33	29	31.18	0	0.00	1	1.08
4	191	73	38.22	76	39.79	41	21.47	0	0.00	1	0.52
5	246	99	40.24	117	47.56	28	11.38	0	0.00	2	0.81
6	429	193	44.99	202	47.09	33	7.69	0	0.00	1	0.23
7	583	321	55.06	239	40.99	19	3.26	2	0.34	2	0.34
8	1,001	673	67.23	303	30.27	18	1.80	0	0.00	7	0.70
9	1,413	1,078	76.29	319	22.58	10	0.71	1	0.07	5	0.35
GREATER THAN 9	12,128	11,110	91.61	980	8.08	19	0.16	2	0.02	17	0.14
UNKNOWN	377	164	43.50	28	7.43	19	5.04	25	6.63	141	37.40
STATE TOTALS	16,576	13,781	83.14	2,315	13.97	252	1.52	49	0.30	179	1.08

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	49	3.30	14	19	14	2	0	0
GRADES 9-11	301	20.28	141	74	68	15	1	2
GRADE 12	773	52.09	413	244	105	9	0	2
GREATER THAN GRADE 12	358	24.12	227	107	22	2	0	0
UNKNOWN	3	0.20	0	0	2	1	0	0
COUNTY TOTALS	1,484		795	444	211	29	1	4
PERCENT DISTRIBUTION		100.00	53.57	29.92	14.22	1.95	0.07	0.27
AROOSTOOK								
LESS THAN GRADE 9	35	2.67	18	9	8	0	0	0
GRADES 9-11	200	15.23	77	61	46	12	3	1
GRADE 12	666	50.72	324	218	102	9	3	10
GREATER THAN GRADE 12	392	29.86	214	131	37	5	1	4
UNKNOWN	20	1.52	1	4	1	0	2	12
COUNTY TOTALS	1,313		634	423	194	26	9	27
PERCENT DISTRIBUTION		100.00	48.29	32.22	14.78	1.98	0.69	2.06
CUMBERLAND								
LESS THAN GRADE 9	63	1.99	33	14	12	1	0	3
GRADES 9-11	411	12.96	182	141	73	10	2	3
GRADE 12	1,292	40.74	739	376	151	9	3	14
GREATER THAN GRADE 12	1,378	43.46	776	477	110	7	4	4
UNKNOWN	27	0.85	12	7	2	2	0	4
COUNTY TOTALS	3,171		1,742	1,015	348	29	9	28
PERCENT DISTRIBUTION		100.00	54.94	32.01	10.97	0.91	0.28	0.88

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH-	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	11	2.68	3	3	4	1	0	0
GRADES 9-11	49	11.92	12	17	16	1	0	3
GRADE 12	198	48.18	100	63	33	1	1	0
GREATER THAN GRADE 12	153	37.23	97	43	11	1	0	1
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	411		212	126	64	4	1	4
PERCENT DISTRIBUTION		100.00	51.58	30.66	15.57	0.97	0.24	0.97
HANCOCK								
LESS THAN GRADE 9	13	2.01	4	4	3	2	0	0
GRADES 9-11	68	10.49	21	27	16	3	1	0
GRADE 12	305	47.07	122	104	69	9	0	1
GREATER THAN GRADE 12	257	39.66	118	95	39	2	0	3
UNKNOWN	5	0.77	2	2	1	0	0	0
COUNTY TOTALS	648		267	232	128	16	1	4
PERCENT DISTRIBUTION		100.00	41.20	35.80	19.75	2.47	0.15	0.62
KENNEBEC								
LESS THAN GRADE 9	26	1.68	14	7	4	0	0	1
GRADES 9-11	189	12.23	83	50	43	6	2	5
GRADE 12	740	47.87	416	228	78	8	2	8
GREATER THAN GRADE 12	579	37.45	350	187	35	4	0	3
UNKNOWN	12	0.78	1	3	1	0	0	7
COUNTY TOTALS	1,546		864	475	161	18	4	24
PERCENT DISTRIBUTION		100.00	55.89	30.72	10.41	1.16	0.26	1.55

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ******************** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN GRADE 9	9	1.93	2	4	3	0	0	0
GRADES 9-11	68	14.56	16	23	25	3	0	1
GRADE 12	201	43.04	66	87	40	6	1	1
GREATER THAN GRADE 12	184	39.40	83	69	25	2	2	3
UNKNOWN	5	1.07	1	2	1	1	0	0
COUNTY TOTALS	467		168	185	94	12	3	5
PERCENT DISTRIBUTION		100.00	35.97	39.61	20.13	2.57	0.64	1.07
LINCOLN								
LESS THAN GRADE 9	6	1.43	2	2	2	0	0	0
GRADES 9-11	60	14.29	20	16	15	5	1	3
GRADE 12	200	47.62	99	47	35	4	1	14
GREATER THAN GRADE 12	152	36.19	86	43	18	1	1	3
UNKNOWN	2	0.48	0	0	0	1	0	1
COUNTY TOTALS	420		207	108	70	11	3	21
PERCENT DISTRIBUTION		100.00	49.29	25.71	16.67	2.62	0.71	5.00
OXFORD								
LESS THAN GRADE 9	17	2.41	5	4	7	0	0	1
GRADES 9-11	116	16.45	34	43	32	6	0	1
GRADE 12	372	52.77	159	128	78	4	1	2
GREATER THAN GRADE 12	191	27.09	93	61	35	2	0	0
UNKNOWN	9	1.28	3	3	2	1	0	0
COUNTY TOTALS	705		294	239	154	13	1	4
PERCENT DISTRIBUTION		100.00	41.70	33.90	21.84	1.84	0.14	0.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************* MONTH PRENATAL CARE BEGAN *******************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	47	2.46	22	10	12	2	1	0
GRADES 9-11	284	14.87	135	73	59	15	0	2
GRADE 12	873	45.71	531	209	108	15	5	5
GREATER THAN GRADE 12	691	36.18	499	141	44	4	0	3
UNKNOWN	15	0.79	5	0	0	0	1	9
COUNTY TOTALS	1,910		1,192	433	223	36	7	19
PERCENT DISTRIBUTION		100.00	62.41	22.67	11.68	1.88	0.37	0.99
PISCATAQUIS								
LESS THAN GRADE 9	2	0.86	0	1	1	0	0	0
GRADES 9-11	37	15.95	14	11	11	0	0	1
GRADE 12	125	53.88	66	30	25	0	0	4
GREATER THAN GRADE 12	67	28.88	38	21	8	0	0	0
UNKNOWN	1	0.43	0	0	0	0	0	1
COUNTY TOTALS	232		118	63	45	0	0	6
PERCENT DISTRIBUTION		100.00	50.86	27.16	19.40	0.00	0.00	2.59
SAGADAHOC								
LESS THAN GRADE 9	12	2.30	3	5	3	1	0	0
GRADES 9-11	62	11.90	26	22	12	2	0	0
GRADE 12	255	48.94	140	57	49	4	1	4
GREATER THAN GRADE 12	186	35.70	105	57	22	2	0	0
UNKNOWN	6	1.15	5	0	0	0	0	1
COUNTY TOTALS	521		279	141	86	9	1	5
PERCENT DISTRIBUTION		100.00	53.55	27.06	16.51	1.73	0.19	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************* MONTH PRENATAL CARE BEGAN *******************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
SOMERSET								
LESS THAN GRADE 9	17	2.50	5	4	7	1	0	0
GRADES 9-11	125	18.38	53	33	29	5	0	5
GRADE 12	348	51.18	158	133	56	1	0	0
GREATER THAN GRADE 12	188	27.65	106	63	14	5	0	0
UNKNOWN	2	0.29	1	0	0	0	0	1
COUNTY TOTALS	680		323	233	106	12	0	6
PERCENT DISTRIBUTION		100.00	47.50	34.26	15.59	1.76	0.00	0.88
WALDO								
LESS THAN GRADE 9	12	2.60	4	2	4	1	0	1
GRADES 9-11	57	12.34	21	14	18	4	0	0
GRADE 12	251	54.33	112	78	54	4	1	2
GREATER THAN GRADE 12	142	30.74	80	46	15	1	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	462		217	140	91	10	1	3
PERCENT DISTRIBUTION		100.00	46.97	30.30	19.70	2.16	0.22	0.65
WASHINGTON								
LESS THAN GRADE 9	21	4.08	13	7	0	0	0	1
GRADES 9-11	84	16.31	34	18	28	4	0	0
GRADE 12	253	49.13	126	71	49	4	2	1
GREATER THAN GRADE 12	150	29.13	80	41	27	1	0	1
UNKNOWN	7	1.36	0	2	0	0	1	4
COUNTY TOTALS	515		253	139	104	9	3	7
PERCENT DISTRIBUTION		100.00	49.13	26.99	20.19	1.75	0.58	1.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******************** MONTH PRENATAL CARE BEGAN ********************					
			1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
YORK								
LESS THAN GRADE 9	43	2.06	20	9	11	1	1	1
GRADES 9-11	264	12.63	137	58	58	9	0	2
GRADE 12	939	44.91	591	236	102	5	0	5
GREATER THAN GRADE 12	776	37.11	534	175	60	2	4	1
UNKNOWN	69	3.30	42	18	5	1	0	3
COUNTY TOTALS	2,091		1,324	496	236	18	5	12
PERCENT DISTRIBUTION		100.00	63.32	23.72	11.29	0.86	0.24	0.57
MAINE SUMMARY								
LESS THAN GRADE 9	383	2.31	162	104	95	12	2	8
GRADES 9-11	2,375	14.33	1,006	681	549	100	10	29
GRADE 12	7,791	47.00	4,162	2,309	1,134	92	21	73
GREATER THAN GRADE 12	5,844	35.26	3,486	1,757	522	41	12	26
UNKNOWN	183	1.10	73	41	15	7	4	43
STATE TOTALS	16,576		8,889	4,892	2,315	252	49	179
PERCENT DISTRIBUTION		100.00	53.63	29.51	13.97	1.52	0.30	1.08

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-09

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1983 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON-WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM-ALIES	BIRTHWEIGHT IN GRAMS	
									UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	247	31	28	9	2	17	38	6	10	1
BLUE HILL MEMORIAL HOSP.	329	49	58	1	0	42	36	9	13	2
CALAIS REGIONAL HOSPITAL	177	49	28	22	0	39	24	4	8	4
CARY MEDICAL CENTER	248	42	40	4	0	36	51	2	15	3
CASTINE COMMUNITY HOSPITAL	1	0	0	0	0	1	0	0	1	0
CENTRAL MAINE MEDICAL CENTER	1,052	184	154	11	1	196	154	17	66	1
CHARLES A.DEAN MEMORIAL HOSP.	25	6	5	0	0	6	1	0	0	0
DOWN EAST COMMUNITY HOSPITAL	194	40	34	10	2	17	8	3	3	0
EASTERN MAINE MED CTR	1,664	285	197	39	4	298	268	19	105	5
FRANKLIN MEMORIAL HOSPITAL	503	79	64	2	0	80	49	12	33	1
HENRIETTA D.GOODALL HOSP.	405	45	47	11	1	83	50	8	12	1
HOULTON REGIONAL HOSPITAL	250	45	40	6	2	34	22	6	13	2
J.A.TAYLOR OSTEOPATHIC HOSP.	52	11	10	1	0	7	9	1	4	0
KEN VALLEY MED CTR-AUGUSTA	707	139	110	9	2	181	110	15	41	3
MAINE COAST MEMORIAL HOSP.	205	36	27	2	0	122	30	7	16	0
MAINE MEDICAL CENTER	2,438	284	195	27	7	429	222	31	241	10
MAYO REGIONAL HOSPITAL	291	55	52	2	0	48	34	7	8	0
MERCY HOSPITAL	436	100	80	7	1	46	85	7	28	2
MID-MAINE MEDICAL CTR-SETON	1,042	149	119	9	0	205	113	17	31	1
MILES MEMORIAL HOSPITAL	150	21	25	1	2	21	5	5	3	0
MILLINOCKET REGIONAL HOSP.	181	34	37	0	2	16	46	2	7	0
MOUNT DESERT ISLAND HOSPITAL	82	11	4	0	1	13	9	2	4	2
NORTH CUMBERLAND MEM.HOSP.	150	32	26	0	0	23	27	1	4	1
NORTHERN MAINE MEDICAL CTR	105	14	13	0	1	33	23	0	5	0
OSTEOPATHIC HOSPITAL OF MAINE	477	98	79	5	0	111	40	14	22	1
PARKVIEW MEMORIAL HOSPITAL	912	70	96	16	2	96	88	32	41	3
PENOBSCOT BAY MEDICAL CETER	535	79	71	3	3	195	75	8	21	2
PENOBSCOTT VALLEY HOSPITAL	130	19	23	1	0	23	21	1	9	0
REDINGTON-FAIRVIEW HOSP.	213	47	40	1	2	40	35	6	10	1
REGIONAL MEMORIAL HOSPITAL	1	0	0	0	0	0	0	0	0	0
RUMFORD COMMUNITY HOSPITAL	123	27	14	1	0	15	16	3	2	0
SEBASTICOOK VALLEY HOSPITAL	5	0	0	0	0	0	0	0	0	0
ST MARYS GENERAL HOSPITAL	522	71	61	0	0	70	72	7	32	0
ST.ANDREWS HOSPITAL	49	4	4	3	0	7	7	5	2	0
ST.JOSEPH'S HOSPITAL	1	1	1	0	1	0	0	0	0	0
STEPHENS MEMORIAL HOSPITAL	301	45	46	0	1	27	33	6	4	0
THE AROOS MED CTR-PRESQUE ISLE	394	55	52	6	2	92	45	4	16	1
US AIR FORCE HOSPITAL	291	13	29	30	0	45	32	9	9	0
WALDO COUNTY GENERAL HOSPITAL	200	42	40	2	0	39	25	9	8	0
WATERVILLE OSTEOPATHIC HOSP.	111	24	18	0	1	24	7	2	5	1
WEBBER HOSPITAL	502	92	84	8	2	91	73	24	31	2
WESTBROOK COMMUNITY HOSPITAL	35	5	1	2	0	3	6	2	3	0
AT HOME	193	23	10	3	4	20	0	2	5	1
BORN ON WAY TO HOSPITAL	9	0	1	0	0	2	0	0	0	0
DOCTOR'S OFFICE	3	0	0	0	0	0	0	0	0	0
OTHER SPECIFIED PLACE	1	1	0	0	0	0	0	0	0	0
OUT PATIENT FACILITY	104	12	12	0	0	6	0	1	0	0
STREET ADDRESS	1	0	0	0	0	0	0	1	0	0
STATE TOTALS	16,047	2,469	2,073	254	46	2,899	1,989	317	891	51

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-10 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1983 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	******************** PERCENTAGE OF THE TOTAL BIRTHS IN EACH BIRTH SITE ********************								
		OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON-WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM-ALIES	BIRTHWEIGHT IN GRAMS	
									UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	247	12.55	11.34	3.64	0.81	6.88	15.38	2.43	4.05	0.40
BLUE HILL MEMORIAL HOSP.	329	14.89	17.02	0.30	0.00	12.77	10.94	2.74	3.95	0.61
CALAIS REGIONAL HOSPITAL	177	27.68	15.82	12.43	0.00	22.03	13.56	2.26	4.52	2.26
CARY MEDICAL CENTER	248	16.94	16.13	1.61	0.00	14.52	20.56	0.81	6.05	1.21
CASTINE COMMUNITY HOSPITAL	1	0.00	0.00	0.00	0.00	100.00	0.00	0.00	100.00	0.00
CENTRAL MAINE MEDICAL CENTER	1,052	17.49	14.64	1.05	0.10	18.63	14.64	1.62	6.27	0.10
CHARLES A.DEAN MEMORIAL HOSP.	25	24.00	20.00	0.00	0.00	24.00	4.00	0.00	0.00	0.00
DOWN EAST COMMUNITY HOSPITAL	194	20.62	17.53	5.15	1.03	8.76	4.12	1.55	1.55	0.00
EASTERN MAINE MED CTR	1,664	17.13	11.84	2.34	0.24	17.91	16.11	1.14	6.31	0.30
FRANKLIN MEMORIAL HOSPITAL	503	15.71	12.72	0.40	0.00	15.90	9.74	2.39	6.56	0.20
HENRIETTA D.GOODALL HOSP.	405	11.11	11.60	2.72	0.25	20.49	12.35	1.98	2.96	0.25
HOULTON REGIONAL HOSPITAL	250	18.00	16.00	2.40	0.80	13.60	8.80	2.40	5.20	0.80
J.A.TAYLOR OSTEOPATHIC HOSP.	52	21.15	19.23	1.92	0.00	13.46	17.31	1.92	7.69	0.00
KEN VALLEY MED CTR-AUGUSTA	707	19.66	15.56	1.27	0.28	25.60	15.56	2.12	5.80	0.42
MAINE COAST MEMORIAL HOSP.	205	17.56	13.17	0.98	0.00	59.51	14.63	3.41	7.80	0.00
MAINE MEDICAL CENTER	2,438	11.65	8.00	1.11	0.29	17.60	9.11	1.27	9.89	0.41
MAYO REGIONAL HOSPITAL	291	18.90	17.87	0.69	0.00	16.49	11.68	2.41	2.75	0.00
MERCY HOSPITAL	436	22.94	18.35	1.61	0.23	10.55	19.50	1.61	6.42	0.46
MID-MAINE MEDICAL CTR-SETON	1,042	14.30	11.42	0.86	0.00	19.67	10.84	1.63	2.98	0.10
MILES MEMORIAL HOSPITAL	150	14.00	16.67	0.67	1.33	14.00	3.33	3.33	2.00	0.00
MILLINOCKET REGIONAL HOSP.	181	18.78	20.44	0.00	1.10	8.84	25.41	1.10	3.87	0.00
MOUNT DESERT ISLAND HOSPITAL	82	13.41	4.88	0.00	1.22	15.85	10.98	2.44	4.88	2.44
NORTH CUMBERLAND MEM.HOSP.	150	21.33	17.33	0.00	0.00	15.33	18.00	0.67	2.67	0.67
NORTHERN MAINE MEDICAL CTR	105	13.33	12.38	0.00	0.95	31.43	21.90	0.00	4.76	0.00
OSTEOPATHIC HOSPITAL OF MAINE	477	20.55	16.56	1.05	0.00	23.27	8.39	2.94	4.61	0.21
PARKVIEW MEMORIAL HOSPITAL	912	7.68	10.53	1.75	0.22	10.53	9.65	3.51	4.50	0.33
PENOBSCOT BAY MEDICAL CETER	535	14.77	13.27	0.56	0.56	36.45	14.02	1.50	3.93	0.37
PENOBSCOTT VALLEY HOSPITAL	130	14.62	17.69	0.77	0.00	17.69	16.15	0.77	6.92	0.00
REDINGTON-FAIRVIEW HOSP.	213	22.07	18.78	0.47	0.94	18.78	16.43	2.82	4.69	0.47
REGIONAL MEMORIAL HOSPITAL	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
RUMFORD COMMUNITY HOSPITAL	123	21.95	11.38	0.81	0.00	12.20	13.01	2.44	1.63	0.00
SEBASTICOOK VALLEY HOSPITAL	5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ST MARYS GENERAL HOSPITAL	522	13.60	11.69	0.00	0.00	13.41	13.79	1.34	6.13	0.00
ST.ANDREWS HOSPITAL	49	8.16	8.16	6.12	0.00	14.29	14.29	10.20	4.08	0.00
ST.JOSEPH'S HOSPITAL	1	100.00	100.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00
STEPHENS MEMORIAL HOSPITAL	301	14.95	15.28	0.00	0.33	8.97	10.96	1.99	1.33	0.00
THE AROOS MED CTR-PRESQUE ISLE	394	13.96	13.20	1.52	0.51	23.35	11.42	1.02	4.06	0.25
US AIR FORCE HOSPITAL	291	4.47	9.97	10.31	0.00	15.46	11.00	3.09	3.09	0.00
WALDO COUNTY GENERAL HOSPITAL	200	21.00	20.00	1.00	0.00	19.50	12.50	4.50	4.00	0.00
WATERVILLE OSTEOPATHIC HOSP.	111	21.62	16.22	0.00	0.90	21.62	6.31	1.80	4.50	0.90
WEBBER HOSPITAL	502	18.33	16.73	1.59	0.40	18.13	14.54	4.78	6.18	0.40
WESTBROOK COMMUNITY HOSPITAL	35	14.29	2.86	5.71	0.00	8.57	17.14	5.71	8.57	0.00
AT HOME	193	11.92	5.18	1.55	2.07	10.36	0.00	1.04	2.59	0.52
BORN ON WAY TO HOSPITAL	9	0.00	11.11	0.00	0.00	22.22	0.00	0.00	0.00	0.00
DOCTOR'S OFFICE	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OTHER SPECIFIED PLACE	1	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OUT PATIENT FACILITY	104	11.54	11.54	0.00	0.00	5.77	0.00	0.96	0.00	0.00
STREET ADDRESS	1	0.00	0.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00
STATE PERCENTAGES	16,047	15.39	12.92	1.58	0.29	18.07	12.39	1.98	5.55	0.32

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1983 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		BIRTHWEIGHT IN GRAMS: < 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BATH MEMORIAL HOSPITAL	247	100.0	1	0.4	0	0.0	1	0.4	246	99.6	0	0.0
BLUE HILL MEMORIAL HOSP.	329	100.0	4	1.2	0	0.0	4	1.2	325	98.8	0	0.0
CALAIS REGIONAL HOSPITAL	177	100.0	0	0.0	0	0.0	0	0.0	176	99.4	1	0.6
CARY MEDICAL CENTER	248	100.0	1	0.4	0	0.0	1	0.4	247	99.6	0	0.0
CASTINE COMMUNITY HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,052	100.0	1	0.1	8	0.8	9	0.9	1,043	99.1	0	0.0
CHARLES A. DEAN MEMORIAL HOSP	25	100.0	0	0.0	0	0.0	0	0.0	25	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	194	100.0	0	0.0	0	0.0	0	0.0	194	100.0	0	0.0
EASTERN MAINE MED CTR	1,664	100.0	5	0.3	7	0.4	12	0.7	1,649	99.1	3	0.2
FRANKLIN MEMORIAL HOSPITAL	503	100.0	0	0.0	1	0.2	1	0.2	502	99.8	0	0.0
HENRIETTA D. GOODALL HOSP	405	100.0	2	0.5	1	0.2	3	0.7	402	99.3	0	0.0
HOULTON REGIONAL HOSPITAL	250	100.0	0	0.0	1	0.4	1	0.4	248	99.2	1	0.4
JAMES A. TAYLOR OSTEOP HOSP	52	100.0	0	0.0	0	0.0	0	0.0	52	100.0	0	0.0
KEN VALLEY MED CTR-AUGUSTA	707	100.0	4	0.6	0	0.0	4	0.6	702	99.3	1	0.1
MAINE COAST MEM. HOSPITAL	205	100.0	2	1.0	2	1.0	4	2.0	201	98.0	0	0.0
MAINE MEDICAL CENTER	2,438	100.0	38	1.6	36	1.5	74	3.0	2,362	96.9	2	0.1
MAYO REGIONAL HOSPITAL	291	100.0	0	0.0	0	0.0	0	0.0	291	100.0	0	0.0
MERCY HOSPITAL	436	100.0	0	0.0	0	0.0	0	0.0	436	100.0	0	0.0
MID-MAINE MEDICAL CTR-SETON	1,042	100.0	2	0.2	0	0.0	2	0.2	1,040	99.8	0	0.0
MILES MEMORIAL HOSPITAL	150	100.0	0	0.0	0	0.0	0	0.0	150	100.0	0	0.0
MILLINOCKET REGIONAL HOSP	181	100.0	0	0.0	1	0.6	1	0.6	180	99.4	0	0.0
MOUNT DESERT ISLAND HOSPITAL	82	100.0	0	0.0	0	0.0	0	0.0	82	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSP.	150	100.0	0	0.0	1	0.7	1	0.7	149	99.3	0	0.0
NORTHERN MAINE MEDICAL CTR	105	100.0	0	0.0	0	0.0	0	0.0	105	100.0	0	0.0
OSTEOPATHIC HOSPITAL OF MAINE	477	100.0	1	0.2	2	0.4	3	0.6	474	99.4	0	0.0
PARKVIEW MEMORIAL HOSPITAL	912	100.0	3	0.3	3	0.3	6	0.7	906	99.3	0	0.0
PENOBSCOT BAY MEDICAL CENTER	535	100.0	3	0.6	0	0.0	3	0.6	530	99.1	2	0.4
PENOBSCOT VALLEY HOSPITAL	130	100.0	0	0.0	0	0.0	0	0.0	130	100.0	0	0.0
REDINGTON-FAIRVIEW HOSP	213	100.0	0	0.0	0	0.0	0	0.0	213	100.0	0	0.0
REGIONAL MEMORIAL HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
RUMFORD COMMUNITY HOSPITAL	123	100.0	0	0.0	0	0.0	0	0.0	123	100.0	0	0.0
SEBASTICOOK VALLEY HOSPITAL	5	100.0	0	0.0	0	0.0	0	0.0	5	100.0	0	0.0
ST. ANDREWS HOSPITAL	49	100.0	0	0.0	0	0.0	0	0.0	49	100.0	0	0.0
ST. JOSEPH'S HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
ST MARYS GENERAL HOSPITAL	522	100.0	0	0.0	1	0.2	1	0.2	521	99.8	0	0.0
STEPHENS MEMORIAL HOSPITAL	301	100.0	0	0.0	0	0.0	0	0.0	301	100.0	0	0.0
THE AROOS MED CTR-PRESQUE ISLE	394	100.0	0	0.0	2	0.5	2	0.5	392	99.5	0	0.0
US AIR FORCE HOSPITAL	291	100.0	0	0.0	0	0.0	0	0.0	291	100.0	0	0.0
WALDO COUNTY GENERAL HOSPITAL	200	100.0	1	0.5	0	0.0	1	0.5	199	99.5	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	111	100.0	0	0.0	1	0.9	1	0.9	110	99.1	0	0.0
WEBBER HOSPITAL	502	100.0	0	0.0	2	0.4	2	0.4	500	99.6	0	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 1-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1983 (OCCURRENCE DATA)

			****************************** BIRTHWEIGHT IN GRAMS ******************************									
	TOTAL BIRTHS		< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WESTBROOK COMMUNITY HOSPITAL	35	100.0	0	0.0	0	0.0	0	0.0	35	100.0	0	0.0
AT HOME	193	100.0	0	0.0	0	0.0	0	0.0	192	99.5	1	0.5
BORN OR DIED ON WAY TO HOSP	9	100.0	0	0.0	0	0.0	0	0.0	9	100.0	0	0.0
DOCTOR'S OFFICE	3	100.0	0	0.0	0	0.0	0	0.0	3	100.0	0	0.0
OTHER SPECIFIED PLACE	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
OUT PATIENT FACILITY	104	100.0	0	0.0	0	0.0	0	0.0	104	100.0	0	0.0
STREET ADDRESS	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
STATE TOTALS	16,047	100.0	68	0.4	69	0.4	137	0.9	15,899	99.1	11	0.1

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
SEPTICEMIA (038)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
MENINGITIS (320-322)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
PNEUMONIA (480-486)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)					
MALE	1	1	100.00	0	0.00
FEMALE	2	0	0.00	2	100.00
TOTALS	3	1	33.33	2	66.67
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM (520-534,536-543,562-579)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740)					
FEMALE	4	4	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
SPINA BIFIDA (741)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE (742.0-742.2,742.4-742.9,743)					
MALE	3	2	66.67	1	33.33
FEMALE	1	0	0.00	1	100.00
TOTALS	4	2	50.00	2	50.00
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	3	3	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER	POSTNEONATAL DEATHS PERCENT
(CONT.)					
FEMALE	5	3	60.00	2	40.00
TOTALS	8	6	75.00	2	25.00
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)					
MALE	1	1	100.00	0	0.00
FEMALE	3	2	66.67	1	33.33
TOTALS	4	3	75.00	1	25.00
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
MALE	5	5	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	6	6	100.00	0	0.00
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)					
FEMALE	4	3	75.00	1	25.00
TOTALS	4	3	75.00	1	25.00
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	4	4	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	5	5	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 2-01 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS

MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
SLOW FETAL GROWTH AND FETAL MALNUTRITION (764)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
MALE	9	9	100.00	0	0.00
FEMALE	6	6	100.00	0	0.00
TOTALS	15	15	100.00	0	0.00
BIRTH TRAUMA (767)					
MALE	2	2	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (768.2-768.4)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	7	5	71.43	2	28.57
FEMALE	4	4	100.00	0	0.00
TOTALS	11	9	81.82	2	18.18
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	15	13	86.67	2	13.33
FEMALE	6	4	66.67	2	33.33
TOTALS	21	17	80.95	4	19.05
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEONATAL HEMORRHAGE (772)					
MALE	1	0	0.00	1	100.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
TOTALS	1	0	0.00	1	100.00
HEMOLYTIC DISEASE OF NEWBORN, DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE (773-774)					
FEMALE	2	1	50.00	1	50.00
TOTALS	2	1	50.00	1	50.00
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9,776.1-779)					
MALE	3	3	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	11	0	0.00	11	100.00
FEMALE	10	1	10.00	9	90.00
TOTALS	21	1	4.76	20	95.24
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT (E911-E912)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ALL OTHER CAUSES (RESIDUAL)					
FEMALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
STATE					
MALE	83	62	74.70	21	25.30
FEMALE	62	37	59.68	25	40.32
TOTALS	145	99	68.28	46	31.72

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******************** GESTATION WEEKS ********************					
			20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIMILAR ANOMALIES (7400)								
MALE	2	1.85	0	1	0	0	0	1
FEMALE	1	0.93	0	0	0	1	0	0
TOTALS	3	2.78	0	1	0	1	0	1
CONGENITAL HYDROCEPHALUS (7423)								
FEMALE	1	0.93	1	0	0	0	0	0
TOTALS	1	0.93	1	0	0	0	0	0
SPECIFIED ANOMALIES OF FACE AND NECK (7448)								
FEMALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
ABSENCE OR HYPOPLASIA OF UMBILICAL ARTERY (7475)								
MALE	1	0.93	0	1	0	0	0	0
TOTALS	1	0.93	0	1	0	0	0	0
MULTIPLE CONGENITAL ANOMALIES (7597)								
MALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
UNSPECIFIED CONGENITAL ANOMALY (7599)								
MALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
FETUS AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY (7660)								
MALE	2	1.85	1	1	0	0	0	0
FEMALE	2	1.85	0	0	0	1	1	0
TOTALS	4	3.70	1	1	0	1	1	0
MATERNAL RENAL AND URINARY TRACT DISEASES (7601)								
MALE	1	0.93	0	0	1	0	0	0
FEMALE	1	0.93	1	0	0	0	0	0
TOTALS	2	1.85	1	0	1	0	0	0
PREMATURE RUPTURE OF MEMBRANES (7611)								
MALE	3	2.78	2	0	0	0	1	0
FEMALE	2	1.85	2	0	0	0	0	0
TOTALS	5	4.63	4	0	0	0	1	0
MULTIPLE PREGNANCY (7615)								
FEMALE	2	1.85	0	0	2	0	0	0
TOTALS	2	1.85	0	0	2	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******************* GESTATION WEEKS *******************					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762								
MALE	1	0.93	1	0	0	0	0	0
TOTALS	1	0.93	1	0	0	0	0	0
OTHER FORMS OF PLACENTAL SEPARATION AND HEMORRHAGE (7621)								
MALE	2	1.85	1	1	0	0	0	0
FEMALE	7	6.48	2	0	0	2	0	3
TOTALS	9	8.33	3	1	0	2	0	3
UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA (7622)								
MALE	2	1.85	0	0	0	1	1	0
FEMALE	2	1.85	0	1	1	0	0	0
TOTALS	4	3.70	0	1	1	1	1	0
OTHER COMPRESSION OF UMBILICAL CORD (7625)								
MALE	11	10.19	0	0	1	1	5	4
FEMALE	5	4.63	0	1	0	0	3	1
TOTALS	16	14.81	0	1	1	1	8	5
UNSPECIFIED CONDITIONS OF UMBILICAL CORD (7626)								
FEMALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
FETUS AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (7630)								
MALE	1	0.93	0	0	0	1	0	0
TOTALS	1	0.93	0	0	0	1	0	0
EXTREME IMMATURITY (7650)								
MALE	2	1.85	2	0	0	0	0	0
FEMALE	2	1.85	2	0	0	0	0	0
TOTALS	4	3.70	4	0	0	0	0	0
PREMATURITY OR SMALL SIZE NOT CLASSIFIABLE (7651)								
MALE	3	2.78	2	0	0	1	0	0
TOTALS	3	2.78	2	0	0	1	0	0
OTHER SPECIFIED BIRTH TRAUMA (7678)								
FEMALE	1	0.93	0	0	0	1	0	0
TOTALS	1	0.93	0	0	0	1	0	0
FETAL DEATH FROM ASPHYXIA OR ANOXIA BEFORE ONSET OF LABOR (7680)								
MALE	7	6.48	0	0	0	2	2	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******************** GESTATION WEEKS ********************					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
FEMALE	8	7.41	5	0	0	1	0	2
UNKNOWN	1	0.93	0	0	0	1	0	0
TOTALS	16	14.81	5	0	0	4	2	5
FETAL DISTRESS UNSPECIFIED (7684)								
FEMALE	1	0.93	0	0	0	0	0	1
TOTALS	1	0.93	0	0	0	0	0	1
RESPIRATORY PROBLEMS OF FETUS AFTER BIRTH (7708)								
MALE	1	0.93	0	0	0	1	0	0
TOTALS	1	0.93	0	0	0	1	0	0
CONDITIONS INVOLVING THE INTEGUMENT & TEMPERATURE REGULATION OF FETUS (7780)								
FEMALE	1	0.93	0	1	0	0	0	0
TOTALS	1	0.93	0	1	0	0	0	0
OTHER SPECIFIED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (7798)								
MALE	1	0.93	0	0	0	0	0	1
TOTALS	1	0.93	0	0	0	0	0	1
UNSPECIFIED CONDITION ORIGINATING IN THE PERINATAL PERIOD (7799)								
MALE	10	9.26	1	0	1	2	3	3
FEMALE	9	8.33	0	1	3	0	2	3
UNKNOWN	1	0.93	1	0	0	0	0	0
TOTALS	20	18.52	2	1	4	2	5	6
UNDIAGNOSED DISEASE, NOT SPECIFIED AS TO SITE OR SYSTEM INVOLVED (7999)								
MALE	3	2.78	0	0	1	0	2	0
FEMALE	4	3.70	0	1	0	0	1	2
TOTALS	7	6.48	0	1	1	0	3	2
STATE								
MALE	55	50.93	10	4	4	9	16	12
FEMALE	51	47.22	13	5	6	6	9	12
UNKNOWN	2	1.85	1	0	0	1	0	0
TOTALS	108	100.00	24	9	10	16	25	24

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-03

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT MAINE STATE TOTALS, 1983 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS NUMBER	LIVE BIRTHS PERCENT	NEONATAL DEATHS NUMBER	NEONATAL DEATHS PERCENT	NEONATAL DEATH RATE
LESS THAN 500	10	0.06	10	10.10	1000.0
500-999	61	0.37	32	32.32	524.6
1000-1499	77	0.46	5	5.05	64.9
1500-1999	178	1.07	10	10.10	56.2
2000-2499	592	3.57	6	6.06	10.1
2500-2999	2,229	13.45	9	9.09	4.0
3000-3499	5,888	35.52	9	9.09	1.5
3500-3999	5,264	31.76	7	7.07	1.3
4000-4499	1,818	10.97	2	2.02	1.1
4500-4999	403	2.43	1	1.01	2.5
GREATER THAN 4999	46	0.28	1	1.01	21.7
UNKNOWN	10	0.06	2	2.02	200.0
STATE TOTALS	16,576	100.00	99	100.00	6.0

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1983 NEONATAL DEATHS BY 1983 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1983 NEONATAL DEATH COHORT OCCURRED IN 1982.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-04

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

			************ COMPLICATIONS ************			
WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	PREGNANCY	LABOR OR DELIVERY	CONCURRENT ILLNESSES	CONGENITAL ANOMALIES
20-23	24	22.22	10	9	3	2
24-27	9	8.33	3	2	1	1
28-31	10	9.26	5	1	1	1
32-35	16	14.81	6	4	5	0
36-39	25	23.15	5	3	3	5
OVER 39	24	22.22	4	6	1	2
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	108		33	25	14	11
PERCENT DISTRIBUTION		100.00	30.56	23.15	12.96	10.19

AGE OF PATIENT(YRS.)						
LESS THAN 15	0	0.00	0	0	0	0
15	0	0.00	0	0	0	0
16	3	2.78	2	1	1	0
17	2	1.85	0	1	0	0
18	3	2.78	1	0	1	0
19	9	8.33	4	2	1	0
20-24	34	31.48	12	9	5	4
25-29	28	25.93	8	6	1	2
30-34	18	16.67	3	3	3	3
35-39	4	3.70	0	0	0	2
40-44	0	0.00	0	0	0	0
OVER 44	7	6.48	3	3	2	0
UNKNOWN	0	0.00	0	0	0	0
TEENAGE TOTALS	17	15.74	7	4	3	0
STATE TOTALS	108		33	25	14	11
PERCENT DISTRIBUTION		100.00	30.56	23.15	12.96	10.19

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-05

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS		****************** INFANT DEATHS ******************						PERINATAL	
			TOTAL		NEONATAL		POSTNEONATAL			
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ANDROSCOGGIN	1,011	10.1	12	8.0	6	4.0	6	4.0	13	8.7
AROOSTOOK	718	8.0	13	9.9	7	5.3	6	4.5	15	11.4
CUMBERLAND	2,110	9.6	24	7.5	15	4.7	9	2.8	33	10.3
FRANKLIN	232	8.1	6	14.6	5	12.1	1	2.4	9	21.7
HANCOCK	462	10.8	9	13.8	7	10.8	2	3.0	13	19.9
KENNEBEC	1,075	9.6	12	7.7	9	5.8	3	1.9	23	14.7
KNOX	401	11.8	6	12.8	6	12.8	0	0.0	9	19.1
LINCOLN	323	12.1	4	9.5	4	9.5	0	0.0	8	18.9
OXFORD	553	11.2	10	14.1	6	8.5	4	5.6	16	22.4
PENOBSCOT	1,128	8.1	15	7.8	11	5.7	4	2.0	19	9.9
PISCATAQUIS	185	10.3	2	8.6	1	4.3	1	4.3	2	8.6
SAGADAHOC	244	8.2	4	7.6	3	5.7	1	1.9	6	11.5
SOMERSET	502	11.0	7	10.2	6	8.8	1	1.4	12	17.5
WALDO	292	10.1	6	12.9	1	2.1	5	10.8	4	8.6
WASHINGTON	372	10.8	2	3.8	1	1.9	1	1.9	5	9.7
YORK	1,308	8.8	13	6.2	11	5.2	2	0.9	20	9.5
STATE TOTALS	10,916	9.5	145	8.7	99	5.9	46	2.7	207	12.4

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON MAINE 1983 POPULATION PROJECTIONS).
INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-06

FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN ****					AGE OF PATIENT(YRS.)	
						1	2	3	NONE	UNKNOWN	LESS THAN 20	OVER 35
ANDROSCOGGIN	7	6.48	1	3	7	6	1	0	0	0	2	0
AROOSTOOK	8	7.41	1	5	8	7	0	0	1	0	0	0
CUMBERLAND	18	16.67	2	11	18	5	1	0	12	0	1	6
FRANKLIN	4	3.70	2	1	4	3	1	0	0	0	1	0
HANCOCK	6	5.56	1	4	6	3	2	1	0	0	0	0
KENNEBEC	14	12.96	4	8	14	6	1	1	6	0	2	1
KNOX	3	2.78	2	2	3	2	1	0	0	0	0	0
LINCOLN	4	3.70	0	2	4	3	0	0	1	0	0	0
OXFORD	10	9.26	4	7	10	6	1	0	3	0	5	0
PENOBSCOT	8	7.41	1	7	8	6	1	0	1	0	1	0
PISCATAQUIS	1	0.93	1	0	0	1	0	0	0	0	0	0
SAGADAHOC	3	2.78	0	1	3	2	0	0	1	0	0	0
SOMERSET	6	5.56	2	4	6	3	0	0	3	0	2	0
WALDO	3	2.78	1	2	2	1	0	0	2	0	2	0
WASHINGTON	4	3.70	1	3	4	3	0	0	1	0	1	1
YORK	9	8.33	0	3	9	4	1	0	4	0	0	0
STATE TOTALS	108		23	63	106	61	10	2	35	0	17	8
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS		100.00	21.30	58.33	98.15	56.48	9.26	1.85	32.41	0.00	15.74	7.41

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-07

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	********** RISK CHARACTERISTICS **********								MALE/FEMALE RATIO
		CONGENITAL ANOMALIES		***** FETAL WEIGHT *****				LESS THAN 28 GESTATION WEEKS		
				< 500 GRAMS		< 2500 GRAMS				
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	7	0	0.0	1	14.3	3	42.9	1	14.3	2.50
AROOSTOOK	8	2	25.0	5	62.5	6	75.0	3	37.5	0.33
CUMBERLAND	18	2	11.1	0	0.0	7	38.9	7	38.9	0.80
FRANKLIN	4	1	25.0	0	0.0	2	50.0	1	25.0	1.00
HANCOCK	6	0	0.0	0	0.0	1	16.7	3	50.0	2.00
KENNEBEC	14	1	7.1	2	14.3	6	42.9	3	21.4	1.40
KNOX	3	0	0.0	2	66.7	2	66.7	2	66.7	2.00
LINCOLN	4	0	0.0	0	0.0	1	25.0	1	25.0	0.00
OXFORD	10	0	0.0	3	30.0	8	80.0	5	50.0	1.50
PENOBSCOT	8	3	37.5	0	0.0	2	25.0	0	0.0	1.67
PISCATAQUIS	1	0	0.0	0	0.0	1	100.0	0	0.0	0.00
SAGADAHOC	3	1	33.3	0	0.0	1	33.3	0	0.0	0.50
SOMERSET	6	0	0.0	0	0.0	1	16.7	1	16.7	0.20
WALDO	3	1	33.3	0	0.0	1	33.3	0	0.0	0.50
WASHINGTON	4	0	0.0	0	0.0	1	25.0	1	25.0	3.00
YORK	9	0	0.0	2	22.2	4	44.4	5	55.6	0.50
STATE TOTALS	108	11	10.2	15	13.9	47	43.5	33	30.6	1.08

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	4,179	2,128	2,051	1	1	1	364.7	382.4	347.9
MALIGNANT NEOPLASMS (140-208)	2,503	1,347	1,156	2	2	2	218.4	242.1	196.1
CEREBROVASCULAR DISEASE (430-438)	790	302	488	3	4	3	68.9	54.3	82.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	445	313	132	4	3	6	38.8	56.2	22.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	442	295	147	5	5	5	38.6	53.0	24.9
PNEUMONIA & INFLUENZA (480-487)	365	163	202	6	6	4	31.9	29.3	34.3
ATHEROSCLEROSIS (440)	176	66	110	7	10	7	15.4	11.9	18.7
DIABETES MELLITUS (250)	169	69	100	8	9	8	14.7	12.4	17.0
SUICIDE (E950-E959)	162	122	40	9	7	12	14.1	21.9	6.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	140	97	43	10	8	11	12.2	17.4	7.3
TOTAL FOR AGE GROUP	10,916	5,674	5,242				952.5	1,019.7	889.2
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	76	51	25	1	1	1	456.6	598.9	307.6
CONGENITAL ANOMALIES (740-759)	35	15	20	2	2	2	210.3	176.1	246.1
PNEUMONIA & INFLUENZA (480-487)	2	1	1	3	3	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1	4	6	3	###	###	###
MENINGITIS (320-322)	1	0	1	5	6	3	###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	1	1	0	6	3	6	###	###	###
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	1	1	0	7	3	6	###	###	###
TOTAL FOR AGE GROUP	145	83	62				871.2	974.6	762.9

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	33	23	10	1	1	1	14.2	19.2	8.9
MALIGNANT NEOPLASMS (140-208)	7	2	5	2	2	2	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	2	0	3	2	5	###	###	###
BENIGN NEOPLASMS (210-239)	2	1	1	4	4	3	###	###	###
CONGENITAL ANOMALIES (740-759)	2	1	1	5	4	3	###	###	###
MENINGITIS (320-322)	1	1	0	6	4	5	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	1	0	7	4	5	###	###	###
TOTAL FOR AGE GROUP	60	41	19				25.9	34.3	16.9
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	117	95	22	1	1	1	59.2	95.7	22.4
SUICIDE (E950-E959)	41	31	10	2	2	2	20.8	31.2	10.2
HOMICIDE & LEGAL INTERVENTION (E960-E978)	7	5	2	3	3	3	###	###	###
HEART DISEASE (390-398,402,404-429)	5	4	1	4	4	5	###	###	###
DIABETES MELLITUS (250)	2	0	2	5	7	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1	6	7	5	###	###	###
MALIGNANT NEOPLASMS (140-208)	1	0	1	7	7	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	8	5	9	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	9	7	5	###	###	###
CONGENITAL ANOMALIES (740-759)	1	1	0	10	5	9	###	###	###
TOTAL FOR AGE GROUP	189	145	44				95.7	146.1	44.8

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	74	56	18	1	1	1	39.1	59.5	18.9
SUICIDE (E950-E959)	37	28	9	2	2	3	19.5	29.7	###
MALIGNANT NEOPLASMS (140-208)	31	18	13	3	3	2	16.4	19.1	13.7
HEART DISEASE (390-398,402,404-429)	11	10	1	4	4	4	5.8	10.6	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	4	3	1	5	5	4	###	###	###
DIABETES MELLITUS (250)	2	2	0	6	6	9	###	###	###
CEREBROVASCULAR DISEASE (430-438)	2	1	1	7	8	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)	2	1	1	8	8	4	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2	2	0	9	6	9	###	###	###
CONGENITAL ANOMALIES (740-759)	2	1	1	10	8	4	###	###	###
TOTAL FOR AGE GROUP	187	138	49				98.8	146.5	51.5
AGE: 35 TO 44 YEARS									
MALIGNANT NEOPLASMS (140-208)	63	24	39	1	3	1	43.8	33.4	54.2
HEART DISEASE (390-398,402,404-429)	55	44	11	2	1	2	38.2	61.2	15.3
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	43	37	6	3	2	3	29.9	51.5	###
SUICIDE (E950-E959)	22	17	5	4	4	4	15.3	23.6	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	10	9	1	5	5	8	7.0	###	###
CEREBROVASCULAR DISEASE (430-438)	9	4	5	6	7	4	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	8	6	2	7	6	6	###	###	###
DIABETES MELLITUS (250)	5	4	1	8	7	8	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	3	2	1	9	9	8	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	3	1	2	10	11	6	###	###	###
TOTAL FOR AGE GROUP	252	170	82				175.1	236.5	113.9

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP

- MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	698	511	187	1	1	2	319.4	490.1	163.7
MALIGNANT NEOPLASMS (140-208)	670	378	292	2	2	1	306.6	362.5	255.6
CEREBROVASCULAR DISEASE (430-438)	80	38	42	3	5	3	36.6	36.4	36.8
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	65	42	23	4	4	4	29.7	40.3	20.1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	64	47	17	5	3	5	29.3	45.1	14.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	50	35	15	6	6	6	22.9	33.6	13.1
SUICIDE (E950-E959)	35	26	9	7	7	9	16.0	24.9	###
DIABETES MELLITUS (250)	32	17	15	8	8	6	14.6	16.3	13.1
PNEUMONIA & INFLUENZA (480-487)	30	17	13	9	8	8	13.7	16.3	11.4
INFECTIOUS & PARASITIC DISEASES (001-139)	18	9	9	10	10	9	8.2	###	###
TOTAL FOR AGE GROUP	1,940	1,237	703				887.7	1,186.3	615.3
AGE: 65 TO 74 YEARS									
HEART DISEASE (390-398,402,404-429)	989	604	385	1	1	1	1,154.8	1,606.3	801.3
MALIGNANT NEOPLASMS (140-208)	811	458	353	2	2	2	946.9	1,218.0	734.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	158	109	49	3	3	4	184.5	289.9	102.0
CEREBROVASCULAR DISEASE (430-438)	120	60	60	4	4	3	140.1	159.6	124.9
PNEUMONIA & INFLUENZA (480-487)	50	32	18	5	5	7	58.4	85.1	37.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	45	25	20	6	7	6	52.5	66.5	41.6
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	39	26	13	7	6	8	45.5	69.1	27.1
DIABETES MELLITUS (250)	37	12	25	8	9	5	43.2	31.9	52.0
INFECTIOUS & PARASITIC DISEASES (001-139)	19	13	6	9	8	11	22.2	34.6	###
ATHEROSCLEROSIS (440)	19	10	9	10	11	9	22.2	26.6	###
TOTAL FOR AGE GROUP	2,564	1,522	1,042				2,993.7	4,047.7	2,168.8

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* DEATHS ******			******** RANK ******* BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,256	598	658	1	1	1	2,681.0	3,503.4	2,209.5
MALIGNANT NEOPLASMS (140-208)	650	351	299	2	2	2	1,387.4	2,056.4	1,004.0
CEREBROVASCULAR DISEASE (430-438)	268	114	154	3	3	3	572.1	667.9	517.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	153	102	51	4	4	4	326.6	597.6	171.3
PNEUMONIA & INFLUENZA (480-487)	100	52	48	5	5	5	213.5	304.6	161.2
DIABETES MELLITUS (250)	56	20	36	6	8	6	119.5	117.2	120.9
ATHEROSCLEROSIS (440)	51	21	30	7	7	7	108.9	123.0	100.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	44	25	19	8	6	9	93.9	146.5	63.8
INFECTIOUS & PARASITIC DISEASES (001-139)	32	14	18	9	9	10	68.3	82.0	60.4
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	30	10	20	10	11	8	64.0	58.6	67.2
TOTAL FOR AGE GROUP	3,037	1,509	1,528				6,482.5	8,840.6	5,131.0
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,165	357	808	1	1	1	7,418.5	8,567.3	7,003.6
CEREBROVASCULAR DISEASE (430-438)	310	84	226	2	3	2	1,974.0	2,015.8	1,958.9
MALIGNANT NEOPLASMS (140-208)	270	116	154	3	2	3	1,719.3	2,783.8	1,334.8
PNEUMONIA & INFLUENZA (480-487)	180	60	120	4	4	4	1,146.2	1,439.9	1,040.1
ATHEROSCLEROSIS (440)	98	29	69	5	6	5	624.0	695.9	598.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	63	41	22	6	5	7	401.2	983.9	190.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	38	16	22	7	7	7	242.0	384.0	190.7
DIABETES MELLITUS (250)	35	14	21	8	8	9	222.9	336.0	182.0
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	35	11	24	9	9	6	222.9	264.0	208.0
INFECTIOUS & PARASITIC DISEASES (001-139)	18	5	13	10	10	11	114.6	###	112.7
TOTAL FOR AGE GROUP	2,542	829	1,713				16,187.0	19,894.4	14,847.9

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-02 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS OF LIFE LOST**			PERCENT YEARS OF LIFE LOST			RANK BY YEARS OF LIFE LOST			AVERAGE YEARS OF LIFE LOST PER DEATH		
	TOTAL	MALE	FEMALE	TOT.	MALE	FEM.	TOT.	MALE	FEM.	TOT.	MALE	FEM.
HEART DISEASE (390-398,402,404-429)	46,789	25,252	21,537	29.8	29.7	29.9	1	1	1	11	12	11
MALIGNANT NEOPLASMS (140-208)	36,623	17,432	19,191	23.3	20.5	26.6	2	2	2	15	13	17
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	15,909	11,739	4,170	10.1	13.8	5.8	3	3	4	36	38	32
CEREBROVASCULAR DISEASE (430-438)	7,739	2,853	4,886	4.9	3.4	6.8	4	7	3	10	9	10
SUICIDE (E950-E959)	5,838	4,220	1,618	3.7	5.0	2.2	5	4	9	36	35	40
PERINATAL CONDITIONS (760-779)	5,581	3,597	1,984	3.6	4.2	2.8	6	5	6	71	69	73
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5,048	3,031	2,017	3.2	3.6	2.8	7	6	5	11	10	14
PNEUMONIA & INFLUENZA (480-487)	3,388	1,478	1,910	2.2	1.7	2.7	8	9	7	9	9	9
CONGENITAL ANOMALIES (740-759)	3,075	1,307	1,768	2.0	1.5	2.5	9	10	8	62	59	63
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,488	1,710	778	1.6	2.0	1.1	10	8	12	18	18	18
DIABETES MELLITUS (250)	2,266	901	1,365	1.4	1.1	1.9	11	11	10	13	13	14
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,431	867	564	0.9	1.0	0.8	12	12	14	9	9	10
ATHEROSCLEROSIS (440)	1,417	562	855	0.9	0.7	1.2	13	15	11	8	9	8
INFECTIOUS & PARASITIC DISEASES (001-139)	1,385	643	742	0.9	0.8	1.0	14	14	13	15	14	15
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1,051	794	257	0.7	0.9	0.4	15	13	17	40	38	51
BENIGN NEOPLASMS (210-239)	770	420	350	0.5	0.5	0.5	16	16	16	17	16	19
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	761	227	534	0.5	0.3	0.7	17	17	15	9	8	10
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	399	179	220	0.3	0.2	0.3	18	19	19	11	12	10
HYPERTENSION (401,403)	344	118	226	0.2	0.1	0.3	19	20	18	9	9	9
ULCER OF STOMACH & DUODENUM (531-533)	318	102	216	0.2	0.1	0.3	20	21	20	9	10	9
MENINGITIS (320-322)	286	190	96	0.2	0.2	0.1	21	18	22	32	27	48
ANEMIAS (280-285)	186	102	84	0.1	0.1	0.1	22	21	23	11	17	8
NUTRITIONAL DEFICIENCIES (260-269)	168	70	98	0.1	0.1	0.1	23	24	21	10	10	10
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	131	85	46	0.1	0.1	0.1	24	23	25	9	9	8
KIDNEY INFECTIONS (590)	86	15	71	0.1	0.0	0.1	25	26	24	11	8	12
APPENDICITIS (540-543)	41	11	30	0.0	0.0	0.0	26	27	26	14	11	15
HYPERPLASIA OF PROSTATE (600)	40	40	0	0.0	0.0	0.0	27	25	28	7	7	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	31	7	24	0.0	0.0	0.0	28	28	27	10	7	12
ALL OTHER EXTERNAL CAUSES (E980-E999)	250	103	147	0.2	0.1	0.2				31	34	29
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	2,176	1,050	1,126	1.4	1.2	1.6				38	39	38
ALL OTHER CAUSES (RESIDUAL)	11,166	6,007	5,159	7.1	7.1	7.2				15	16	13
ALL CAUSES	157,181	85,112	72,069	100.	100.	100.				14	15	14

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES.
PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
		AGE AT DEATH(YRS.)															
OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
ILL-DEFINED INTESTINAL INFECTIONS (009)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0
TOTALS	3	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0
OTHER TUBERCULOSIS (013-018)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS (034-035)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MENIGOCOCCAL INFECTION (036)																	
MALE	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
SEPTICEMIA (038)																	
MALE	26	0	0	0	0	0	0	0	1	1	1	4	1	5	7	2	4
FEMALE	24	1	0	0	0	0	0	0	0	1	0	0	1	1	5	8	7
TOTALS	50	1	0	0	0	0	0	0	1	2	1	4	2	6	12	10	11
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																	
MALE	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	5	0	0	0	0	0	0	0	1	0	0	0	1	1	1	1	0
VIRAL HEPATITIS (070)																	
FEMALE	3	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																	
MALE	6	0	1	0	0	0	0	0	0	0	1	0	0	2	2	0	0
FEMALE	7	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	5
TOTALS	13	0	1	0	0	0	0	0	0	0	2	0	0	3	2	0	5
NEUROSYPHILIS (094)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MYCOSES (110-118)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	2	1	1	1	0	0
LATE EFFECTS OF TUBERCULOSIS (137)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	3	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0
TOTALS	5	0	0	0	0	0	0	0	1	1	0	1	1	1	0	0	0
MALIGNANT NEOPLASMS OF: TONGUE (141)																	
MALE	13	0	0	0	0	0	0	0	0	1	2	4	3	1	2	0	0
FEMALE	3	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0
TOTALS	16	0	0	0	0	0	0	0	0	2	3	5	3	1	2	0	0
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	21	0	0	0	0	0	0	0	0	3	6	2	4	3	1	1	1
FEMALE	3	0	0	1	0	0	0	0	1	0	0	0	1	0	0	0	0
TOTALS	24	0	0	1	0	0	0	0	1	3	6	2	5	3	1	1	1
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145,149.1-149.9)																	
MALE	8	0	0	0	0	0	0	0	0	2	1	0	0	2	3	0	0
FEMALE	7	0	0	0	0	0	0	0	0	0	0	1	3	1	0	1	1
TOTALS	15	0	0	0	0	0	0	0	0	2	1	1	3	3	3	1	1
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	32	0	0	0	0	0	0	0	0	2	5	5	10	4	3	1	2
FEMALE	13	0	0	0	0	0	0	0	0	1	0	3	2	4	0	2	1
TOTALS	45	0	0	0	0	0	0	0	0	3	5	8	12	8	3	3	3
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	38	0	0	0	0	0	0	0	1	3	3	2	6	5	7	9	2
FEMALE	29	0	0	0	0	0	0	0	0	1	1	0	1	6	11	5	4
TOTALS	67	0	0	0	0	0	0	0	1	4	4	2	7	11	18	14	6
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0,153.1,153.7)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	5	0	0	0	0	0	0	0	0	0	1	0	0	2	1	1	0
TOTALS	7	0	0	0	0	0	0	0	0	0	1	0	0	2	2	1	1
MALIGNANT NEOPLASMS OF: DESCENDING COLON (153.2)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	6	0	0	0	0	0	0	0	0	0	1	1	0	0	2	2	0
FEMALE	6	0	0	0	0	0	0	0	2	0	0	1	0	1	0	2	0
TOTALS	12	0	0	0	0	0	0	0	2	0	1	2	0	1	2	4	0
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
FEMALE	10	0	0	0	0	0	0	0	0	0	1	1	0	1	1	3	3
TOTALS	12	0	0	0	0	0	0	0	0	0	1	1	0	1	2	4	3
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																	
MALE	104	0	0	0	0	0	0	3	2	8	8	8	7	15	24	14	15

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	121	0	0	0	0	0	0	0	0	9	7	8	16	13	20	23	25
TOTALS	225	0	0	0	0	0	0	3	2	17	15	16	23	28	44	37	40
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																	
MALE	29	0	0	0	0	0	0	0	2	2	3	1	3	9	3	1	5
FEMALE	32	0	0	0	0	0	0	0	1	1	5	2	5	4	3	7	4
TOTALS	61	0	0	0	0	0	0	0	3	3	8	3	8	13	6	8	9
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	2	0	1	0	2	0	0	1
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TOTALS	5	0	0	0	0	0	0	0	0	0	1	1	1	2	0	0	0
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																	
MALE	6	0	0	0	0	0	0	0	0	0	1	2	0	0	0	2	1
FEMALE	7	0	0	0	0	0	0	1	0	0	0	0	2	1	1	0	2
TOTALS	13	0	0	0	0	0	0	1	0	0	1	2	2	1	1	2	3
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																	
MALE	9	0	0	0	0	0	0	0	0	1	1	1	1	3	1	0	1
FEMALE	16	0	0	0	0	0	0	0	0	0	4	1	3	3	1	1	3
TOTALS	25	0	0	0	0	0	0	0	0	1	5	2	4	6	2	1	4
MALIGNANT NEOPLASMS OF: PANCREAS (157)																	
MALE	52	0	0	0	0	0	0	0	1	4	6	8	7	8	5	6	7
FEMALE	67	0	0	0	0	0	0	0	0	3	4	8	11	17	9	7	8
TOTALS	119	0	0	0	0	0	0	0	1	7	10	16	18	25	14	13	15
MALIGNANT NEOPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																	
MALE	17	0	0	0	0	0	0	0	0	0	1	4	2	4	1	4	1
FEMALE	25	0	0	0	0	0	0	0	0	1	1	2	2	5	7	6	1
TOTALS	42	0	0	0	0	0	0	0	0	1	2	6	4	9	8	10	2
MALIGNANT NEOPLASMS OF: LARYNX (161)																	
MALE	14	0	0	0	0	0	0	0	0	0	2	2	2	3	4	0	1
FEMALE	4	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0
TOTALS	18	0	0	0	0	0	0	0	0	1	3	2	3	3	5	0	1
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																	
MALE	468	0	0	0	0	0	0	3	9	37	51	73	84	95	64	37	15
FEMALE	178	0	0	0	0	0	0	1	5	19	11	29	36	30	28	10	9
TOTALS	646	0	0	0	0	0	0	4	14	56	62	102	120	125	92	47	24
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160,163-165)																	
MALE	5	0	0	0	0	0	0	1	1	0	1	1	0	1	0	0	0
TOTALS	5	0	0	0	0	0	0	1	1	0	1	1	0	1	0	0	0
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																	
MALE	4	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	1
FEMALE	3	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	7	0	0	0	0	0	1	0	0	0	2	0	1	0	1	1	1
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																	
MALE	5	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0	1
FEMALE	7	0	0	0	0	0	0	1	1	0	0	0	2	0	0	2	1
TOTALS	12	0	0	0	0	0	0	1	2	0	0	1	3	1	0	2	2
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																	
MALE	14	0	0	0	0	0	0	2	1	6	0	1	3	1	0	0	0
FEMALE	13	0	0	0	0	0	0	4	0	3	2	1	0	0	0	1	2
TOTALS	27	0	0	0	0	0	0	6	1	9	2	2	3	1	0	1	2
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3
TOTALS	8	0	0	0	0	0	0	0	0	0	1	3	0	1	0	0	3
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																	
FEMALE	207	0	0	0	0	0	0	2	8	24	23	23	30	32	23	24	18
TOTALS	207	0	0	0	0	0	0	2	8	24	23	23	30	32	23	24	18
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																	
FEMALE	29	0	0	0	0	0	0	1	11	1	5	3	3	1	0	3	1
TOTALS	29	0	0	0	0	0	0	1	11	1	5	3	3	1	0	3	1
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179,181-182)																	
FEMALE	33	0	0	0	0	0	0	0	0	1	1	7	4	5	6	5	4
TOTALS	33	0	0	0	0	0	0	0	0	1	1	7	4	5	6	5	4
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																	
FEMALE	63	0	0	0	0	0	0	0	3	6	3	11	14	8	8	2	8
TOTALS	63	0	0	0	0	0	0	0	3	6	3	11	14	8	8	2	8
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																	
FEMALE	8	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	3
TOTALS	8	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	3
MALIGNANT NEOPLASMS OF: PROSTATE (185)																	
MALE	155	0	0	0	0	0	0	0	0	1	2	10	9	41	33	26	33
FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
TOTALS	157	0	0	0	0	0	0	0	0	2	2	10	9	41	33	27	33
MALIGNANT NEOPLASMS OF: TESTIS (186)																	
MALE	2	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	2	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF: PENIS AND OTHER MALE GENITAL ORGANS (187)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF: BLADDER (188)																	
MALE	54	0	0	0	0	0	0	0	0	2	3	6	9	6	10	10	8
FEMALE	17	0	0	0	0	0	0	0	0	0	1	0	2	2	4	3	5
TOTALS	71	0	0	0	0	0	0	0	0	2	4	6	11	8	14	13	13
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																	
MALE	27	0	0	0	0	0	0	0	0	3	2	5	4	3	3	6	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	21	0	0	0	0	0	0	1	2	1	0	2	2	2	4	1	6
TOTALS	48	0	0	0	0	0	0	1	2	4	2	7	6	5	7	7	7
MALIGNANT NEOPLASMS OF: EYE (190)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS OF: BRAIN (191)																	
MALE	23	0	0	0	1	0	0	2	4	3	3	4	2	2	1	1	0
FEMALE	26	0	0	0	1	0	0	0	1	4	3	2	1	8	3	2	1
TOTALS	49	0	0	0	2	0	0	2	5	7	6	6	3	10	4	3	1
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
FEMALE	5	0	0	1	0	0	0	0	0	0	0	0	0	1	1	1	1
TOTALS	7	0	0	1	0	0	0	0	0	0	0	0	1	1	2	1	1
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																	
MALE	118	0	0	0	0	0	0	2	1	5	9	12	19	29	14	15	12
FEMALE	87	0	0	0	0	0	0	0	2	6	3	7	9	16	8	14	22
TOTALS	205	0	0	0	0	0	0	2	3	11	12	19	28	45	22	29	34
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																	
MALE	13	0	0	0	0	0	0	1	0	0	1	0	3	2	3	2	1
FEMALE	11	0	0	0	0	0	0	0	1	0	0	0	1	4	2	3	0
TOTALS	24	0	0	0	0	0	0	1	1	0	1	0	4	6	5	5	1
HODGKIN'S DISEASE (201)																	
MALE	3	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																	
MALE	27	0	0	0	0	0	0	1	0	2	3	1	3	8	6	2	1
FEMALE	30	0	0	0	0	0	0	1	0	1	1	3	3	6	6	1	8
TOTALS	57	0	0	0	0	0	0	2	0	3	4	4	6	14	12	3	9
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																	
MALE	15	0	0	0	0	0	0	0	0	1	1	0	4	2	3	3	1
FEMALE	18	0	0	0	0	0	0	0	0	1	1	2	4	1	3	3	3
TOTALS	33	0	0	0	0	0	0	0	0	2	2	2	8	3	6	6	4
LYMPHOID LEUKEMIA (204)																	
MALE	11	0	0	0	0	0	0	0	0	1	0	1	3	1	1	2	2
FEMALE	11	0	0	0	1	0	0	0	0	0	0	0	2	1	1	2	4
TOTALS	22	0	0	0	1	0	0	0	0	1	0	1	5	2	2	4	6
MYELOID LEUKEMIA (205)																	
MALE	18	0	0	0	0	0	0	0	1	2	1	1	6	2	2	2	1
FEMALE	17	0	0	0	0	0	0	1	1	2	2	0	4	2	2	3	0
TOTALS	35	0	0	0	0	0	0	1	2	4	3	1	10	4	4	5	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MONOCYTIC LEUKEMIA (206)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
FEMALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	3	0	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																	
MALE	13	0	0	0	0	0	0	1	0	0	2	0	2	5	1	1	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	3	0	0	1	1
TOTALS	19	0	0	0	0	0	0	1	0	0	2	1	5	5	1	2	2
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	2	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	4	0	1	0	0	0	0	0	0	0	0	0	0	1	1	1	0
BENIGN NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	3	0	0	1
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																	
MALE	5	0	0	0	0	0	0	0	1	1	1	0	0	0	2	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	6	0	0	0	0	0	0	0	1	1	1	0	0	1	2	0	0
NEOPLASMS OF UNSPECIFIED NATURE (239)																	
MALE	16	0	0	0	1	0	0	1	0	1	0	2	5	2	0	0	4
FEMALE	14	0	0	0	0	0	0	0	1	1	2	2	0	2	2	0	4
TOTALS	30	0	0	0	1	0	0	1	1	2	2	4	5	4	2	0	8
DISORDERS OF THYROID GLAND (240-246)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0
TOTALS	5	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	0
DIABETES MELLITUS (250)																	
MALE	69	0	0	0	0	0	0	2	4	4	7	6	7	5	12	8	14
FEMALE	100	0	0	0	0	1	1	0	1	3	5	7	14	11	15	21	21
TOTALS	169	0	0	0	0	1	1	2	5	7	12	13	21	16	27	29	35
DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
CYSTIC FIBROSIS (277.0)																	
MALE	4	0	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	5	0	2	0	0	1	2	0	0	0	0	0	0	0	0	0	0
OBESITY (278.0)																	
MALE	3	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
TOTALS	5	0	0	0	0	0	0	0	2	0	0	1	0	2	0	0	0
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252,256-259,270,276,277.1-277.9,278.1-279)																	
MALE	20	0	1	0	0	0	0	0	2	2	2	0	2	3	1	3	4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	27	1	0	0	0	0	0	0	0	0	1	3	2	1	3	3	13
TOTALS	47	1	1	0	0	0	0	0	2	2	3	3	4	4	4	6	17
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1
FEMALE	10	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	7
TOTALS	15	0	0	0	0	0	0	0	0	1	0	0	0	3	2	1	8
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
DEFICIENCY ANEMIAS (280-281)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
HEMOLYTIC ANEMIAS (282-283)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
APLASTIC ANEMIA (284)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0
OTHER AND UNSPECIFIED ANEMIAS (285)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	4
TOTALS	9	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	6
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																	
MALE	9	1	0	0	0	0	0	0	0	0	2	0	0	3	2	1	0
FEMALE	6	0	0	0	0	0	1	0	0	0	2	0	1	0	1	0	1
TOTALS	15	1	0	0	0	0	1	0	0	0	4	0	1	3	3	1	1
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																	
MALE	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	6
FEMALE	14	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	10
TOTALS	24	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	16
ALCOHOLIC PSYCHOSES (291)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0
ALL OTHER PHYCHOSES (292-299)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	2
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	3
TOTALS	12	0	0	0	0	0	0	0	0	0	0	0	2	2	1	2	5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	********** AGE AT DEATH(YRS.) **********															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ALCOHOL DEPENDENCE SYNDROME (303)																	
MALE	18	0	0	0	0	0	1	0	2	7	2	3	2	1	0	0	0
FEMALE	10	0	0	0	0	0	0	0	0	5	1	1	1	1	1	0	0
TOTALS	28	0	0	0	0	0	1	0	2	12	3	4	3	2	1	0	0
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																	
MALE	17	0	0	0	0	0	0	0	1	1	1	0	2	1	5	4	2
FEMALE	17	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	12
TOTALS	34	0	0	0	0	0	0	1	1	1	1	0	3	2	6	5	14
MENTAL RETARDATION (317-319)																	
MALE	2	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
TOTALS	4	0	0	0	1	0	0	0	1	0	1	0	1	0	0	0	0
MENINGITIS (320-322)																	
MALE	7	0	1	0	0	0	0	0	0	2	2	0	1	1	0	0	0
FEMALE	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	9	1	1	0	0	0	0	0	0	2	2	0	2	1	0	0	0
PARKINSON'S DISEASE (332)																	
MALE	14	0	0	0	0	0	0	0	0	0	0	0	0	4	5	3	2
FEMALE	21	0	0	0	0	0	0	0	0	0	1	0	0	1	3	7	9
TOTALS	35	0	0	0	0	0	0	0	0	0	1	0	0	5	8	10	11
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																	
MALE	37	0	1	0	0	0	0	2	1	0	3	1	8	5	9	6	1
FEMALE	33	0	0	0	0	0	0	0	1	1	2	2	5	2	6	4	10
TOTALS	70	0	1	0	0	0	0	2	2	1	5	3	13	7	15	10	11
MULTIPLE SCLEROSIS (340)																	
MALE	4	0	0	0	0	1	0	0	1	0	0	0	1	1	0	0	0
FEMALE	7	0	0	0	0	0	0	0	1	0	1	3	1	1	0	0	0
TOTALS	11	0	0	0	0	1	0	0	2	0	1	3	2	2	0	0	0
INFANTILE CEREBRAL PALSY (343)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
EPILEPSY (345)																	
MALE	7	0	0	0	0	0	0	4	3	0	0	0	0	0	0	0	0
TOTALS	7	0	0	0	0	0	0	4	3	0	0	0	0	0	0	0	0
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																	
MALE	23	0	1	1	0	2	0	0	0	4	2	0	4	3	2	3	1
FEMALE	14	0	0	1	0	0	0	1	1	1	0	0	2	3	0	5	0
TOTALS	37	0	1	2	0	2	0	1	1	5	2	0	6	6	2	8	1
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)																	
MALE	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
DISEASES OF MITRAL VALVE (394)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0
FEMALE	7	0	0	0	0	0	0	0	0	2	1	1	0	1	1	1	0
TOTALS	10	0	0	0	0	0	0	0	0	2	1	1	0	1	3	2	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
		************ AGE AT DEATH(YRS.) ************															
(CONT.)																	
DISEASE OF AORTIC VALVE (395)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
DISEASES OF MITRAL AND AORTIC VALVES (396)																	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)																	
MALE	9	0	0	0	0	0	0	1	0	2	1	0	2	0	0	2	1
FEMALE	14	0	0	0	0	0	0	0	0	0	1	1	1	4	3	1	3
TOTALS	23	0	0	0	0	0	0	1	0	2	2	1	3	4	3	3	4
ESSENTIAL HYPERTENSION (401)																	
MALE	6	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	1
FEMALE	11	0	0	0	0	0	0	0	0	1	0	0	0	2	3	0	5
TOTALS	17	0	0	0	0	0	0	0	0	1	1	1	1	2	4	1	6
HYPERTENSIVE HEART DISEASE (402)																	
MALE	23	0	0	0	0	0	0	2	0	2	2	2	2	3	3	5	2
FEMALE	52	0	0	0	0	0	0	0	0	0	0	0	1	7	8	11	25
TOTALS	75	0	0	0	0	0	0	2	0	2	2	2	3	10	11	16	27
HYPERTENSIVE RENAL DISEASE (403)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	3	1	2
FEMALE	13	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	9
TOTALS	20	0	0	0	0	0	0	0	0	0	0	0	3	0	5	1	11
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
MALE	8	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1	3
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	5
TOTALS	16	0	0	0	0	0	0	0	0	0	0	0	0	3	2	3	8
ACUTE MYOCARDIAL INFARCTION (410)																	
MALE	948	0	0	0	0	0	2	2	22	75	86	116	117	168	139	113	108
FEMALE	760	0	0	0	0	0	0	0	3	21	23	52	72	130	138	116	205
TOTALS	1,708	0	0	0	0	0	2	2	25	96	109	168	189	298	277	229	313
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																	
MALE	33	0	0	0	0	0	0	0	1	5	3	5	7	4	4	1	3
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	0	3	1	0	1
TOTALS	39	0	0	0	0	0	0	0	1	5	3	6	7	7	5	1	4
ANGINA PECTORIS (413)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	7	0	0	0	0	0	0	0	1	0	0	1	0	0	1	2	2
TOTALS	9	0	0	0	0	0	0	0	1	0	0	1	0	1	1	2	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																	
MALE	683	0	0	0	0	1	0	0	11	34	31	57	82	95	111	106	155
FEMALE	738	0	0	0	0	0	0	0	2	5	11	25	31	60	88	138	378
TOTALS	1,421	0	0	0	0	1	0	0	13	39	42	82	113	155	199	244	533
DISEASES OF PULMONARY CIRCULATION (415-417)																	
MALE	29	0	0	0	0	0	0	0	2	0	1	3	7	2	9	3	2
FEMALE	34	0	0	0	0	0	0	0	0	3	2	1	3	4	8	4	9

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	************************************ AGE AT DEATH(YRS.) ************************************															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	63	0	0	0	0	0	0	0	2	3	3	4	10	6	17	7	11
ACUTE AND SUBACUTE ENDOCARDITIS (421)																	
FEMALE	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0
TOTALS	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																	
FEMALE	4	0	0	0	0	0	0	0	2,	0	0	0	1	1	0	0	0
TOTALS	4	0	0	0	0	0	0	0	2	0	0	0	1	1	0	0	0
MITRAL VALVE DISORDERS (424.0)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	3
AORTIC VALVE DISORDERS (424.1)																	
MALE	15	0	0	0	0	0	0	0	0	2	0	1	4	2	4	2	0
FEMALE	20	0	0	0	0	0	0	0	0	0	0	1	0	1	6	6	6
TOTALS	35	0	0	0	0	0	0	0	0	2	0	2	4	3	10	8	6
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																	
MALE	7	0	0	0	0	0	0	0	0	0	1	1	0	2	1	1	1
FEMALE	5	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	2
TOTALS	12	0	0	0	0	0	0	0	0	1	1	1	0	2	1	3	3
HEART FAILURE (428)																	
MALE	71	0	0	0	0	0	0	1	3	1	3	4	10	12	8	11	18
FEMALE	112	0	0	0	0	0	0	1	0	1	1	2	4	8	17	23	55
TOTALS	183	0	0	0	0	0	0	2	3	2	4	6	14	20	25	34	73
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)																	
MALE	290	0	0	0	0	0	1	4	5	18	23	31	39	40	34	36	59
FEMALE	272	0	0	0	0	1	0	0	2	9	7	14	21	29	31	46	112
TOTALS	562	0	0	0	0	1	1	4	7	27	30	45	60	69	65	82	171
SUBARACHNOID HEMORRHAGE (430)																	
MALE	12	0	0	0	0	0	0	1	3	1	2	1	1	0	3	0	0
FEMALE	22	0	0	0	0	0	0	0	2	7	2	1	2	1	2	2	3
TOTALS	34	0	0	0	0	0	0	1	5	8	4	2	3	1	5	2	3
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																	
MALE	41	0	0	0	0	0	1	0	1	3	2	3	4	6	5	6	10
FEMALE	69	0	0	0	0	0	0	1	2	2	4	6	3	11	12	6	22
TOTALS	110	0	0	0	0	0	1	1	3	5	6	9	7	17	17	12	32
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
MALE	41	0	0	0	0	0	0	0	0	1	0	5	3	5	6	10	11

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS APE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	87	0	0	0	0	0	0	0	0	2	0	3	3	5	12	16	46
TOTALS	128	0	0	0	0	0	0	0	0	3	0	8	6	10	18	26	57
CEREBRAL EMBOLISM (434.1)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																	
MALE	170	0	0	0	0	0	0	0	0	4	6	10	13	22	32	32	51
FEMALE	241	0	0	0	0	0	0	0	0	1	6	6	10	22	30	49	117
TOTALS	411	0	0	0	0	0	0	0	0	5	12	16	23	44	62	81	168
OTHER CEREBROVASCULAR DISEASE (435,437-438)																	
MALE	36	0	0	0	0	0	0	0	0	0	0	0	2	4	9	10	11
FEMALE	61	0	0	0	0	0	0	0	1	0	2	0	1	1	7	13	36
TOTALS	97	0	0	0	0	0	0	0	1	0	2	0	3	5	16	23	47
ATHEROSCLEROSIS (440)																	
MALE	66	0	0	0	0	0	0	0	1	2	1	2	5	5	14	7	29
FEMALE	110	0	0	0	0	0	0	0	0	0	0	2	2	7	12	18	69
TOTALS	176	0	0	0	0	0	0	0	1	2	1	4	7	12	26	25	98
AORTIC ANEURYSM (441)																	
MALE	64	0	0	0	0	0	0	0	0	0	2	3	6	14	16	11	12
FEMALE	41	0	0	0	0	0	0	0	0	1	0	1	4	6	10	11	8
TOTALS	105	0	0	0	0	0	0	0	0	1	2	4	10	20	26	22	20
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																	
MALE	31	0	0	0	0	0	0	0	0	0	2	2	3	6	7	6	5
FEMALE	16	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	11
TOTALS	47	0	0	0	0	0	0	0	0	0	2	2	3	6	10	8	16
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																	
MALE	5	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	1
FEMALE	9	0	0	0	0	0	0	0	0	0	1	1	0	1	3	0	3
TOTALS	14	0	0	0	0	0	0	0	0	0	2	2	1	2	3	0	4
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																	
MALE	9	0	0	0	0	0	0	0	1	1	0	0	2	1	2	1	1
FEMALE	6	0	0	0	0	0	0	0	0	1	0	1	1	2	1	0	0
TOTALS	15	0	0	0	0	0	0	0	1	2	0	1	3	3	3	1	1
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
TOTALS	5	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	1
OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
VIRAL PNEUMONIA (480)																	
MALE	7	0	0	0	0	0	0	0	0	1	1	1	1	0	0	2	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
TOTALS	10	0	0	0	0	0	0	0	0	1	1	1	1	0	1	3	2
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																	
MALE	7	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	4
FEMALE	10	0	0	0	0	0	0	1	0	0	0	1	0	1	4	0	3
TOTALS	17	0	0	0	0	0	0	1	0	1	0	1	0	3	4	0	7
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)																	
MALE	19	0	0	0	0	0	0	0	0	1	1	0	1	3	3	4	6
FEMALE	23	0	0	0	0	1	0	0	0	1	1	0	1	1	2	1	15
TOTALS	42	0	0	0	0	1	0	0	0	2	2	0	2	4	5	5	21
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																	
MALE	112	1	0	0	0	0	0	1	0	2	2	3	12	12	20	19	40
FEMALE	139	1	0	0	0	0	0	0	0	2	6	2	5	10	7	20	86
TOTALS	251	2	0	0	0	0	0	1	0	4	8	5	17	22	27	39	126
INFLUENZA (487)																	
MALE	18	0	0	0	0	0	0	0	0	0	3	1	0	1	3	1	9
FEMALE	27	0	0	0	0	0	0	0	0	0	0	0	0	0	2	10	15
TOTALS	45	0	0	0	0	0	0	0	0	0	3	1	0	1	5	11	24
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
CHRONIC BRONCHITIS (491)																	
MALE	16	0	0	0	0	0	0	0	0	1	0	0	6	2	4	2	1
FEMALE	9	0	0	0	0	0	0	0	0	0	0	2	1	2	1	2	1
TOTALS	25	0	0	0	0	0	0	0	0	1	0	2	7	4	5	4	2
EMPHYSEMA (492)																	
MALE	68	0	0	0	0	0	0	0	0	2	2	5	16	16	10	9	8
FEMALE	18	0	0	0	0	0	0	0	0	2	1	1	5	5	1	1	2
TOTALS	86	0	0	0	0	0	0	0	0	4	3	6	21	21	11	10	10
ASTHMA (493)																	
MALE	11	0	0	0	0	0	0	0	1	1	3	1	2	2	1	0	0
FEMALE	11	0	0	0	0	0	0	0	0	0	2	0	2	3	2	1	1
TOTALS	22	0	0	0	0	0	0	0	1	1	5	1	4	5	3	1	1
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																	
MALE	197	0	0	0	0	0	0	0	0	6	4	17	25	39	44	32	30
FEMALE	106	0	0	0	0	0	0	0	2	5	1	9	15	16	26	15	17

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	303	0	0	0	0	0	0	0	2	11	5	26	40	55	70	47	47
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																	
MALE	8	0	0	0	0	0	0	0	0	0	0	0	0	3	3	0	2
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	6
TOTALS	18	0	0	0	0	0	0	0	0	0	0	0	0	4	5	1	8
EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)																	
MALE	3	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	0
PLEURISY (511)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																	
MALE	44	1	1	0	0	1	0	0	2	4	1	5	6	5	5	6	7
FEMALE	37	2	0	0	0	0	0	0	0	1	2	2	1	4	3	8	14
TOTALS	81	3	1	0	0	1	0	0	2	5	3	7	7	9	8	14	21
DISEASES OF ORAL CAVITY, SALIVARY GLANDS AND JAWS (520-529)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
GASTRIC ULCER (531)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	3
TOTALS	12	0	0	0	0	0	0	0	0	0	1	1	1	3	1	2	3
DUODENAL ULCER (532)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3	3
TOTALS	11	0	0	0	0	0	0	0	0	0	0	1	1	1	1	3	4
PEPTIC ULCER, SITE UNSPECIFIED (533)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	1	0	3	3	4
GASTRITIS AND DUODENITIS (535)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
APPENDICITIS (540-543)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
MALE	15	1	0	0	0	0	0	0	0	0	0	1	2	1	1	5	4
FEMALE	22	0	0	0	0	0	0	0	0	1	2	0	0	0	5	5	9
TOTALS	37	1	0	0	0	0	0	0	0	1	2	1	2	1	6	10	13

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																	
MALE	6	0	0	0	0	0	0	0	0	2	0	0	1	1	0	1	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	8	0	0	0	0	0	0	0	0	2	0	0	1	1	1	2	1
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																	
MALE	14	0	0	0	0	0	0	0	0	1	1	1	1	3	3	1	3
FEMALE	20	0	0	0	0	0	0	0	0	1	1	0	2	3	3	3	7
TOTALS	34	0	0	0	0	0	0	0	0	2	2	1	3	6	6	4	10
DIVERTICULA OF INTESTINE (562)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
FEMALE	10	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	4
TOTALS	13	0	0	0	0	0	0	0	0	0	1	1	0	2	1	3	5
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																	
MALE	35	0	0	0	0	0	0	1	7	4	6	7	4	3	3	0	0
FEMALE	14	0	0	0	0	0	0	0	1	3	0	4	4	0	2	0	0
TOTALS	49	0	0	0	0	0	0	1	8	7	6	11	8	3	5	0	0
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	3	0	2	0	0	0
FEMALE	4	0	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0
TOTALS	9	0	0	0	0	0	0	0	0	1	0	4	0	3	0	1	0
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																	
MALE	57	0	0	0	0	0	0	1	2	8	8	11	11	6	5	3	2
FEMALE	25	0	0	0	0	0	0	0	0	3	0	5	4	4	4	2	3
TOTALS	82	0	0	0	0	0	0	1	2	11	8	16	15	10	9	5	5
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	2	0	2	3	0	2
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3
TOTALS	15	0	0	0	0	0	0	0	0	0	0	2	0	2	4	2	5
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																	
MALE	62	1	1	0	0	0	0	4	1	5	4	7	8	7	8	6	10
FEMALE	62	0	0	0	0	1	0	0	2	2	2	0	2	3	10	11	29
TOTALS	124	1	1	0	0	1	0	4	3	7	6	7	10	10	18	17	39
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	2	1	3	1	1
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	3	2	3	2	3
RENAL FAILURE (584-586,588-589)																	
MALE	23	0	0	0	0	0	0	0	1	0	0	0	2	2	5	4	9
FEMALE	48	0	0	0	0	0	0	0	0	1	1	1	2	4	6	10	23
TOTALS	71	0	0	0	0	0	0	0	1	1	1	1	4	6	11	14	32
INFECTIONS OF KIDNEY (590)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	2
TOTALS	8	0	0	0	0	0	0	0	0	0	0	1	1	1	2	1	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	************ AGE AT DEATH(YRS.) ************ UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
URINARY CALCULUS (592,594)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																	
MALE	17	0	0	0	0	0	0	0	0	0	0	1	1	0	3	5	7
FEMALE	32	1	0	0	0	0	0	1	0	1	0	0	1	0	5	7	16
TOTALS	49	1	0	0	0	0	0	1	0	1	0	1	2	0	8	12	23
HYPERPLASIA OF PROSTATE (600)																	
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1
OTHER DISEASES OF MALE GENITAL ORGANS (601-608)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
DISORDERS OF BREAST (610-611)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0
FEMALE	9	0	0	0	0	0	0	0	0	0	1	0	2	1	1	1	3
TOTALS	13	0	0	0	0	0	0	0	0	0	1	0	2	3	2	2	3
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
FEMALE	6	0	0	0	0	0	0	1	0	1	1	0	0	0	2	1	0
TOTALS	8	0	0	0	0	0	0	1	0	1	1	1	0	0	3	1	0
RHEUMATISM, EXCLUDING THE BACK (725-729)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2
TOTALS	4	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	2
SPINA BIFIDA (741)																	
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																	
MALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	5	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	9	8	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES OF HEART (745-746)																	
MALE	5	3	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		************************************ AGE AT DEATH(YRS.) ************************************															
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	8	5	0	0	1	0	0	0	0	0	0	0	0	1	0	1	0
TOTALS	13	8	1	0	1	0	0	1	0	0	0	0	0	1	0	1	0
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																	
MALE	3	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	6	4	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																	
MALE	11	8	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1
FEMALE	10	6	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0
TOTALS	21	14	0	0	0	0	1	0	1	0	1	1	1	0	0	1	1
BIRTH TRAUMA (767)																	
MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																	
MALE	10	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	16	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-799)																	
MALE	40	39	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	19	17	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
TOTALS	59	56	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																	
MALE	26	11	0	0	0	0	0	1	2	2	1	1	1	3	0	2	2
FEMALE	28	10	1	0	0	1	0	0	1	0	0	2	0	2	2	2	7
TOTALS	54	21	1	0	0	1	0	1	3	2	1	3	1	5	2	4	9
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH TRAIN (E810)																	
MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																	
MALE	39	0	0	0	1	4	7	11	5	2	1	1	2	2	1	2	0
FEMALE	23	0	0	0	0	1	4	8	1	1	1	1	2	4	0	0	0
TOTALS	62	0	0	0	1	5	11	19	6	3	2	2	4	6	1	2	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																	
MALE	17	0	1	2	0	3	4	3	0	0	1	0	0	1	1	0	1
FEMALE	8	0	1	1	0	0	0	0	1	0	0	0	0	1	2	1	1
TOTALS	25	0	2	3	0	3	4	3	1	0	1	0	0	2	3	1	2
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																	
MALE	29	0	0	1	1	5	10	8	2	1	0	0	0	1	0	0	0
FEMALE	7	0	0	0	0	1	3	0	1	0	0	0	0	0	1	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.) UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	36	0	0	1	1	6	13	8	3	1	0	0	0	1	1	1	0
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																	
MALE	62	0	0	0	0	18	16	12	9	2	0	0	1	2	2	0	0
FEMALE	19	0	0	0	1	1	6	5	1	0	2	0	1	2	0	0	0
TOTALS	81	0	0	0	1	19	22	17	10	2	2	0	2	4	2	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																	
MALE	14	0	0	1	1	1	2	4	1	1	1	1	0	0	1	0	0
FEMALE	8	0	0	0	0	2	3	1	0	1	0	0	1	0	0	0	0
TOTALS	22	0	0	1	1	3	5	5	1	2	1	1	1	0	1	0	0
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																	
MALE	5	0	0	1	0	0	2	1	1	0	0	0	0	0	0	0	0
TOTALS	5	0	0	1	0	0	2	1	1	0	0	0	0	0	0	0	0
WATER TRANSPORT ACCIDENTS (E830-E838)																	
MALE	16	0	0	0	1	2	3	4	1	2	1	1	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	17	0	0	0	1	2	3	5	1	2	1	1	0	1	0	0	0
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																	
MALE	8	0	0	0	0	0	0	2	2	2	0	1	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	9	0	0	0	0	0	0	2	2	2	1	1	1	0	0	0	0
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																	
MALE	4	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
TOTALS	7	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	3
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)																	
MALE	5	0	0	0	0	0	1	0	3	1	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	6	0	0	0	0	0	1	0	3	1	0	0	0	0	0	1	0
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																	
MALE	10	0	0	0	0	0	0	0	1	0	0	0	1	2	2	0	4
FEMALE	11	0	0	0	0	0	0	0	1	0	1	1	2	1	2	1	2
TOTALS	21	0	0	0	0	0	0	0	2	0	1	1	3	3	4	1	6
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																	
MALE	13	0	0	0	0	3	1	1	4	0	0	1	0	1	0	0	2
FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
TOTALS	17	0	0	0	0	3	1	1	4	1	0	1	0	1	1	0	4
FALL ON SAME LEVEL (E885-E886)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIIED FALLS (E887-E888)																	
MALE	17	0	0	0	0	0	0	0	1	0	0	3	0	1	1	5	6

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	************ AGE AT DEATH(YRS.) ************															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	14	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	10
TOTALS	31	0	0	0	0	0	0	1	1	0	0	3	1	1	1	7	16
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																	
MALE	15	0	2	0	0	0	3	1	0	2	1	1	2	0	2	1	0
FEMALE	10	0	0	1	0	0	1	0	0	0	1	1	1	0	0	2	3
TOTALS	25	0	2	1	0	0	4	1	0	2	2	2	3	0	2	3	3
LIGHTNING (E907)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SUBMERSION (E910)																	
MALE	20	0	3	2	1	5	1	3	1	1	0	1	0	1	1	0	0
FEMALE	6	0	0	1	2	0	0	1	1	0	0	0	0	1	0	0	0
TOTALS	26	0	3	3	3	5	1	4	2	1	0	1	0	2	1	0	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																	
MALE	7	1	1	0	0	0	0	0	1	0	0	0	1	0	1	0	2
FEMALE	5	0	0	0	0	0	0	1	0	0	0	1	0	0	1	1	1
TOTALS	12	1	1	0	0	0	0	1	1	0	0	1	1	0	2	1	3
ACCIDENT CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)																	
MALE	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)																	
MALE	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	3	0	0	0	0	1	0	1	0	0	0	1	0	0	0	0	0
ALL OTHER ACCIDENTS (E900-E906,E908-E909,E913-E921,E927-E929)																	
MALE	22	0	2	2	0	0	2	1	5	0	2	1	4	1	2	0	0
FEMALE	8	0	3	0	0	0	0	0	0	0	0	0	1	1	2	0	1
TOTALS	30	0	5	2	0	0	2	1	5	0	2	1	5	2	4	0	1
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																	
MALE	10	0	0	0	0	0	2	4	2	0	0	0	0	0	1	1	0
FEMALE	13	0	0	0	0	0	2	3	3	1	1	0	0	2	1	0	0
TOTALS	23	0	0	0	0	0	4	7	5	1	1	0	0	2	2	1	0
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)																	
FEMALE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
SUICIDE BY GASES AND VAPORS (E951-E952)																	
MALE	18	0	0	0	0	1	1	5	5	3	1	0	0	1	0	1	0
FEMALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
TOTALS	20	0	0	0	0	1	2	6	5	3	1	0	0	1	0	1	0
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																	
MALE	13	0	0	0	0	1	3	1	1	3	0	0	2	1	0	0	1
FEMALE	6	0	0	0	0	0	0	1	1	2	0	1	0	0	0	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	************ AGE AT DEATH(YRS.) ************ UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	19	0	0	0	0	1	3	2	2	5	0	1	2	1	0	1	1
SUICIDE BY HANDGUN (E955.0)																	
MALE	5	0	0	0	0	0	0	3	0	0	1	0	0	1	0	0	0
FEMALE	3	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0
TOTALS	8	0	0	0	0	0	2	4	0	0	1	0	0	1	0	0	0
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																	
MALE	69	0	0	0	0	8	13	14	9	6	7	2	3	2	2	3	0
FEMALE	7	0	0	0	0	2	1	2	0	2	0	0	0	0	0	0	0
TOTALS	76	0	0	0	0	10	14	16	9	8	7	2	3	2	2	3	0
SUICIDE BY ALL OTHER MEANS (E954,E955.5-E959)																	
MALE	7	0	0	0	0	1	1	1	0	1	0	2	0	1	0	0	0
FEMALE	7	0	0	0	0	0	1	1	0	2	0	0	3	0	0	0	0
TOTALS	14	0	0	0	0	1	2	2	0	3	0	2	3	1	0	0	0
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																	
MALE	13	0	0	1	0	2	2	1	3	3	0	0	0	0	1	0	0
FEMALE	3	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
TOTALS	16	0	0	1	0	2	2	2	5	3	0	0	0	0	1	0	0
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)																	
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																	
MALE	8	0	0	0	0	0	1	2	3	0	0	1	1	0	0	0	0
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	9	0	0	0	0	1	1	2	3	0	0	1	1	0	0	0	0
INJURY INFLICTED FROM POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E980.0-E980.5)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0	0
INJURY INFLICTED FROM POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E980.6-E980.9)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
INJURY INFLICTED BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)																	
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
INJURY INFLICTED BY ALL OTHER MEANS (E981-E984,E985.5-E989)																	
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
STATE																	
MALE	5,674	83	21	11	9	62	83	138	170	345	374	518	672	850	825	684	829
FEMALE	5,242	62	6	7	6	15	29	49	82	204	194	305	434	608	722	806	1,713
TOTALS	10,916	145	27	18	15	77	112	187	252	549	568	823	1,106	1,458	1,547	1,490	2,542
PERCENT DISTRIBUTION																	
MALE	100.00	1.46	0.37	0.19	0.16	1.09	1.46	2.43	3.00	6.08	6.59	9.13	11.84	14.98	14.54	12.05	14.61
FEMALE	100.00	1.18	0.11	0.13	0.11	0.29	0.55	0.93	1.56	3.89	3.70	5.82	8.28	11.60	13.77	15.38	32.68
TOTALS	100.00	1.33	0.25	0.16	0.14	0.71	1.03	1.71	2.31	5.03	5.20	7.54	10.13	13.36	14.17	13.65	23.29

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	1	4	4.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	3	8	2.666
OTHER TUBERCULOSIS (013-018)	1	3	3.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	1	1	1.000
MENINGOCOCCAL INFECTION (036)	2	2	1.000
SEPTICEMIA (038)	50	301	6.020
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	3	8	2.666
SYPHILIS (090-097)	1	1	1.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	32	73	2.281
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	55	72	1.309
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	645	737	1.142
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	669	749	1.119
MAL. NEO. BREAST (174-175)	208	254	1.221
MAL. NEO. GENITAL ORGANS (179-187)	293	369	1.259
MAL. NEO. URINARY ORGANS (188-189)	119	147	1.235
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	318	728	2.289
LEUKEMIA (204-208)	79	97	1.227
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	117	159	1.358
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	45	76	1.688
DIABETES MELLITUS (250)	169	847	5.011
NUTRITIONAL DEFICIENCIES (260-269)	17	255	15.000
ANEMIAS (280-285)	17	182	10.705
MENINGITIS (320-322)	9	23	2.555
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	38	64	1.684
HYPERTENSIVE HEART DISEASE (402)	75	164	2.186
HYPERTENSIVE HEART & RENAL DIS. (404)	16	6	0.375
ACUTE MYOCARDIAL INFARCTION (410)	1,708	1,852	1.084
OTHER ACUTE & SUBACUTE I.H.D. (411)	39	73	1.871
ANGINA PECTORIS (413)	9	55	6.111
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,421	2,754	1.938
OTHER DISEASES OF ENDOCARDIUM (424)	53	149	2.811
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	820	4,004	4.882
HYPERTENSION W/WO RENAL DISEASE (401, 403)	37	578	15.621
INTRACEREBRAL HEMORRHAGE (431-432)	110	158	1.436
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	128	188	1.468

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	3	21	7.000
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	549	1,192	2.171
ATHEROSCLEROSIS (440)	176	946	5.375
OTHER DIS. ARTERIES & CAPIL. (441-448)	152	327	2.151
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	16	5.333
PNEUMONIA (480-486)	320	988	3.087
INFLUENZA (487)	45	68	1.511
BRONCHITIS CHRONIC & UNSPEC. (490-491)	28	67	2.392
EMPHYSEMA (492)	86	197	2.290
ASTHMA (493)	22	54	2.454
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	306	893	2.918
ULCER OF STOMACH & DUODENUM (531-533)	34	88	2.588
APPENDICITIS (540-543)	3	5	1.666
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	37	117	3.162
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	140	204	1.457
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	15	49	3.266
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	0	8	0.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	13	30	2.307
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	71	590	8.309
INFECTIONS OF KIDNEY (590)	8	25	3.125
HYPERPLASIA OF PROSTATE ALL (600)	6	17	2.833
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	0	0	0.000
CONGENITAL ANOMALIES (740-759)	50	80	1.600
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	20	34	1.700
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	59	95	1.610
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	57	2,078	36.456
ALL OTHER DISEASES (RESIDUAL)	764	3,130	4.096
MOTOR VEHICLE ACCIDENTS (E810-E825)	233	235	1.008
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	212	526	2.481
SUICIDE (E950-E959)	162	207	1.277
HOMICIDE & LEGAL INTERVENTION (E960-E978)	26	37	1.423
ALL OTHER EXTERNAL CAUSES (E980-E999)	8	91	11.375
TOTAL FOR ALL CAUSES	10,916	27,556**	2.524

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

** THE TOTAL NUMBER OF MULTIPLE CAUSES FOUND THAT ARE NONUNDERLYING CAUSES:
NATURE OF INJURY CODES: 1285 SECONDARY NEOPLASMS: 557
THESE CODES ARE NOT INCLUDED IN THE ABOVE TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-05

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

		***************************** PERCENT OF TOTAL DEATHS BY SITE OF DEATH ********************************								
COUNTY	TOTAL DEATHS	MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	1,011	52.82	1.29	0.00	2.77	26.51	0.00	0.00	12.56	4.06
AROOSTOOK	718	63.65	2.51	0.00	0.14	14.90	0.00	0.00	13.65	5.15
CUMBERLAND	2,110	58.63	1.37	0.00	0.24	20.38	0.00	0.00	16.45	2.94
FRANKLIN	232	50.86	2.16	0.00	0.00	21.55	0.00	0.43	19.40	5.60
HANCOCK	462	51.73	1.95	0.43	0.00	21.65	0.00	0.22	17.32	6.71
KENNEBEC	1,075	54.14	1.67	0.00	0.00	25.86	0.00	0.00	14.60	3.72
KNOX	401	49.63	2.00	0.00	0.00	27.18	0.25	0.00	16.46	4.49
LINCOLN	323	50.15	1.86	0.00	0.31	24.77	0.00	0.00	19.50	3.41
OXFORD	553	56.24	2.35	0.18	0.18	22.06	0.00	0.00	14.83	4.16
PENOBSCOT	1,128	54.70	1.24	0.27	0.00	20.92	0.00	0.00	16.58	6.29
PISCATAQUIS	185	50.27	2.16	0.00	0.00	21.62	0.00	0.00	16.76	9.19
SAGADAHOC	244	59.43	1.23	0.00	0.00	17.62	0.00	0.00	18.03	3.69
SOMERSET	502	56.57	1.00	0.00	0.40	23.90	0.00	0.40	13.15	4.58
WALDO	292	53.77	0.34	0.34	0.00	18.49	0.00	0.00	21.92	5.14
WASHINGTON	372	51.08	2.15	0.27	0.00	23.66	0.00	0.54	16.40	5.91
YORK	1,308	53.44	9.71	0.08	0.00	17.89	0.00	0.00	15.29	3.59
STATE TOTALS	10,916	55.19	2.57	0.08	0.35	21.61	0.01	0.05	15.74	4.40

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-06

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	******************** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN HOSPITALS ********************								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810-E825)	OTHER (E800-E807)
ANDROSCOGGIN	547	5.48	7.50	20.29	14.26	0.73	0.55	2.38	1.83	1.28
AROOSTOOK	475	6.74	7.58	20.21	10.11	2.32	0.84	1.26	1.47	2.95
CUMBERLAND	1,266	6.32	8.06	15.24	10.35	1.82	1.11	3.40	1.74	1.11
FRANKLIN	123	4.88	5.69	17.07	12.20	0.81	0.00	4.88	2.44	3.25
HANCOCK	248	7.66	6.05	18.55	9.27	1.21	1.61	2.82	0.81	1.21
KENNEBEC	600	5.67	6.33	13.67	15.50	1.50	1.33	2.83	2.00	1.83
KNOX	207	4.35	8.21	20.77	8.70	0.97	0.48	1.45	2.90	2.90
LINCOLN	168	5.95	8.93	19.64	12.50	1.79	1.79	1.79	1.79	0.00
OXFORD	324	6.48	7.41	17.90	8.64	0.31	1.85	3.70	1.54	2.78
PENOBSCOT	631	7.45	7.13	17.27	10.30	1.11	0.79	2.85	1.43	2.38
PISCATAQUIS	97	2.06	4.12	19.59	11.34	1.03	2.06	2.06	1.03	2.06
SAGADAHOC	148	7.43	5.41	17.57	13.51	0.68	1.35	3.38	1.35	3.38
SOMERSET	289	6.57	9.69	13.15	12.11	0.35	0.00	2.42	2.08	0.69
WALDO	158	10.13	4.43	15.82	8.23	0.63	1.90	1.27	0.63	0.63
WASHINGTON	198	8.08	5.56	14.14	6.06	0.51	1.52	3.54	4.04	0.51
YORK	826	6.42	6.54	21.07	9.56	1.21	0.73	1.82	0.97	1.33
STATE TOTALS	6,305	6.42	7.17	17.48	10.94	1.25	1.02	2.63	1.67	1.67

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-07

DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	********** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN INTERMEDIATE CARE FACILITIES ***********								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810-E825)	OTHER (E800-E807
ANDROSCOGGIN	268	4.85	2.24	11.94	27.99	0.00	1.12	4.10	0.00	0.37
AROOSTOOK	107	4.67	2.80	10.28	16.82	2.80	1.87	5.61	0.00	1.87
CUMBERLAND	430	3.95	2.79	8.84	21.16	0.47	5.58	5.81	0.00	0.23
FRANKLIN	50	4.00	8.00	6.00	16.00	0.00	2.00	0.00	0.00	2.00
HANCOCK	100	5.00	3.00	7.00	16.00	0.00	2.00	3.00	0.00	1.00
KENNEBEC	278	5.76	3.60	10.43	21.22	1.80	1.80	4.32	0.00	0.00
KNOX	109	4.59	2.75	4.59	12.84	0.00	0.00	6.42	0.00	0.92
LINCOLN	80	8.75	3.75	2.50	13.75	1.25	0.00	12.50	0.00	2.50
OXFORD	122	2.46	2.46	7.38	21.31	2.46	0.82	2.46	0.82	0.00
PENOBSCOT	236	2.12	3.81	9.32	16.95	1.27	3.39	6.78	0.00	1.69
PISCATAQUIS	40	5.00	0.00	7.50	7.50	0.00	2.50	17.50	0.00	2.50
SAGADAHOC	43	4.65	11.63	4.65	20.93	0.00	0.00	6.98	0.00	0.00
SOMERSET	120	5.83	2.50	5.00	21.67	0.83	0.00	5.83	0.00	0.00
WALDO	54	7.41	7.41	9.26	11.11	0.00	0.00	7.41	0.00	0.00
WASHINGTON	88	5.68	4.55	3.41	10.23	0.00	0.00	4.55	0.00	0.00
YORK	234	3.85	2.56	8.12	19.66	0.43	1.71	5.13	0.00	0.00
STATE TOTALS	2,359	4.54	3.31	8.31	19.37	0.81	2.16	5.51	0.04	0.59

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-08

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	********************** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING AT HOME **********************								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810-E825)	OTHER (E800-E807)
ANDROSCOGGIN	127	5.51	9.45	16.54	23.62	0.00	1.57	0.79	2.36	1.57
AROOSTOOK	98	9.18	6.12	27.55	11.22	2.04	0.00	0.00	2.04	2.04
CUMBERLAND	347	6.92	7.78	13.54	15.85	0.29	0.86	1.73	0.00	1.15
FRANKLIN	45	6.67	4.44	22.22	8.89	2.22	0.00	0.00	0.00	0.00
HANCOCK	80	6.25	10.00	21.25	12.50	1.25	0.00	2.50	0.00	2.50
KENNEBEC	157	5.73	6.37	24.20	18.47	0.00	1.27	1.27	0.64	3.18
KNOX	66	6.06	9.09	16.67	21.21	0.00	0.00	0.00	1.52	0.00
LINCOLN	63	6.35	6.35	17.46	11.11	1.59	0.00	1.59	3.17	0.00
OXFORD	82	4.88	6.10	23.17	23.17	1.22	0.00	0.00	0.00	3.66
PENOBSCOT	187	6.42	5.88	18.72	11.76	0.53	0.53	1.07	0.53	1.60
PISCATAQUIS	31	6.45	3.23	16.13	9.68	3.23	0.00	3.23	0.00	0.00
SAGADAHOC	44	6.82	4.55	11.36	29.55	0.00	0.00	0.00	2.27	0.00
SOMERSET	66	9.09	4.55	19.70	16.67	1.52	0.00	0.00	1.52	3.03
WALDO	64	9.38	6.25	17.19	9.38	0.00	0.00	0.00	1.56	3.13
WASHINGTON	61	4.92	3.28	37.70	11.48	0.00	0.00	1.64	1.64	0.00
YORK	200	7.50	7.00	22.00	16.00	0.00	1.50	1.50	0.00	1.00
STATE TOTALS	1,718	6.75	6.81	19.62	15.89	0.58	0.64	1.11	0.81	1.57

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-01 TOTAL TERMINATIONS OF PREGNANCY, FETAL DEATHS, MISCARRIAGES, AND INDUCED ABORTIONS BY GESTATION
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL TERMINATIONS	FETAL DEATHS		MISCARRIAGES		INDUCED ABORTIONS	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
0-4	68	0	0.00	21	3.91	47	1.43
5-8	2,068	0	0.00	239	44.51	1,829	55.78
9-12	1,432	0	0.00	203	37.80	1,229	37.48
13-19	198	0	0.00	51	9.50	147	4.48
20-23	31	26	24.07	0	0.00	5	0.15
24-27	10	10	9.26	0	0.00	0	0.00
28-31	10	10	9.26	0	0.00	0	0.00
32-35	17	17	15.74	0	0.00	0	0.00
36-38	19	19	17.59	0	0.00	0	0.00
> 39	22	22	20.37	0	0.00	0	0.00
UNKNOWN	49	4	3.70	23	4.28	22	0.67
STATE TOTALS	3,924	108	100.00	537	100.00	3,279	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-02

INDUCED ABORTIONS BY GESTATION AND TYPE OF TERMINATION PROCEDURES
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

TERMINATION PROCEDURES	TOTAL ABORTIONS	PERCENT DISTRIBUTION	WEEKS OF GESTATION													
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNK
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																
SUCTION CURETTAGE	3,737	97.42	2,091	420	560	269	194	46	55	38	22	21	2	1	3	15
SHARP CURETTAGE	57	1.49	36	4	7	4	2	1	1	1	1	0	0	0	0	0
SALINE INSTILLATION	4	0.10	0	0	0	0	1	0	1	1	0	1	0	0	0	0
PROSTAGLANDIN INSTILLATION	8	0.21	0	0	0	0	0	0	0	0	2	1	1	3	1	0
HYSTEROTOMY	2	0.05	0	0	0	1	0	0	0	0	0	0	0	0	1	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	28	0.73	7	0	1	1	2	1	0	1	1	1	3	0	0	10
STATE TOTALS	3,836		2,134	424	568	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.63	11.05	14.81	7.17	5.19	1.25	1.49	1.07	0.68	0.63	0.16	0.10	0.13	0.65
ADDITIONAL PROCEDURES USED																
NONE	2,361	61.52	1,562	209	340	127	84	4	3	2	3	2	3	3	0	19
SUCTION CURETTAGE	39	1.02	22	3	5	4	2	1	0	0	1	0	1	0	0	0
SHARP CURETTAGE	1,426	37.15	547	212	222	144	111	43	53	38	22	21	2	1	4	6
SALINE INSTILLATION	2	0.05	0	0	1	0	0	0	0	1	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	2	0.05	0	0	0	0	0	0	1	0	0	1	0	0	0	0
HYSTEROTOMY	2	0.05	0	0	1	0	1	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	6	0.16	3	0	1	0	1	0	0	0	0	0	0	0	1	0
STATE TOTALS	3,838		2,134	424	570	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.60	11.05	14.85	7.17	5.18	1.25	1.49	1.07	0.68	0.63	0.16	0.10	0.13	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-03

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

			WEEKS OF GESTATION												
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER	UNKNOWN
LESS THAN 15	26	0.79	12	4	2	1	3	0	1	2	1	0	0	0	0	0
15	58	1.77	31	6	9	6	3	1	1	1	0	0	0	0	0	0
16	125	3.81	63	11	26	6	5	6	3	1	1	2	1	0	0	0
17	190	5.79	94	12	33	16	14	4	9	6	0	1	0	0	1	0
18	270	8.23	123	36	47	27	22	0	6	4	3	1	0	0	0	1
19	303	9.24	163	27	55	20	20	6	4	0	1	3	1	0	0	3
20-24	1,168	35.62	684	126	177	68	62	13	12	9	4	2	1	2	3	5
25-29	614	18.73	373	76	79	42	23	7	4	1	2	1	1	0	0	5
30-34	330	10.06	207	36	40	14	17	1	2	3	3	1	1	0	0	5
35-39	133	4.06	91	13	16	6	2	1	1	0	0	0	0	1	1	1
40-44	47	1.43	28	4	6	4	1	1	0	0	1	1	0	1	0	0
GREATER THAN 44	2	0.06	1	0	0	1	0	0	0	0	0	0	0	0	0	0
UNKNOWN	13	0.40	6	1	1	1	2	0	0	0	0	0	0	0	0	2
STATE TOTALS	3,279		1,876	352	491	212	174	40	43	27	16	12	5	4	5	22
PERCENT DISTRIBUTION		100.00	57.21	10.73	14.97	6.47	5.31	1.22	1.31	0.82	0.49	0.37	0.15	0.12	0.15	0.67
RACE OF PATIENT																
WHITE	3,215	98.05	1,840	348	483	207	167	40	40	27	16	11	5	4	5	22
BLACK	15	0.46	6	2	1	1	5	0	0	0	0	0	0	0	0	0
AMERICAN INDIAN	4	0.12	4	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	45	1.37	26	2	7	4	2	0	3	0	0	1	0	0	0	0
STATE TOTALS	3,279		1,876	352	491	212	174	40	43	27	16	12	5	4	5	22
PERCENT DISTRIBUTION		100.00	57.21	10.73	14.97	6.47	5.31	1.22	1.31	0.82	0.49	0.37	0.15	0.12	0.15	0.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-04

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	WEEKS OF GESTATION												
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 15	26	0.68	12	4	2	1	3	0	1	2	1	0	0	0	0	0
15	67	1.75	35	7	10	8	4	1	1	1	0	0	0	0	0	0
16	156	4.07	77	11	29	10	8	7	7	2	2	2	1	0	0	0
17	245	6.39	110	19	43	21	16	5	9	7	5	8	0	0	1	1
18	310	8.08	135	42	57	30	22	2	7	7	5	1	1	0	0	1
19	357	9.31	185	33	61	29	22	8	7	2	1	4	1	0	0	4
20-24	1,364	35.56	782	157	205	81	74	15	14	14	6	5	1	2	3	5
25-29	712	18.56	421	90	90	58	25	7	8	3	2	1	1	0	0	6
30-34	371	9.67	234	41	44	17	19	1	2	3	3	1	1	0	0	5
35-39	159	4.14	107	15	17	13	2	1	1	0	0	0	0	1	1	1
40-44	52	1.36	29	4	8	4	2	1	0	0	1	2	0	1	0	0
GREATER THAN 44	2	0.05	1	0	0	1	0	0	0	0	0	0	0	0	0	0
UNKNOWN	15	0.39	6	1	2	2	2	0	0	0	0	0	0	0	0	2
STATE TOTALS	3,836		2,134	424	568	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.63	11.05	14.81	7.17	5.19	1.25	1.49	1.07	0.68	0.63	0.16	0.10	0.13	0.65

RACE OF PATIENT	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
WHITE	3,758	97.97	2,092	420	560	268	192	47	50	41	26	22	6	4	5	25
BLACK	20	0.52	7	2	1	2	5	0	3	0	0	0	0	0	0	0
AMERICAN INDIAN	5	0.13	5	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	53	1.38	30	2	7	5	2	1	4	0	0	2	0	0	0	0
STATE TOTALS	3,836		2,134	424	568	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.63	11.05	14.81	7.17	5.19	1.25	1.49	1.07	0.68	0.63	0.16	0.10	0.13	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-05

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

MARITAL STATUS	TOTAL ABORTIONS	RACE: WHITE NUMBER	WHITE PERCENT	BLACK NUMBER	BLACK PERCENT	AMERICAN INDIAN NUMBER	AMERICAN INDIAN PERCENT	OTHER NUMBER	OTHER PERCENT
MARRIED	661	639	96.67	4	0.61	1	0.15	17	2.57
NOT MARRIED	2,555	2,515	98.43	10	0.39	3	0.12	27	1.06
UNKNOWN	63	61	96.83	1	1.59	0	0.00	1	1.59
STATE TOTALS	3,279	3,215	98.05	15	0.46	4	0.12	45	1.37
AGE OF PATIENT(YRS.)									
LESS THAN 15	26	26	100.00	0	0.00	0	0.00	0	0.00
15	58	56	96.55	0	0.00	1	1.72	1	1.72
16	125	124	99.20	0	0.00	0	0.00	1	0.80
17	190	185	97.37	1	0.53	0	0.00	4	2.11
18	270	265	98.15	3	1.11	0	0.00	2	0.74
19	303	300	99.01	1	0.33	0	0.00	2	0.66
20-24	1,168	1,140	97.60	8	0.68	2	0.17	18	1.54
25-29	614	608	99.02	2	0.33	1	0.16	3	0.49
30-34	330	326	98.79	0	0.00	0	0.00	4	1.21
35-39	133	127	95.49	0	0.00	0	0.00	6	4.51
40-44	47	44	93.62	0	0.00	0	0.00	3	6.38
GREATER THAN 44	2	2	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	13	12	92.31	0	0.00	0	0.00	1	7.69
TEENAGE TOTALS	972	956	98.35	5	0.51	1	0.10	10	1.03
STATE TOTALS	3,279	3,215	98.05	15	0.46	4	0.12	45	1.37

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-06

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL ABORTIONS	RACE							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	751	728	96.94	4	0.53	1	0.13	18	2.40
NOT MARRIED	3,016	2,964	98.28	15	0.50	4	0.13	33	1.09
UNKNOWN	69	66	95.65	1	1.45	0	0.00	2	2.90
STATE TOTALS	3,836	3,758	97.97	20	0.52	5	0.13	53	1.38
AGE OF PATIENT(YRS.)									
LESS THAN 15	26	26	100.00	0	0.00	0	0.00	0	0.00
15	67	65	97.01	0	0.00	1	1.49	1	1.49
16	156	154	98.72	0	0.00	0	0.00	2	1.28
17	245	239	97.55	1	0.41	0	0.00	5	2.04
18	310	304	98.06	4	1.29	0	0.00	2	0.65
19	357	352	98.60	1	0.28	1	0.28	3	0.84
20-24	1,364	1,330	97.51	11	0.81	2	0.15	21	1.54
25-29	712	704	98.88	3	0.42	1	0.14	4	0.56
30-34	371	367	98.92	0	0.00	0	0.00	4	1.08
35-39	159	153	96.23	0	0.00	0	0.00	6	3.77
40-44	52	49	94.23	0	0.00	0	0.00	3	5.77
GREATER THAN 44	2	2	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	15	13	86.67	0	0.00	0	0.00	2	13.33
TEENAGE TOTALS	1,161	1,140	98.19	6	0.52	2	0.17	13	1.12
STATE TOTALS	3,836	3,758	97.97	20	0.52	5	0.13	53	1.38

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-07

INDUCED ABORTIONS BY COMPLICATIONS OF PREGNANCY, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

WEEKS OF GESTATION	TOTAL* ABORTIONS	PERCENT DISTRIBUTION	********** COMPLICATIONS OF PREGNANCY **********						
			NONE	HEMORRHAGE	INFECTION	UTERINE PERFORATION	CERVICAL LACERATION	RETAINED PRODUCTS	OTHER
LESS THAN 9	2,134	55.63	2,101	10	3	1	3	5	13
9	424	11.05	422	1	0	0	1	0	0
10	568	14.81	560	1	1	1	0	4	3
11	275	7.17	270	1	0	0	0	2	3
12	199	5.19	190	0	0	0	1	3	5
13	48	1.25	48	0	0	0	0	0	0
14	57	1.49	55	2	1	0	0	1	0
15	41	1.07	40	0	0	0	0	1	0
16	26	0.68	24	0	0	0	0	1	1
17	24	0.63	24	0	0	0	0	0	0
18	6	0.16	3	1	2	0	0	0	2
19	4	0.10	3	0	1	0	0	1	0
GREATER THAN 19	5	0.13	4	0	0	0	0	0	1
UNKNOWN	25	0.65	16	2	0	0	0	0	9
STATE TOTALS	3,836		3,760	18	8	2	5	18	37
PERCENT DISTRIBUTION		100.00	98.02	0.47	0.21	0.05	0.13	0.47	0.96

AGE OF PATIENT(YRS.)	TOTAL* ABORTIONS	PERCENT DISTRIBUTION	NONE	HEMORRHAGE	INFECTION	UTERINE PERFORATION	CERVICAL LACERATION	RETAINED PRODUCTS	OTHER
LESS THAN 15	26	0.68	26	0	0	0	0	0	0
15	67	1.75	67	0	0	0	0	0	0
16	156	4.07	155	0	0	0	0	1	0
17	245	6.39	241	0	0	0	1	0	3
18	310	8.08	309	1	1	0	0	2	0
19	357	9.31	354	0	0	0	0	0	3
20-24	1,364	35.56	1,339	6	2	0	4	7	8
25-29	712	18.56	689	7	3	1	0	6	11
30-34	371	9.67	356	2	1	1	0	1	11
35-39	159	4.14	156	1	1	0	0	1	1
40-44	52	1.36	52	0	0	0	0	0	0
GREATER THAN 44	2	0.05	1	1	0	0	0	0	0
UNKNOWN	15	0.39	15	0	0	0	0	0	0
TEENAGE TOTALS	1,161	30.27	1,152	1	1	0	1	3	6
STATE TOTALS	3,836		3,760	18	8	2	5	18	37
PERCENT DISTRIBUTION		100.00	98.02	0.47	0.21	0.05	0.13	0.47	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* THE SUM OF COMPLICATIONS OF PREGNANCY MAY EXCEED TOTAL ABORTIONS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-08 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

MARITAL STATUS	TOTAL ABORTIONS	OUTCOME OF PREVIOUS PREGNANCIES																	
		LIVE BIRTHS						INDUCED TERMINATIONS						SPONTANEOUS TERMINATIONS					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	661	145	176	200	50	29	61	417	155	41	8	3	37	516	64	22	3	0	56
NOT MARRIED	2,555	1,872	340	141	55	24	123	1,719	559	134	27	[illegible]	109	2,241	117	16	6	3	172
UNKNOWN	63	38	9	6	1	2	7	38	14	7	0	1	3	52	2	2	0	0	7
STATE TOTALS	3,279	2,055	525	347	106	55	191	2,174	728	182	35	11	149	2,809	183	40	9	3	235
PERCENT DIST.	100.00	62.67	16.01	10.58	3.23	1.68	5.82	66.30	22.20	5.55	1.07	0.34	4.54	85.67	5.58	1.22	0.27	0.09	7.17
AGE OF PATIENT(YRS.)																			
LESS THAN 15	26	24	0	0	0	0	2	23	1	0	0	0	2	24	0	0	0	0	2
15	58	56	0	0	0	0	2	53	2	0	0	0	3	55	1	0	0	0	2
16	125	118	4	0	0	0	3	114	5	0	0	0	6	119	0	0	0	0	6
17	190	165	14	0	0	0	11	150	28	0	0	0	12	174	0	0	0	0	16
18	270	239	20	2	0	1	8	231	28	1	0	0	10	254	4	0	1	0	11
19	303	256	31	7	0	0	9	230	53	8	1	0	11	276	8	2	0	0	17
20-24	1,168	780	206	88	23	4	67	730	308	61	12	3	54	1,013	58	9	1	2	85
25-29	614	285	149	107	22	7	44	333	167	65	13	6	30	506	42	11	2	0	53
30-34	330	93	76	88	30	13	30	191	83	36	7	0	13	252	44	7	3	0	24
35-39	133	24	22	39	17	18	13	75	39	9	2	2	6	93	18	3	1	0	18
40-44	47	3	3	15	14	11	1	35	9	2	0	0	1	28	8	8	1	1	1
GREATER THAN 44	2	0	0	1	0	1	0	2	0	0	0	0	0	2	0	0	0	0	0
UNKNOWN	13	12	0	0	0	0	1	7	5	0	0	0	1	13	0	0	0	0	0
TEENAGE TOTALS	972	858	69	9	0	1	35	801	117	9	1	0	44	902	13	2	1	0	54
PERCENT DIST.	100.00	88.27	7.10	0.93	0.00	0.10	3.60	82.41	12.04	0.93	0.10	0.00	4.53	92.80	1.34	0.21	0.10	0.00	5.56
STATE TOTALS	3,279	2,055	525	347	106	55	191	2,174	728	182	35	11	149	2,809	183	40	9	3	235
PERCENT DIST.	100.00	62.67	16.01	10.58	3.23	1.68	5.82	66.30	22.20	5.55	1.07	0.34	4.54	85.67	5.58	1.22	0.27	0.09	7.17

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE 4-09 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

		OUTCOME OF PREVIOUS PREGNANCIES																	
		LIVE BIRTHS						INDUCED TERMINATIONS						SPONTANEOUS TERMINATIONS					
MARITAL STATUS	TOTAL ABORTIONS	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	751	170	196	226	61	33	65	494	162	44	9	4	38	597	72	23	3	0	56
NOT MARRIED	3,016	2,264	381	157	59	26	129	2,102	621	143	29	8	113	2,673	131	17	7	4	184
UNKNOWN	69	43	10	6	1	2	7	43	15	7	0	1	3	56	3	2	0	1	7
STATE TOTALS	3,836	2,477	587	389	121	61	201	2,639	798	194	38	13	154	3,326	206	42	10	5	247
PERCENT DIST.	100.00	64.57	15.30	10.14	3.15	1.59	5.24	68.80	20.80	5.06	0.99	0.34	4.01	86.70	5.37	1.09	0.26	0.13	6.44
AGE OF PATIENT(YRS.)																			
LESS THAN 15	26	24	0	0	0	0	2	23	1	0	0	0	2	24	0	0	0	0	2
15	67	65	0	0	0	0	2	62	2	0	0	0	3	64	1	0	0	0	2
16	156	147	5	0	0	0	4	144	6	0	0	0	6	150	0	0	0	0	6
17	245	218	16	0	0	0	11	199	33	1	0	0	12	228	1	0	0	0	16
18	310	278	20	3	0	1	8	268	31	1	0	0	10	293	5	0	1	0	11
19	357	302	38	8	0	0	9	281	56	8	1	0	11	327	10	2	0	0	18
20-24	1,364	936	232	94	27	4	71	891	332	67	13	4	57	1,197	63	9	1	2	92
25-29	712	347	167	119	23	9	47	408	186	66	14	7	31	594	47	12	3	0	56
30-34	371	114	80	97	35	14	31	218	93	38	8	0	14	284	51	8	3	1	24
35-39	159	28	26	50	21	20	14	94	44	11	2	2	6	116	20	3	1	0	19
40-44	52	4	3	17	15	12	1	40	9	2	0	0	1	33	8	8	1	1	1
GREATER THAN 44	2	0	0	1	0	1	0	2	0	0	0	0	0	2	0	0	0	0	0
UNKNOWN	15	14	0	0	0	0	1	9	5	0	0	0	1	14	0	0	0	1	0
TEENAGE TOTALS	1,161	1,034	79	11	0	1	36	977	129	10	1	0	44	1,086	17	2	1	0	55
PERCENT DIST.	100.00	89.06	6.80	0.95	0.00	0.09	3.10	84.15	11.11	0.86	0.09	0.00	3.79	93.54	1.46	0.17	0.09	0.00	4.74
STATE TOTALS	3,836	2,477	587	389	121	61	201	2,639	798	194	38	13	154	3,326	206	42	10	5	247
PERCENT DIST.	100.00	64.57	15.30	10.14	3.15	1.59	5.24	68.80	20.80	5.06	0.99	0.34	4.01	86.70	5.37	1.09	0.26	0.13	6.44

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 4-10

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALASKA	0	MASSACHUSETTS	65	SOUTH DAKOTA	0
ALABAMA	0	MICHIGAN	1	TENNESSEE	0
ARIZONA	1	MINNESOTA	0	TEXAS	0
ARKANSAS	0	MISSISSIPPI	0	UTAH	0
CALIFORNIA	3	MISSOURI	1	VERMONT	3
COLORADO	0	MONTANA	0	VIRGINIA	0
CONNECTICUT	5	NEBRASKA	0	WASHINGTON	1
DELAWARE	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	3	NEW HAMPSHIRE	49	WISCONSIN	0
GEORGIA	0	NEW JERSEY	1	WYOMING	0
HAWAII	0	NEW MEXICO	0	DIST OF COLUMBIA	1
IDAHO	0	NEW YORK	10	PUERTO RICO	0
ILLINOIS	0	NORTH CAROLINA	0	VIRGIN ISLANDS	0
INDIANA	0	NORTH DAKOTA	0	GUAM	0
IOWA	0	OHIO	0	CANADA	404
KANSAS	0	OKLAHOMA	0	CUBA	0
KENTUCKY	0	OREGON	0	MEXICO	0
LOUISIANA	0	PENNSYLVANIA	2	OTHER W. HEMISPHERE	0
MAINE	3,279	RHODE ISLAND	2	REST OF THE WORLD	2
MARYLAND	3	SOUTH CAROLINA	0	UNKNOWN	0
				TOTAL	3,836

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-01

MARRIAGES BY AGE OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

			****************** AGE OF BRIDE(YRS.) ******************												
AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	1	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16-17	34	0.29	2	10	13	7	1	0	0	0	1	0	0	0	0	0	0
18-19	588	5.09	10	89	334	106	33	6	5	2	2	0	0	1	0	0	0
20-21	1,478	12.79	7	105	587	497	151	61	35	9	19	3	2	0	0	0	2
22-23	1,718	14.87	1	32	380	561	472	135	56	37	31	4	4	0	1	0	4
24-25	1,508	13.05	2	24	191	341	386	283	129	67	66	13	3	2	0	0	1
26-27	1,158	10.02	0	8	95	174	250	238	197	82	86	21	5	0	1	0	1
28-29	922	7.98	1	6	38	89	149	159	157	117	153	38	12	2	0	0	1
30-34	1,538	13.31	0	3	47	93	175	184	222	230	398	140	35	8	3	0	0
35-39	956	8.27	0	3	16	45	58	86	79	119	276	184	68	16	4	0	2
40-44	557	4 82	0	0	5	9	8	20	27	38	120	161	114	40	15	0	0
45-49	341	2.95	0	0	1	4	3	8	12	8	61	72	92	52	27	1	0
50-64	570	4.93	0	0	1	1	6	6	2	11	33	66	114	99	210	21	0
OVER 64	182	1.58	0	0	0	0	1	0	0	1	1	3	10	12	85	69	0
UNKNOWN	2	0.02	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
STATE TOTALS	11,553		24	280	1,708	1,927	1,693	1,186	921	723	1,247	705	459	232	346	91	11
PERCENT DISTRIBUTION		100.00	0.21	2.42	14.78	16.68	14.65	10.27	7.97	6.26	10.79	6.10	3.97	2.01	2.99	0.79	0.10

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-02

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	EDUCATION OF BRIDE(YRS.) UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	92	0.80	11	9	8	13	7	36	2	2	0	4	0	0
8	283	2.45	12	48	19	29	23	120	8	6	4	7	3	4
9	311	2.69	11	14	37	47	28	150	11	5	0	6	0	2
10	482	4.17	10	23	34	88	50	223	22	15	2	8	0	7
11	504	4.36	5	14	39	49	67	287	20	11	2	7	2	1
12	5,582	48.32	18	76	141	269	326	3,526	400	391	121	233	51	30
13	691	5.98	1	0	8	16	25	294	143	95	30	61	14	4
14	1,058	9.16	1	8	9	17	23	427	108	217	63	148	33	4
15	345	2.99	1	0	3	3	4	120	35	58	39	64	17	1
16	1,312	11.36	3	3	4	4	8	300	94	209	83	490	110	4
OVER 16	577	4.99	1	2	1	2	3	87	58	76	39	165	141	2
UNKNOWN	316	2.74	1	2	3	1	2	33	4	4	2	6	0	258
STATE TOTALS	11,553		75	199	306	538	566	5,603	905	1,089	385	1,199	371	317
PERCENT DISTRIBUTION		100.00	0.65	1.72	2.65	4.66	4.90	48.50	7.83	9.43	3.33	10.38	3.21	2.74

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-03

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	AGE OF BRIDE(YRS.)														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
BRIDE																	
SINGLE	7,433	64.34	24	279	1,693	1,816	1,470	864	515	303	329	73	22	13	17	6	9
WIDOWED	391	3.38	0	0	1	0	5	5	4	8	22	32	42	35	168	68	1
DIVORCED	3,720	32.20	0	1	14	110	217	317	399	411	895	600	395	182	161	17	1
ANNULLED	7	0.06	0	0	0	1	0	0	2	1	1	0	0	2	0	0	0
UNKNOWN	2	0.02	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
BRIDE TOTALS	11,553		24	280	1,708	1,927	1,693	1,186	921	723	1,247	705	459	232	346	91	11
PERCENT DIST.		100.00	0.21	2.42	14.78	16.68	14.65	10.27	7.97	6.26	10.79	6.10	3.97	2.01	2.99	0.79	0.10

	TOTAL MARRIAGES	PERCENT DIST.	AGE OF GROOM(YRS.)														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
GROOM																	
SINGLE	7,358	63.69	1	34	587	1,466	1,638	1,293	874	538	615	181	56	24	41	9	1
WIDOWED	361	3.12	0	0	0	0	0	1	1	4	4	11	18	28	154	140	0
DIVORCED	3,825	33.11	0	0	1	12	80	212	283	380	917	763	482	288	374	32	1
ANNULLED	7	0.06	0	0	0	0	0	1	0	0	1	1	1	1	1	1	0
UNKNOWN	2	0.02	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
GROOM TOTALS	11,553		1	34	588	1,478	1,718	1,508	1,158	922	1,538	956	557	341	570	182	2
PERCENT DIST.		100.00	0.01	0.29	5.09	12.79	14.87	13.05	10.02	7.98	13.31	8.27	4.82	2.95	4.93	1.58	0.02

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-04

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

			******************** NUMBER OF PREVIOUS MARRIAGES OF BRIDE ********************									
NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTION	0	1	2	3	4	5	6	7	8	UNKNOWN
0	7,359	63.70	6,116	1,060	155	24	3	0	0	1	0	0
1	3,305	28.61	1,129	1,746	350	62	16	2	0	0	0	0
2	710	6.15	160	343	164	30	13	0	0	0	0	0
3	141	1.22	21	70	34	13	3	0	0	0	0	0
4	29	0.25	6	9	9	3	2	0	0	0	0	0
5	7	0.06	3	3	1	0	0	0	0	0	0	0
6	0	0.00	0	0	0	0	0	0	0	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,553		7,436	3,232	713	132	37	2	0	1	0	0
PERCENT DISTRIBUTION		100.00	64.36	27.98	6.17	1.14	0.32	0.02	0.00	0.01	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 5-05 DIVORCES BY NUMBER OF MINOR CHILDREN, PLAINTIFF, DECREE GRANTED, AND BY NUMBER OF YEARS MARRIED
MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	***** NUMBER OF MINOR CHILDREN ******						***** PLAINTIFF *****			** DECREE GRANTED ***		
			0	1	2	3	4	OVER 4	WIFE	HUSBAND	BOTH	WIFE	HUSBAND	BOTH
UNDER 1	283	4.77	236	32	9	4	2	0	177	106	0	95	46	142
1-2	1,137	19.14	729	337	57	12	1	1	731	406	0	411	180	546
3-4	1,041	17.53	489	358	168	22	4	0	710	330	1	351	130	560
5-6	716	12.06	291	209	166	41	8	1	480	236	0	285	106	325
7-8	566	9.53	173	156	186	46	4	1	368	198	0	187	70	309
9-10	455	7.66	122	119	158	45	11	0	310	145	0	170	69	216
11-12	371	6.25	76	84	158	40	11	2	249	122	0	120	46	205
13-14	281	4.73	40	63	113	56	8	1	181	99	1	86	37	158
15-16	181	3.05	20	29	80	40	9	3	121	59	1	55	24	102
17-18	204	3.43	24	26	84	43	22	5	132	72	0	68	25	111
19-20	150	2.53	28	48	46	21	5	2	103	47	0	54	24	72
21-22	125	2.10	52	34	30	6	3	0	75	50	0	35	19	71
23-24	100	1.68	42	39	15	4	0	0	63	37	0	30	13	57
25-26	76	1.28	47	19	8	1	0	1	50	26	0	28	10	38
27-28	70	1.18	44	19	6	1	0	0	45	25	0	33	6	31
29-30	60	1.01	43	15	2	0	0	0	42	18	0	26	4	30
31-34	65	1.09	54	9	1	0	0	1	38	27	0	19	11	35
35-39	35	0.59	33	2	0	0	0	0	21	14	0	13	5	17
OVER 39	23	0.39	21	2	0	0	0	0	16	7	0	6	5	12
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,939		2,564	1,600	1,287	382	88	18	3,912	2,024	3	2,072	830	3,037
PERCENT DIST.		100.00	43.17	26.94	21.67	6.43	1.48	0.30	65.87	34.08	0.05	34.89	13.98	51.14

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

APPENDIX 1

Copies of Maine Certificates:
Birth
Fetal Death
Death
Spontaneous and Induced Abortion
Marriage
Divorce



PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

63042 -0

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF LIVE BIRTH

SPECIMEN COPY

CHILD—NAME FIRST MIDDLE LAST 1.	SEX 2.	DATE OF BIRTH (Mo., Day, Yr.) 3a.	HOUR 3b. M
HOSPITAL—NAME (If not in hospital, give street and number) 4a.	CITY, TOWN OR LOCATION OF BIRTH 4b.	COUNTY OF BIRTH 4c.	
I certify that the stated information concerning this child is true to the best of my knowledge and belief 5a. (Signature) ▶	DATE SIGNED (Mo., Day, Yr.) 5b.	NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (Type or print) 5c.	
CERTIFIER—NAME AND TITLE (Type or print) 5d.	MAILING ADDRESS (Street or R.F.D. No., City or Town, State, Zip) 5e.		
REGISTRAR 6a. (Signature) ▶	DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.) 6b.		
MOTHER—MAIDEN NAME FIRST MIDDLE LAST 7a.	AGE (At time of this birth) 7b.	STATE OF BIRTH (If not in U.S.A., name country) 7c.	
STATE OF RESIDENCE 8a.	COUNTY OF RESIDENCE 8b.	CITY, TOWN OR LOCATION OF RESIDENCE 8c.	STREET AND NUMBER OF RESIDENCE 8d.
MOTHER'S MAILING ADDRESS—If same as above, enter Zip Code only 9a.	YEARS LIVING IN PRESENT TOWN 9b.		
FATHER—NAME FIRST MIDDLE LAST 10a.	AGE (At time of this birth) 10b.	STATE OF BIRTH (If not U.S.A., name country) 10c.	
I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief (Signature of Parent or 11a. other Informant) ▶	RELATION TO CHILD 11b.		

SPECIMEN COPY

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

RACE-MOTHER (e.g. White, Black, American Indian, etc.) (Specify) 12	RACE-FATHER (e.g. White, Black, American Indian, etc.) (Specify) 13	BIRTH WEIGHT 14	THIS BIRTH—Single, twin, triplet, etc. (Specify) 15a	IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify) 15b	IS MOTHER MARRIED? (Specify yes or no) 16

VS-R183

STATE COPY

PREGNANCY HISTORY	(Do not include this child) (Complete each section)	(Number) 17a None ☐	(Number) 17b None ☐	(Month, Year) 17c
	OTHER TERMINATIONS (Spontaneous and induced)	Before 20 weeks (Number) 17d None ☐	After 20 weeks (Number) 17e None ☐	DATE OF LAST OTHER TERMINATION (as indicated in 17d or 17e) 17f Mo. Yr.
MOTHER	ORIGIN OR DESCENT—MOTHER (Specify Italian, Mexican, Irish, etc.) 18a	EDUCATION—(highest grade completed) Elementary or Secondary (0-12) 18b / College (1-4 or 5+) 18c	OCCUPATION—MOTHER 18d	INDUSTRY—MOTHER 18e
FATHER	ORIGIN OR DESCENT—FATHER (Specify Italian, Mexican, Irish, etc.) 19a	EDUCATION (0-12) 19b / (1-4 or 5+) 19c	OCCUPATION—FATHER 19d	INDUSTRY—FATHER 19e
MOTHER	DATE LAST NORMAL MENSES BEGAN (Month, Day, Year) 20	MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, etc.) (Specify) 21a	PRENATAL VISITS Total Number (If none, so state) 21b	
CHILD	APGAR SCORE 1 Min. 22a / 5 Min. 22b	GESTATIONAL AGE ASSESSMENT by Examining Baby (Weeks) 23	CONDITION OF INFANT AT BIRTH (Specify) 24 Normal ○ Respiratory Distress ○ Birth Injury ○ Other (Specify) ○	

THIS PREGNANCY - MARK AT LEAST ONE CATEGORY IN EACH COLUMN

25 COMPLICATIONS OF PREGNANCY (check all which apply)
- Bleeding in Early Pregnancy a ☐
- Eclampsia b ☐
- Preeclampsia c ☐
- Rh Sensitization d ☐
- Anemia (hgb. < 10 gm/hct < 30%) g ☐
- Amnionitis h ☐
- Urinary Tract Infection i ☐
- Premature Labor (before 37 weeks) j ☐
- Premature Delivery (before 37 weeks) k ☐
- PROM (> 24 hours before delivery) l ☐
- Other (specify) ______ y ☐
- None z ☐

26 ILLNESS OR CONDS AFFECTING PREGNANCY (Check all which apply)
- Tobacco Use a ☐
- Heart Disease Symptomatic b ☐
- Hypertension c ☐
- Chronic Renal Disease d ☐
- Pyelocystitis e ☐
- DES Exposure f ☐
- Alcohol Dependence g ☐
- Drug Addiction or Dependence h ☐
- Previous C-section (specify number) ______ i ☐
- Obesity j ☐
- Gestational Diabetes k ☐
- Chronic Diabetes l ☐
- Other (specify) ______ y ☐
- None z ☐

27 COMPLICATIONS OF LABOR (Check all which apply)
- Abruptio Placenta a ☐
- Placenta Previa b ☐
- Cord Prolapse or Compression c ☐
- Dystocia (Specify type) ______ d ☐
- Breech e ☐
- Intrapartum Fever/Chorioamnionitis g ☐
- Fetal Distress h ☐
- Labor >16 hrs i ☐
- Other (specify) ______ y ☐
- None z ☐

28 METHOD OF DELIVERY (check one)
- Spontaneous Controlled a ☐
- Spontaneous Uncontrolled b ☐
- Low Forceps c ☐
- Other Forceps Procedure d ☐
- Primary C-Section e ☐
- Repeat C-Section f ☐
- Breech Delivery g ☐
- Version and Extraction h ☐
- Other (specify) ______ y ☐

29 CONGENITAL ANOMALIES (check all which apply)
- Anencephalus a ☐
- Spina Bifida b ☐
- Other Nervous System (specify) ______ c ☐
- Cleft Lip/Palate (specify) ______ d ☐
- Of Eye (specify) ______ e ☐
- Of Ear Face Neck (specify) ______ f ☐
- Of Heart (specify) ______ g ☐
- Of Other Circulatory System (specify) ______ h ☐
- Of Respiratory System (specify) ______ i ☐
- Of Digestive System (specify) ______ j ☐
- Of Genital Organs (specify) ______ k ☐
- Of Urinary System (specify) ______ l ☐
- Of Musculoskeletal (specify) ______ m ☐
- Of Integument (specify) ______ n ☐
- Chromosomal (specify) ______ o ☐
- Other (specify) ______ y ☐
- None z ☐

VS-R183

NOT A LEGAL COPY

UPON COMPLETION SEND THIS SHEET TO: Department of Human Services, Vital Records Office
State House Station #11, Augusta, Maine 04333

SPECIMEN COPY



PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

**ORIGINAL—
STATE
COPY**

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
REPORT OF FETAL DEATH

SPECIMEN COPY

SPECIMEN COPY

VS-4 R178



PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

**ORIGINAL
COPY
STATE**

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF DEATH

SPECIMEN COPY

SPECIMEN COPY

VS-3 R878



STATE OF MAINE – DEPARTMENT OF HUMAN SERVICES

REPORT OF ABORTION (Spontaneous and Induced)

FACIDITY NAME (IF NOT INSTITUTION GIVE ADDRESS) 1

COUNTY OF ABORTION 2(a)

CITY OR TOWN OF ABORTION 2(b)

REPORT NUMBER 3 № 16234

AGE OF PATIENT 4

PATIENT MARRIED? 5 ☐ YES ☐ NO

DATE OF ABORTION 6

RESIDENCE OF PATIENT (STATE) 7(a)

COUNTY 7(b)

CITY OR TOWN 7(c)

TYPE OF ABORTION 8 SPONTANEOUS ☐ INDUCED ☐

RACE (CHECK) ☐ White ☐ Black ☐ American Indian ☐ Other

EDUCATION (0-17) HIGHEST GRADE COMPLETED 10

PREVIOUS PREGNANCIES (COMPLETE EACH SECTION)

LIVE BIRTHS		OTHER TERMINATIONS	
Now Living	Now Dead	Spontaneous	Induced
Number ____ 11(a) None ☐	Number ____ 11(b) None ☐	Number ____ 11(c) None ☐	Number ____ 11(d) None ☐

TERMINATION PROCEDURE

PROCEDURE THAT TERMINATED PREGNANCY (CHECK ONE ONLY) — ADDITIONAL PROCEDURES USED IF ANY (CHECK ALL THAT APPLY)

☐ .... SPONTANEOUS ABORTION—NOT APPLICABLE

☐ .... SUCTION CURETTAGE .... ☐

☐ .... SHARP CURETTAGE .... ☐

☐ .... INTRA-UTERINE SALINE INSTILLATION .... ☐

☐ . INTRA-UTERINE PROSTAGLANDIN INSTILLATION. ☐

☐ .... HYSTEROTOMY .... ☐

☐ .... HYSTERECTOMY .... ☐

☐ .... OTHER (SPECIFY) .... ☐

12(a) ____

COMPLICATIONS OF PREGNANCY

CHECK ALL THAT APPLY

NONE .... ☐

HEMORRHAGE .... ☐

INFECTION .... ☐

UTERINE PERFORATION .... ☐

CERVICAL LACERATION .... ☐

RETAINED PRODUCTS .... ☐

OTHER (SPECIFY) .... ☐

12(b) ____

SIGNATURE OF ATTENDING PHYSICIAN 13

ADDRESS OF PHYSICIAN IF NON FACILITY ABORTION 14

PHYSICIAN'S ESTIMATE OF GESTATIONAL AGE 15

NAME OF PERSON COMPLETING REPORT IF NOT ATTENDING PHYSICIAN 16

VS 4A R0180

SPECIMEN COPY

SPECIMEN COPY



14004

PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

ORIGINAL
CITY OR TOWN

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
LICENSE AND CERTIFICATE OF MARRIAGE

LAST — AGE

CITY, TOWN OR LOCATION

COUNTY — STATE — BIRTHPLACE (STATE OR FOREIGN COUNTRY) — DATE OF BIRTH (Mo. Day Yr.)

FATHER'S NAME — BIRTHPLACE (STATE OR FOREIGN COUNTRY) — MOTHER'S MAIDEN NAME — BIRTHPLACE (STATE OR FOREIGN COUNTRY)

BRIDE'S NAME FIRST MIDDLE LAST — MAIDEN NAME IF DIFFERENT — AGE

USUAL RESIDENCE STREET AND NUMBER — CITY, TOWN OR LOCATION

COUNTY — STATE — BIRTHPLACE (STATE OR FOREIGN COUNTRY) — DATE OF BIRTH (Mo. Day Yr.)

FATHER'S NAME — BIRTHPLACE (STATE OR FOREIGN COUNTRY) — MOTHER'S MAIDEN NAME — BIRTHPLACE (STATE OR FOREIGN COUNTRY)

I CERTIFY THAT THE INFORMATION ABOVE IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF — GROOM'S SIGNATURE 15 — BRIDE'S SIGNATURE 16

ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE NAMED PARTIES UNDER THE LAWS OF MAINE. — DATE INTENTIONS FILED 17a — LICENSE ISSUED DATE 17b — LICENSE VALID UNTIL (Date) 17c — SIGNATURE OF CLERK 17d — CITY OR TOWN 17e

THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE

I CERTIFY THAT ABOVE NAMED PERSONS WERE MARRIED ON Month Day Year 18a — WHERE MARRIED CITY 18b — COUNTY 18c

PERSON PERFORMING CEREMONY (Signature) 18d — PRINTED NAME 18e — TITLE 18f — DATE OF COMMISSION OR LICENSE 18g

ADDRESS OF ABOVE PERSON 18h — WITNESS TO CEREMONY Type or Print 18i — WITNESS TO CEREMONY Type or Print 18j

SIGNATURE OF CLERK 20a (Signature) — DATE RECEIVED 20b

INFORMATION FOR STATISTICAL PURPOSES ONLY

RACE-GROOM	NUMBER OF THIS MARRIAGE	IF PREVIOUSLY MARRIED LAST MARRIAGE ENDED		EDUCATION (Specify only highest grade completed)
Specify (e.g. White, Black, American Indian, etc.) 21	22	By death, divorce, dissolution or annulment (Specify) 23a	DATE (Mo. Day Yr.) 23b	Elementary or Secondary (0-12) College (1-4 or 5+) 24
RACE-BRIDE	NUMBER OF THIS MARRIAGE	IF PREVIOUSLY MARRIED LAST MARRIAGE ENDED		EDUCATION (Specify only highest grade completed)
Specify (e.g. White, Black, American Indian, etc.) 25	Specify (First, Second, etc.) 26	BY DEATH, DIVORCE, DISSOLUTION OR ANNULMENT (Specify) 27a	DATE (Mo. Day Yr.) 27b	Elementary or Secondary (0-12) College (1-4 or 5+) 28

VS 2 R078

SPECIMEN COPY

SPECIMEN COPY



Form VS-6 R-777

STATE OF MAINE

State File No.

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

HUSBAND	1. NAME OF HUSBAND — FIRST	MIDDLE	LAST
	2. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
WIFE	3. NAME OF WIFE — FIRST	MIDDLE	LAST
	4. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
MARRIAGE	5. PLACE OF MARRIAGE — CITY OR TOWN AND STATE		6. DATE OF MARRIAGE
DIVORCE OR ANNULMENT	7. TYPE OF DECREE DIVORCE ☐ ANNULMENT ☐	8. PLAINTIFF HUSBAND ☐ WIFE ☐	9. DECREE GRANTED TO HUSBAND ☐ WIFE ☐
	10. DATE OF DECREE	11. LEGAL GROUNDS FOR JUDGEMENT	
MINOR CHILDREN Use Reverse Side for Additional Names	12. NAMES OF MINOR CHILDREN	13. AGES	14. CUSTODY
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT.		
	16. SIGNATURE OF CLERK	17. NAME OF COURT	18. LOCATION OF COURT

SPECIMEN COPY

SPECIMEN COPY

APPENDIX 2

1983 Population Estimates and Projections

Population Estimates by County
Maine - July 1, 1983

County	Estimated Resident Population July 1, 1983
State total	1,145,730
Androscoggin	99,981
Aroostook	89,545
Cumberland	220,767
Franklin	28,294
Hancock	42,951
Kennebec	111,144
Knox	33,882
Lincoln	27,175
Oxford	49,312
Penobscot	137,911
Piscataquis	17,905
Sagadahoc	29,807
Somerset	46,126
Waldo	29,076
Washington	34,146
York	147,708

Source: Welch, D. Population Estimates for Minor Civil Divisions by County, Maine, 1983. Augusta: Maine Department of Human Services, December, 1984.

Population Projections by Age Group
Maine - July 1, 1983

Age Group	Estimated Resident Population July 1, 1983
All Ages - Total	1,145,994
Under 1	16,643
1-14	231,842
15-24	197,528
25-34	189,366
35-44	143,882
45-64	218,534
65-74	85,646
75-84	46,849
85 and older	15,704

Source: Derived from Welch, D. Population Projections by Minor Civil Divisions, Sex, Age Group and County. Maine: 1983-1992. Augusta: Maine Department of Human Services, June, 1984. Figures were adjusted to correspond to the provisional federal state estimates for 1983.

APPENDIX 3

Historical Vital Statistics Data

POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES; RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS MAINE STATE TOTALS, 1900-1045 (Every Fifth Year) and 1946-1983 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate	Neonatal Death Rate	Fetal Death Rate	Marriages	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6[a]	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5[a]	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5[a]	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3[a]	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8[a]	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9[a]	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6[a]	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8[a]	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1[a]	7,569	2,497
1946	887,200	20,421	23.0	10,070	11.4	41.5	28.0	18.5[a]	12,827	3,939
1947	893,800	23,908	26.7	9,983	11.2	35.8	23.8	20.7[a]	10,664	2,905
1948	900,500	22,270	24.7	10,0[illegible]	11.2	32.8	21.2	17.1[a]	9,841	2,244
1949	907,100	21,941	24.2	10,173	11.2	33.4	22.6	17.8[a]	8,085	2,100
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4[a]	8,617	2,162
1951	919,524	21,142	23.0	10,139	11.0	30.8	21.5	16.8[a]	8,027	2,040
1952	924,088	21,199	22.9	9,942	10.8	30.0	21.7	17.6[a]	8,079	2,202
1953	929,128	21,774	23.4	9,817	10.6	26.2	17.9	17.8[a]	8,197	2,163
1954	934,790	22,439	24.0	9,878	10.6	24.7	16.8	16.2[a]	7,986	2,079
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4[a]	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17.9	25.8[a]	8,176	1,918
1957	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3[a]	7,878	1,890
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2[a]	7,564	1,873
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1[a]	7,599	1,960
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7[a]	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5[a]	7,908	2,021
1962	982,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1[a]	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3[a]	8,121	1,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4[a]	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5[a]	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0[a]	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1[a]	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0[a]	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8[a]	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8[a]	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2[a]	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2[a]	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3[a]	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9[b]	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8[b]	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3[b]	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6[b]	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9[b,c]	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2[b,c]	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1[b,c]	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7[b,c]	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9[b,c]	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5[b]	11,553	5,629

Notes: [a] Fetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

[b] Fetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

[c] Occurrence data.

Induced Abortions, Number and Rate: Maine State Totals, 1978-1983

Year	Births	Induced Abortions	Induced Abortions per 1,000 Live Births
1978	15,919	4,011	252.0[a]
1979	16,435	3,963	241.1[a]
1980	16,474	3,594	218.2[b]
1981	16,567	2,881	73.9[b]
1982	16,695	2,419	144.9[b]
1983	16,576	3,279	197.8[b]

Notes: Data prior to 1978 not given because of severe underreporting.

[a] Occurrence data.
[b] Residence data.

886 S3460-2-U

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
AUGUSTA, MAINE 04333

JOSEPH E. BRENNAN
GOVERNOR

MICHAEL R. PETIT
COMMISSIONER

Bureau of Medical Services
Office of Health Planning and Development
151 Capitol Street, Station #11
Augusta, Maine 04333

(207) 289-2716
289-3001 (Data)

December 30, 1985

ERRATA - MAINE VITAL STATISTICS, 1983

In the publication you received recently, several tables have been found to contain errors. Copies of Tables 1-03, 2-03, and 3-04 are attached for your use.

TABLE 1-03

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	333	2.0
ECLAMPSIA	13	0.1
PREECLAMPSIA	522	3.1
RH SENSITIZATION	65	0.4
ANEMIA(HGB < 10 GM/HCT < 30%)	171	1.0
AMNIONITIS	37	0.2
URINARY TRACT INFECTION	342	2.1
PREMATURE LABOR(BEFORE 37 WEEKS)	689	4.2
PREMATURE DELIVERY(BEFORE 37 WEEKS)	567	3.4
PROM(24 HRS. BEFORE DELIVERY)	473	2.9
OTHER	795	4.8
NONE	13,642	82.3
UNKNOWN	25	0.2

ILLNESS OR CONDITION AFFECTING PREGNANCY CONDITION	NUMBER	%
TOBACCO USE	2,002	12.1
HEART DISEASE SYMPTOMATIC	15	0.1
HYPERTENSION	335	2.0
CHRONIC RENAL DISEASE	15	0.1
PYELOCYSTITIS	19	0.1
DES EXPOSURE	30	0.2
ALCOHOL DEPENDENCE	20	0.1
DRUG ADDICTION OR DEPENDENCE	18	0.1
PREVIOUS C-SECTION	479	2.9
OBESITY	462	2.8
GESTATIONAL DIABETES	91	0.5
CHRONIC DIABETES	32	0.2
OTHER	455	2.7
NONE	13,020	78.5
UNKNOWN	27	0.2

COMPLICATIONS OF LABOR CONDITION	NUMBER	%
ABRUPTIO PLACENTA	155	0.9
PLACENTA PREVIA	54	0.3
CORD PROLAPSE OR COMPRESSION	168	1.0
DYSTOCIA	1,071	6.5
BREECH	443	2.7
INDUCTION	135	0.8
INTRAPARTUM FEVER/ CHORIOAMNION.	73	0.4
FETAL DISTRESS	603	3.6
LABOR>18 HRS.	424	2.6
OTHER	955	5.8
NONE	13,156	79.4
UNKNOWN	27	0.2

METHOD OF DELIVERY METHOD	NUMBER	%
SPONTANEOUS CONTROLLED	12,430	75.0
SPONTANEOUS UNCONTROLLED	157	0.9
LOW FORCEPS	623	3.8
OTHER FORCEPS PROCEDURE	212	1.3
PRIMARY C-SECTION	1,799	10.9
REPEAT C-SECTION	1,108	6.7
BREECH DELIVERY	82	0.5
VERSION AND EXTRACTION	20	0.1
OTHER	185	1.1

CONGENITAL ANOMALIES CONDITION	NUMBER	%
ANENCEPHALUS	5	0.0
SPINA BIFIDA	2	0.0
OTHER NERVOUS SYSTEM	11	0.1
CLEFT LIP/PALATE	22	0.1
EYE	6	0.0
EAR, FACE, NECK	11	0.1
HEART	22	0.1
OTHER CIRCULATORY SYSTEM	12	0.1
RESPIRATORY SYSTEM	25	0.2
DIGESTIVE SYSTEM	14	0.1
GENITAL ORGANS	40	0.2
URINARY SYSTEM	13	0.1
MUSCULOSKEL.	87	0.5
INTEGUMENT	26	0.2
CHROMOSOMAL	20	0.1
OTHER	46	0.3
NONE	16,236	97.9
UNKNOWN	25	0.2

NOTES: PERCENTAGES ARE BASED ON THE 16,576 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 2-03

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	10	0.06	10	10.10	1000.0
500-999	61	0.37	32	32.32	524.6
1000-1499	77	0.46	5	5.05	64.9
1500-1999	178	1.07	10	10.10	56.2
2000-2499	592	3.57	6	6.06	10.1
2500-2999	2,229	13.45	9	9.09	4.0
3000-3499	5,888	35.52	9	9.09	1.5
3500-3999	5,264	31.76	7	7.07	1.3
4000-4499	1,818	10.97	2	2.02	1.1
4500-4999	403	2.43	1	1.01	2.5
GREATER THAN 4999	46	0.28	1	1.01	21.7
UNKNOWN	10	0.06	7	7.07	700.0
STATE TOTALS	16,576	100.00	99	100.00	6.0

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1983 NEONATAL DEATHS BY 1983 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1983 NEONATAL DEATH COHORT OCCURRED IN 1982.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	1	3	3.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	3	8	2.666
OTHER TUBERCULOSIS (013-018)	1	3	3.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	1	1	1.000
MENINGOCOCCAL INFECTION (036)	2	2	1.000
SEPTICEMIA (038)	50	301	6.020
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	3	8	2.666
SYPHILIS (090-097)	1	1	1.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	32	71	2.218
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	55	72	1.309
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	645	737	1.142
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	669	749	1.119
MAL. NEO. BREAST (174-175)	208	254	1.221
MAL. NEO. GENITAL ORGANS (179-187)	293	369	1.259
MAL. NEO. URINARY ORGANS (188-189)	119	147	1.235
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	318	747	2.349
LEUKEMIA (204-208)	79	97	1.227
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	117	159	1.358
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	45	76	1.688
DIABETES MELLITUS (250)	169	847	5.011
NUTRITIONAL DEFICIENCIES (260-269)	17	250	14.705
ANEMIAS (280-285)	17	182	10.705
MENINGITIS (320-322)	9	23	2.555
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	38	64	1.684
HYPERTENSIVE HEART DISEASE (402)	75	167	2.226
HYPERTENSIVE HEART & RENAL DIS. (404)	16	26	1.625
ACUTE MYOCARDIAL INFARCTION (410)	1,708	1,852	1.084
OTHER ACUTE & SUBACUTE I.H.D. (411)	39	73	1.871
ANGINA PECTORIS (413)	9	55	6.111
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,421	2,754	1.938
OTHER DISEASES OF ENDOCARDIUM (424)	53	149	2.811
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	820	3,977	4.850
HYPERTENSION W/WO RENAL DISEASE (401, 403)	37	542	14.648
INTRACEREBRAL HEMORRHAGE (431-432)	110	155	1.409
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	128	188	1.468

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* SEE THE NOTES AT THE END OF THIS TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES
DIVISION OF DATA AND RESEARCH